



Journal of Medical Internet Research

Journal Impact Factor (JIF) (2022): 7.4
Volume 1 (1999), Issue 1 ISSN 1438-8871 Editor in Chief: Gunther Eysenbach, MD, MPH

Contents

Editorial

Welcome to the Journal of Medical Internet Research (e5) Gunther Eysenbach.....	2
--	---

Original Papers

Rating Health Web sites using the principles of Citation Analysis: A Bibliometric Approach (e4) Lei Cui.....	4
Can Examination of WWW Usage Statistics and other Indirect Quality Indicators Help to Distinguish the Relative Quality of Medical websites? (e1) Angel Hernández-Borges, Pablo Macías-Cervi, María Gaspar-Guardado, María DeArcaya, Ana Ruiz-Rabaza, Alejandro Jiménez-Sosa.....	27

Short Paper

Medical pioneers in cyberspace: German practice owners advertising on the WWW (e2) Claudia Schuh.....	14
--	----

Opinion

Factors Driving the Increase in Medical Information on the Web - One American Perspective (e3) Pamela Sieving.....	21
---	----

Editorial

Welcome to the Journal of Medical Internet Research

Gunther Eysenbach

(*J Med Internet Res* 1999;1(1):e5) doi:[10.2196/jmir.1.1.e5](https://doi.org/10.2196/jmir.1.1.e5)

Welcome to the "Journal of Medical Internet Research" - JMIR, the first international scientific peer-reviewed journal on all aspects of research, information and communication in healthcare using Internet and Intranet-related technologies.

Why does the world need the JMIR? The Internet - and more specifically, the World-Wide-Web - has an impact on many areas of medicine - broadly we can divide them into "clinical information and telemedicine", "medical education and information exchange" and "consumer health informatics":

- First, Internet protocols are used for clinical information and communication. In the future, Internet technology will be the platform for many telemedical applications.
- Second, the Internet revolutionizes the gathering, access and dissemination of non-clinical information in medicine: Bibliographic and factual databases are now world-wide accessible via graphical user interfaces, epidemiological and public health information can be gathered using the Internet, and increasingly the Internet is used for interactive medical education applications.
- Third, the Internet plays an important role for consumer health education, health promotion and teleprevention. (As an aside, it should be emphasized that "health education" on the Internet goes beyond the traditional model of health education, where a medical professional teaches the patient: On the Internet, much "health education" is done "consumer-to-consumer" by means of patient self support groups organizing in cyberspace. These patient-to-patient interchanges are becoming an important part of healthcare and are redefining the traditional model of preventive medicine and health promotion).

All these aspects of "cybermedicine" have implications for consumer empowerment and evidence-based medicine: The Internet (or Intranets) enables health professionals to access clinical data just in time, it allows health professionals to access the evidence on the efficacy of available interventions, and finally, it empowers consumers to actively take part in the decision making process.

Clearly, the medical use of the Internet presents enormous opportunities and challenges. The need for research and rapid publication of the findings is obvious. Research in this area should go beyond mere development and provision of technical solutions; it should also address social and human factors, and evaluate the impact of the Internet on society and health care, and public health.

JMIR wishes to publish papers that help physicians and consumers to maximize the use of the Internet. We invite researchers to evaluate the effectiveness and efficiency of Internet communications in health care. We encourage

publishers of Internet health information to apply rigorous research methods (such as randomization of users) to evaluate different methods and determinants of communication effectiveness. We invite researchers to compare the effectiveness of communication and information on the Internet with other (traditional) methods of communication. We call for papers that describe and evaluate the effects of the Internet on the patient-physician relationship and the impact on public health. We invite papers that describe the use of the Internet for evidence-based medicine, for example work that demonstrates the development and dissemination of clinical guidelines using the Internet. We wish to receive papers on ethical and legal problems, as well as cross-border and cross-cultural issues, affecting medicine on the Internet, and papers describing possible solutions to the problem of equity of information access. We would like to receive systematic studies examining the quality of medical information available in various online venues. We encourage thought regarding methods of evaluation, quality assessment and improvement of Internet information. We would like to receive proposals for standards in the field of medical publishing on the Internet, including self-regulation issues, policies and guidelines to provide reliable healthcare information. We encourage researchers to experiment with online questionnaires and other data collection experiments such as medical surveys and psychological tests. We would like to publish innovative approaches to use the Internet for healthcare research, examples might include clinical studies, drug reaction reporting and surveillance systems. We would like to publish comments and papers on electronic medical publishing and the use of the Internet for traditional scholarly publishing. We welcome descriptions of websites with innovative content or form, but authors should always make attempts to evaluate the impact of their work, for example trying to determine basic information about user demographics and traffic, where appropriate.

As publishers of a journal *about* the Internet, we are also dedicated to using and experimenting with the Internet as a medium itself. Obviously, we are utilizing the Internet for communication with authors (which is done exclusively by email), and communication with external reviewers, but we also intend to experiment with some novel methods of peer-review. We further invite authors to experiment with innovative methods to communicate their findings, for example submitting Hyper-papers (Hypertext Enriched Research Papers) [1] or by the inclusion of animated figures (animated gifs), audio and video into their documents, or by attaching original data which could be downloaded and possibly dynamically analyzed using JAVA applets.

New Internet standards and tools are developing at a breathtaking pace, and many Internet trends have a half-life of less than 6 months. We think that traditional paper journals are simply too slow for the fast-moving field of Internet-technologies. One of our editors reported that an article submitted to a leading medical informatics journal was only published 2 years later - obviously an unacceptable (and unnecessary) delay. Thus, we are trying to publish fast - usually our peer-review time is 1-2 weeks, and we publish all e-papers as soon as they have been accepted (though the printed version may be published later). We will follow a dual publishing

strategy - full articles will be published on the Internet, all abstracts and short important articles will be published as a printed version, mainly for archiving and indexing purposes. Our peer-review process will be rigorous and constructive, helping authors to improve their manuscripts and guaranteeing a high-quality journal. We eagerly look forward to your contributions.

Gunther Eysenbach MD

Editor,

Journal of Medical Internet Research

Reference

1. Eysenbach G. Pleasing both authors and readers. From ELPS to hypER papers. *BMJ* 1999 Aug 28;319(7209):579-580 [[FREE Full text](#)] [Medline: [99393397](#)]

###Reviewer names will be inserted here### published 11.08.99.

Please cite as:

Eysenbach G

Welcome to the Journal of Medical Internet Research

J Med Internet Res 1999;1(1):e5

URL: <http://www.jmir.org/1999/1/e5/>

doi: [10.2196/jmir.1.1.e5](https://doi.org/10.2196/jmir.1.1.e5)

© Gunther Eysenbach. Originally published in the Journal of Medical Internet Research (<http://www.jmir.org>), 11.8.1999. Except where otherwise noted, articles published in the Journal of Medical Internet Research are distributed under the terms of the Creative Commons Attribution License (<http://www.creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited, including full bibliographic details and the URL (see "please cite as" above), and this statement is included.

Original Paper

Rating Health Web sites using the principles of Citation Analysis: A Bibliometric Approach

Lei Cui, MD, MS

Corresponding Author:

Lei Cui, MD, MS
Faculty of Medical Library and Information Sciences
China Medical University
95 Bei 2 Rd
Shenyang 110001
China
Email: lcui@iris.cmu.edu.cn

Abstract

The rapid growth in the number of health care related web sites necessitates that medical librarians be able to evaluate the quality of the web sites. By analysing the linked sources medical libraries web pages of nineteen of the top U.S. medical schools, this study used the citation analysis method. What was found with this bibliometric approach was a set of 78 most highly cited WWW sites out of thousands of cited links. The identification of the current, core section of health sciences related web sites with a bibliometric method gives librarians and information scientists another approach for evaluating web sites.

(*J Med Internet Res* 1999;1(1):e4) doi:[10.2196/jmir.1.1.e4](https://doi.org/10.2196/jmir.1.1.e4)

KEYWORDS

Web sites, citation analysis, health science, evaluation, bibliometric

Introduction

The rapid growth and constant change in the number of health care related web sites make the evaluation of the quality of the web sites a difficult but beneficial task. The Internet is "a medium in which anyone with a computer can serve simultaneously as author, editor, and publisher and can fill any or all of these roles anonymously if he or she so choose. In such an environment, novices and savvy Internet users alike can have trouble distinguishing the wheat from the chaff, the useful from the harmful" [1]. In a systematic search by means of two search engines (Yahoo and Excite) for parent-oriented web pages relating to home management of feverish children, [2] the investigators of this study, compared the web site information with the guidelines to parents for managing fever at home supplied by a printed book. The investigators found among 41 web pages retrieved and reviewed: 28 web pages gave a specific temperature above which a child is feverish, 26 pages indicated the optimal site for taking temperature, 38 pages recommended non-drug measures, and 36 pages gave some indication of when a doctor should be called. Only four web pages adhered closely to the main recommendations in the guidelines. The investigators concluded from these observations only a few web sites provided complete and accurate information for this common and widely discussed condition. According to McClung, [3] 48 out of 60 major medical institution web sites checked had inaccurate information about the treatment of childhood diarrhea. While

it is virtually impossible (and probably undesirable) to control the content of web pages, it is certainly useful to have some measure of the quality of the information provided.

One possibility is to establish an official rating system based on standard criteria. In the survey mentioned above, [2] the author also suggested an urgent need to check public oriented health care information on the Internet for accuracy, completeness, and consistency. Many attempts have been made, and core standards that can help to achieve these goals have been developed. The most widely accepted suggestion is adapting the five traditional print evaluation criteria: accuracy, authority, objectivity, currency and coverage, to web resources [4,5,6].

However, "many Internet users object strongly to any 'official' attempts to regulate information", though few want to see inaccurate information appearing! In addition, "the Web's interactive format means criteria used for paper-based journals may not be valid for web-based information." [7]. Jadad points out that the "Net's very nature makes this difficult, if not impossible". After an investigation to identify instruments used to rate web sites providing health information on the Internet, Jadad concluded, "many incompletely developed instruments to evaluate health information exist on the Internet. It is unclear, however, whether they should exist in the first place, whether they measure what they claim to measure, or whether they lead to more good than harm" [8]. At this point it is very difficult to

reach or develop a standard that every user of the Internet could observe.

It has been suggested that Web sites can be evaluated in a similar way to traditional print media. When we evaluate a textbook or a journal, we not only assess the authors, content, and structure, but also more objectively, measure the impact of the publication on its readers. Citation analysis, the practice of counting citations to determine the scholarly impact of a work, is a method long used by librarians as an important tool of collection development. With bibliometrics the impact of a journal is evaluated by the frequency that it was cited during a certain period.

One major instrument to evaluate scientific journals is Journal Citation Reports (JCR) [9]. JCR is published by the Institute for Scientific Information and includes several citation-based measures of journal impact for the journals that they review. Librarians and researchers can utilize JCR to see how many times and how quickly articles published in certain journals are cited. There is also a measure of effectiveness, the impact factor, which normalizes the citations received by the selected journals and looks only at the previous two years of publication.

Though there is no similar tool available to evaluate the impact of a WWW page, it is comparatively easy to determine which pages are cited ("linked to") by the compilers of other pages. We also found a study conducted on the WWW pages of selected fine art libraries [10]. By analyzing the linked sources on art library Web pages, Neth's study found a set of twenty commonly cited WWW sites out of thousands of cited links. As we investigate health science related web sites, we also find some well-established sites already use this method successfully. For example the compilers for the Hardin-Meta of the University of Iowa look at many sites in each field and chose the lists that are most frequently cited by people in the field. This analysis provides a rudimentary form of peer evaluation. They call it a

"list of lists" [11]. Another example, in a paper on the quality management of medical information on the Internet by Eysenbach, the author presented some indirect quality indicators, among them is "Web citation". A "webcite index," analogous to the Science Citation Index, could be compiled from the absolute number of hyperlinks to a certain website or new hyperlinks established over a period of time [17]. The author has developed a website network (<http://webcite.net>) contributing and practicing this methodology.

In this paper, we analysis the pages linked to in the "other links" sections of the web pages of a selection of the top 25 US medical schools. On the assumption that a Web Master will only cite or link to pages he/she thinks are authoritative. We examine the links made from these pages and obtain a listing of the most cited pages. This affords a new approach to evaluate web sites by using the principles of citation analysis.

Methods

(1). Sample selection:

The selection of the "key sites" used to count the most frequently cited web sites is very important. For our approach, we used the listing of "the top 25 medical schools in the United States" as published by U.S. News and World Report [12]. Next we identified their primary health information WWW site. Normally this was the home page for the medical school library. Among these 25 medical schools, the web pages for seven of the medical schools were eliminated due to technical limitation of the URL checking software and the variations of the Web sites.

We finally examined the web pages of nineteen of the top twenty-five US medical schools. The top 25 are listed in [Table 1](#) with those eliminated from this study indicated by an asterisk (*).

Table 1. The top 25 Medical Schools and Their Web Pages Used in Survey

Medical Schools	Page Used in Survey
1. Harvard University (MA)	1. http://www.countway.harvard.edu/countway/webref/catalog.html
2. Johns Hopkins University (MD)	2. http://www.welch.jhu.edu/internet/
3. Washington University (MO)	3. http://medschool.wustl.edu/~ref/otherwww.htm
4. Duke University (NC)	4. http://www.mc.duke.edu/mclibrary/practice/
5. University of Pennsylvania	5. http://www.library.upenn.edu
6. Yale University (CT)*	6. http://www.med.yale.edu/library/sir/
7. Columbia University College	7. http://cpmcnet.columbia.edu/library/subject/
8. University of California-SF *	8. http://www.library.ucsf.edu/kr/bin/topics.pl
9. Cornell University (NY)	9. http://www.med.cornell.edu/CUMC/links.html
10. Stanford University (CA)	10. Http://www-med.stanford.edu/lane/bioresources.html
11. University of Michigan-AA	11. http://www.lib.umich.edu/libhome/Taubman.lib/webresources.html
12. University of California-LA	12. http://www.library.ucla.edu/libraries/biomed/cdd/list.htm
13. Baylor College of Medicine (TX)	13. http://www.library.tmc.edu/selected.html
14. University of Washington *	14. http://www.hslib.washington.edu/
15. Case Western Reserve University	15. http://www.cwru.edu/chsl/catalogs.htm
16. Vanderbilt University (TN)*	16. http://www.mc.vanderbilt.edu/library/resources.html
17. University of Texas SW Medical Center-Dallas	17. http://www.swmed.edu/home_pages/library/rcis/intro.htm
18. University of Chicago	18. http://www.lib.uchicago.edu/LibInfo/Internet/
19. University of California--SD	19. http://scilib.ucsd.edu/bml
20. University of Pittsburgh*	20. http://www.hsls.pitt.edu/intres/index.html
21. Emory University (GA)*	21. http://www.cc.emory.edu/WHSC/medweb.html
22. New York University	22. http://library.med.nyu.edu/library/internet/biomedical/biosubjects.html
23. Mayo Medical School (MN)	23. http://www.mayo.edu/outlinks.html
24. Yeshiva Univ.-Albert Einstein Coll. of Medicine	24. http://bagel.aecom.yu.edu/

(2). Ranking the web sites by the cited frequency

The next step was to examine the links made from these pages. This was achieved by using a software program "Checkweb" [13], which checks the links of the selected web page and reports which ones have moved, or cannot be located or connected to. The second step is to clean up this list of and eliminate the orphans (Status 404 - no longer existing and Status 301 and 302 - moved), and the "noise items". Noise items are "noise" from the host web page such as "go home" or links to other sections on the same site. This ensures that the final list is only to active links to external URLs.

The final step was to count the frequency of these URLs by their different levels. For example, we have the URLs such as: <http://www.lib.uiowa.edu/hardin/md/speech.html>. This URL can be broken down into its component parts as shown in [Table 1](#). We separated these URLs into their different component levels and counted their frequency. In this example, the first level domain name is the portion before the first slash, "http://www.lib.uiowa.edu".

The Top Level Domains (TLDs) include the designators such as .edu, .com, .ca, and .nl. Sorting the TLDs resulted in [Table 2](#).

Table 2. The distribution of the Top Level Domains (TLDs)

No.	TLD	Meaning of TLDs	Freq.	Percen	Cum.P
1	edu	U.S. Four year colleges and universities	1124	30.47	30.47
2	com	U.S. Commercial entities	839	22.74	53.21
3	gov	United States Federal Government entities	683	18.51	71.73
4	org	Miscellaneous organisations	623	16.89	88.61
5	net	Organisations directly involved in Internet operations	93	2.52	91.14
6	uk	United Kingdom	83	2.25	93.39
7	ca	Canada	47	1.27	94.66
8	ch	Switzerland	33	0.89	95.55
9	de	Germany	24	0.65	96.20
10	us	United States	18	0.49	96.69
11	au	Australia	16	0.43	97.13
12	se	Sweden	10	0.27	97.40
13	jp	Japan	9	0.24	97.64
14	fr	France	8	0.22	97.86
15	int	International	8	0.22	98.08
16	it	Italy	6	0.16	98.24
17	nl	Netherlands	5	0.14	98.37
18-52		TLDs appear less than 5 times	60	1.63	100.00
Total	52		3689	100.00	

Results and Analysis

The three levels of URLs were counted and the results are shown in [Table 3](#), [Table 4](#) and [Table 5](#).

(1). The Top Level Domains distribution.

The frequency of links is very concentrated in several TLDs, notably .edu, .com, and .gov and .org. These accounted for 88.61% of the Links.

As shown in [Table 3](#) the most highly cited TLDs (greater than 600 times) are .edu, .com, .gov, and .org. These TLD's are all registered in the United States. Other less cited US TLDs are .net, .us and .mil. The United States related web pages account for almost 90% of the URLs cited. This was not unexpected because the source samples are U.S. medical schools and the Internet is highly developed in this country. Among the US

TLDs, those from four years colleges and universities, those entitled to use the .edu suffix, are cited most frequently and therefore are considered the most important. The .edu suffix accounts for almost one third of all links.

Other countries whose TLDs are frequently cited are United Kingdom (uk), Switzerland (ch), Canada (ca), Germany (de), Australia (au), Sweden (se) and Netherlands (nl). This distribution is very similar to the results of 30 nations ranked by the citations per paper from 1992 to 1996 by Institute of Scientific Information (ISI) published in the Science Watch [14]. In this study the top ten nations were Switzerland, United States, Netherlands, Sweden, Denmark, United Kingdom, Belgium, Finland, Canada, and Germany. It seems that in some degree our results may also represent the developmental level of medical information publishing and research in the world. However, the focus of this paper is not placed on the comparison of these two lists.

Table 3. The URLs and the frequency distribution of the "First Level Domains"

Rank	URLs	Freq	Percent	Cum Percent
1	http://www.yahoo.com	91	2.47	2.47
2	http://www.gen.emory.edu	86	2.33	4.80
3	http://www.cdc.gov	65	1.76	6.56
4	http://www.ama-assn.org	52	1.41	7.97
5	http://www.medmatrix.org	36	0.98	8.95
6	http://text.nlm.nih.gov	33	0.89	9.84
7	http://www.nih.gov	32	0.87	10.71
8	http://www.lib.uiowa.edu	28	0.76	11.47
9	http://galaxy.einet.net	27	0.73	12.20
10	http://www.aamc.org	26	0.70	12.90
11	http://www-sci.lib.uci.edu	26	0.70	13.61
12	http://www.ncbi.nlm.nih.gov	25	0.68	14.29
13	http://roger.ucsd.edu	21	0.57	14.85
14	http://www.nlm.nih.gov	21	0.57	15.42
15	http://www.slackinc.com	20	0.54	15.97
16	http://www3.ncbi.nlm.nih.gov	19	0.52	16.48
17	http://www.faseb.org	18	0.49	16.97
18	http://www.nsf.gov	17	0.46	17.43
19	http://golgi.harvard.edu	17	0.46	17.89
20	http://www.census.gov	16	0.43	18.32
21	http://pharminfo.com	15	0.41	18.73
22	http://indy.radiology.uiowa.edu	15	0.41	19.14
23	http://www.einet.net	14	0.38	19.52
24	http://www.bis.med.jhmi.edu	14	0.38	19.90
25	http://www.who.ch	14	0.38	20.28
26	http://www.pitt.edu	13	0.35	20.63
27	http://www.epa.gov	13	0.35	20.98
28	http://www.os.dhhs.gov	13	0.35	21.33
29	http://expasy.hcuge.ch	12	0.33	21.66
30	http://www.lycos.com	12	0.33	21.98
31	http://webcrawler.com	12	0.33	22.31
32	http://www.ornl.gov	12	0.33	22.63
33	http://www.altavista.digital.com	12	0.33	22.96
34	http://asmusa.edoc.com	11	0.30	23.26
35	http://www.ohsu.edu	11	0.30	23.56
36	http://neuro-www.mgh.harvard.edu	11	0.30	23.85
37	http://www.vh.org	11	0.30	24.15
38	http://vm.cfsan.fda.gov	11	0.30	24.45
39	http://gdbwww.gdb.org	11	0.30	24.75
40	http://vh.radiology.uiowa.edu	11	0.30	25.05
41	http://www.pslgroup.com	10	0.27	25.32
42	http://www.fda.gov	10	0.27	25.59

Rank	URLs	Freq	Percent	Cum Percent
43	http://www.cc.emory.edu	10	0.27	25.86
44	http://chablis.cos.com	10	0.27	26.13
45	http://www.hcfa.gov	10	0.27	26.40
46	http://www.access.gpo.gov	10	0.27	26.67
47	http://www.med.upenn.edu	10	0.27	26.94
48	http://www.apa.org	10	0.27	27.22
49	http://www.merck.com	10	0.27	27.49
50	http://www.excite.com	10	0.27	27.76
51	http://www.clearinghouse.net	9	0.24	28.00
52	http://hiru.mcmaster.ca	9	0.24	28.25
53	http://www.dejanews.com	9	0.24	28.49
54	http://molbio.info.nih.gov	9	0.24	28.73
55	http://www.upenn.edu	9	0.24	28.98
56	http://www.hotbot.com	9	0.24	29.22
57	http://www.ebi.ac.uk	8	0.22	29.44
58	http://neurosurgery.mgh.harvard.edu	8	0.22	29.66
59	http://infonet.welch.jhu.edu	8	0.22	29.87
60	http://www.metacrawler.com	8	0.22	30.09
61	http://www2.infoseek.com	8	0.22	30.31
62	http://ificinfo.health.org	8	0.22	30.52
63	http://web.fie.com	8	0.22	30.74
64	http://www.who.int	8	0.22	30.96
65	http://www.lib.umich.edu	8	0.22	31.17
66	http://www.mckinley.com	8	0.22	31.39
67	http://atsdr1.atsdr.cdc.gov	8	0.22	31.61
68	http://www.medscape.com	7	0.19	31.80
69	http://info.cas.org	7	0.19	31.99
70	http://cancer.med.upenn.edu	7	0.19	32.18
71	Gopher://gopher.nih.gov	7	0.19	32.37
72	http://cancernet.nci.nih.gov	7	0.19	32.56
73	http://www.mgh.harvard.edu	7	0.19	32.75
74	http://lcweb.loc.gov	7	0.19	32.94
75	http://www2.nas.edu	7	0.19	33.13
76	http://www.ed.gov	7	0.19	33.32
77	http://fdncenter.org	7	0.19	33.51
78	http://www.osha.gov	7	0.19	33.69
79-1731	Less than 7 times (1653 URLs)	2464	66.31	100.00
Total	1731	3689	100.00	

(2). Distribution of the First Level Domains.

One of the goals of this study was to identify the web sites cited most frequently by US academic health sciences libraries. [Table 3](#) shows that a total of 1731 web sites were cited by (linked to) these 19 institutional home pages.

According to the Bradford's Law of Scatter: [15] "if scientific journals are arranged in order of decreasing productivity of articles on a given subject, they may be divided into a nucleus of periodicals more particularly devoted to the subject and several groups or zones containing the same number of articles

as the nucleus, when the numbers of periodicals in the nucleus and succeeding zones will be as 1:n:n². In our study, we list the web sites in order of decreasing frequency of citation, and as Bradford has done in his original paper we divide the total cited times of the web sites into 3 equal sections. The first section is the top 78 web sites (as shown in details in Table 3) 33.69% of total cited times, the second section is from rank No. 79 to No.530, nearly another 33% of total cited times, the last section is No. 531 to No. 1731. So the numbers of these web sites with almost equal cited frequency is 78:452:1201, close to 1:4:42. Thus by application of this law in the web sites citation analysis, we can take the first section (78 web sites) as a core section of these 1731 web sites.

(3). Distribution of the Whole Domain Name Web sites:

Most of the web sites listed in the whole domain name table (Table 4) are already listed in the earlier tables. This is because most "other links" are directed to the first level domains of URLs. Only URLs with asterisks (*) in this table have more details.

In fact, most of the whole URLs list were already been identified in the "First Level Domain" (Table 3), as most of the whole URLs are also represented in the "first level domain". A few links found are to pages deeper into the site and give us information as to why a site was selected for a link. For example, many, though not all of, visitors to CDC want to look up the Morbidity and Mortality Weekly Report (MMWR) and many visitors to NIH want information on grant and fellowship programs, both pages thus often get direct links in addition to a more general link to the CDC or NIH sites.

Table 4. The frequent distribution of the whole URLs

Rank	URLs	Freq	Percent	Cum. Percentage
1	http://www.medmatrix.org/index.asp/	33	1.01	1.01
2	http://www.nih.gov/	14	0.43	1.44
3	http://www.cdc.gov/	12	0.37	1.81
4	http://chablis.cos.com/	10	0.31	2.11
5	http://www.hcfa.gov/	9	0.28	2.39
6	http://www.nsf.gov/	9	0.28	2.66
7	http://www.nlm.nih.gov/	8	0.24	2.91
8	http://www.nih.gov/grants/	8	0.24	3.15
9	http://www3.ncbi.nlm.nih.gov/omim/	8	0.24	3.40
10	http://www.os.dhhs.gov/	8	0.24	3.64
11	http://www.cdc.gov/epo/mmwr/mmwr.html/	8	0.24	3.89
12	http://www.osha.gov/	7	0.21	4.10
13	http://www.ohsu.edu/clinweb/wwwvl/	7	0.21	4.32
14	http://gdbwww.gdb.org/	7	0.21	4.53
15	http://atsdr1.atsdr.cdc.gov/	7	0.21	4.75
16	http://pharminfo.com/	6	0.18	4.93
17	http://www.ncbi.nlm.nih.gov/	6	0.18	5.11
18	http://savvy.cs.colostate.edu/	6	0.18	5.30
19	http://cancer.med.upenn.edu/	6	0.18	5.48
20	http://neuro-www.mgh.harvard.edu/hospitalweb.nclk/	6	0.18	5.66
21	http://www.epa.gov/	6	0.18	5.85
22	http://www.yahoo.com/health/medicine/	6	0.18	6.03
23	http://www.cdc.gov/nchswww/nchshome.htm/	6	0.18	6.22
24-39	Five(15)	75	2.30	8.51
40-56	Four (16)	64	1.96	10.47
57-125	Three (68)	204	6.25	16.72
126-450	Two (324)	648	19.84	36.56
451-2523	One (2072)	2072	63.44	100.00
	Total	3266	100.00	

Table 5. The categories of the most cited health-related core web sites

1.Specialty Databases or Servers:	
1.1 University Original:	
Science and Mathematics Resources, University of California, Irvine	http://www-sci.lib.uci.edu
Biological Links, Department of Molecular and Cellular Biology, Harvard University	http://golgi.harvard.edu
The Johns Hopkins University BioInformatics Web Server	http://www.bis.med.jhmi.edu
Gateway to Neurology at MGH	http://neuro-www.mgh.harvard.edu
Neurosurgical Service MGH, Harvard Medical School	http://neurosurgery.mgh.harvard.edu
JHMI-InfoNet, Johns Hopkins Medical Institutions	http://infonet.welch.jhu.edu
OncoLink, University of Pennsylvania	http://cancer.med.upenn.edu
CliniWeb, Oregon Health Sciences University	http://www.ohsu.edu/clinweb/
HospitalWeb, Department of Neurology at MGH	http://neuro-www.mgh.harvard.edu/hospitalweb.shtml
1.2 Government Original:	
Health Services Technology Assessment Texts	http://text.nlm.nih.gov
National Center for Biotechnology Information	http://www.ncbi.nlm.nih.gov , http://www3.ncbi.nlm.nih.gov/omim/
National Institutes of Health Funding Opportunities	http://www.nih.gov/grants/
CDC Morbidity and Mortality Weekly Report	http://www.cdc.gov/epo/mmwr/mmwr.html
CDC National Center for Health Statistics	http://www.cdc.gov/nchswww/default.htm
1.3 Commercial Original:	
Medscape	http://www.medscape.com
PharmInfoNet	http://pharminfo.com
Galaxy directory	http://galaxy.einet.net
Galaxy directory	http://www.einet.net
Argus Clearinghouse (ACH)	http://www.clearinghouse.net
1.4 Organizational original:	
Medical Matrix	http://www.medmatrix.org/index.asp/
ExPASy molecular biology WWW server	http://expasy.hcuge.ch
Genome Database (GDB)	http://gdbwww.gdb.org
Cyber Science, NIH Molecular Biology Home Page	http://molbio.info.nih.gov
Chemical Abstracts Service (CAS)	http://info.cas.org
Foundation Center	http://fdncenter.org
CancerNet, National Cancer Institute (NCI)	http://cancernet.nci.nih.gov
2. Universities and Institutes:	
2.1 Universities:	
University of Pittsburgh	http://www.pitt.edu
Oregon Health Sciences University	http://www.ohsu.edu
Emory University	http://www.cc.emory.edu
University of Pennsylvania	http://www.upenn.edu
Health Information Research Unit at McMaster University	http://hiru.mcmaster.ca
2.2 Hospitals and Medical centers:	
Center for Molecular Medicine, Emory University School of Medicine	http://www.gen.emory.edu
Virtual Hospital ®, University of Iowa	http://indy.radiology.uiowa.edu
Virtual Hospital ®	http://www.vh.org

University of Pennsylvania Health System	http://www.med.upenn.edu
Massachusetts General Hospital	http://www.mgh.harvard.edu
2.3 Libraries:	
University of Iowa Libraries	http://www.lib.uiowa.edu
ROGER Catalog of UCSD Libraries	http://roger.ucsd.edu
The University of Michigan University Library	http://www.lib.umich.edu
National Library of Medicine	http://www.nlm.nih.gov
Agency for Toxic Substances and Disease Registry	http://atsdr1.atsdr.cdc.gov:8080
National Institutes of Health (NIH)	Gopher://gopher.nih.gov
Library of Congress	http://lcweb.loc.gov

3. Organizations and Societies

Centers for Disease Control and Prevention	http://www.cdc.gov
American Medical Association	http://www.ama-assn.org
National Institutes of Health (NIH)	http://www.nih.gov
Association of American Medical Colleges	http://www.aamc.org
World Health Organization	http://www.who.ch , http://www.who.int
Federation of American Societies for Experimental Biology	http://www.faseb.org
The National Science Foundation	http://www.nsf.gov
U. S. Census Bureau	http://www.census.gov
U.S. Environmental Protection Agency	http://www.epa.gov
The Department of Health and Human Services	http://www.os.dhhs.gov
Oak Ridge National Laboratory	http://www.ornl.gov
Center for Food Safety & Applied Nutrition	http://vm.cfsan.fda.gov
Food and Drug Administration	http://www.fda.gov
Health Care Financing Administration	http://www.hcfa.gov
U.S. Government Printing Office	http://www.access.gpo.gov
American Psychological Association	http://www.apa.org
International Food Information Council Foundation	http://ificinfo.health.org
European Bioinformatics Institute (EBI)	http://www.ebi.ac.uk
U.S. Department of Education	http://www.ed.gov
Occupational Safety and Health Administration	http://www.osha.gov
National Academy of Sciences	http://www2.nas.edu
National Research Council	????????????????
National Academy of Engineering	????????????????
Institute of Medicine	????????????????

4. Search Engines:

Yahoo search engine	http://www.yahoo.com
Lycos search engine	http://www.lycos.com
Webcrawler search engine	http://webcrawler.com
Altavista search engine	http://www.altavista.digital.com
Excite search engine	http://www.excite.com
Hotbot search engine	http://www.hotbot.com
Infoseek search engine	http://www2.infoseek.com
Magellan search engine	http://www.mckinley.com

5. Commercial Companies:

SLACK Incorporated	http://www.slackinc.com
P\S\L Consulting Group Inc	http://www.pslgroup.com
Community of Science, Inc	http://www.cos.com
Merck & Co., Inc	http://www.merck.com
Deja News, Inc	http://www.dejanews.com
RAMS-FIE	http://web.fie.com

6. Journals:

Journals of American Society for Microbiology	http://asmusa.edoc.com
---	---

Combining the results of the "first level of domains" analyses and the whole URLs analyses, we replaced some "first level of domain" with the whole URL expansion if it existed. From this analysis a guide to the most cited health sciences related web sites was determined. We hope this list might serve as a more complete listing of the core web sites on health care.

To further represent these health-related core web sites clearly, we classified these core web sites respectively by their main utility, original sites into 6 clusters ([Table 5](#)).

Conclusions

Among the URLs cited by the selected academic medical institutions, almost 90% of the Top Level Domains (TLDs) are from the United States. Less than 10% come from the United Kingdom, Switzerland, Canada, Germany, Australia and the Netherlands. The number of remaining TLDs is less than 2%.

The first level domains are distributed according to Bradford's Law. There is a nucleus that contains the 78 most highly cited

health sciences related web sites. These core web sites represented a broad field of information needs.

Discussion

The identification of a core section of health-related web sites with bibliometrics method gives librarians and information scientists another approach to evaluate the web sites. While "core lists" of printed publications have their drawbacks, they are useful guides to help librarians and users to select publications. Similarly, lists of commonly linked-to WWW pages can provide suggestions as to important health-related sites and assist home-page compilers in selecting suitable and reliable links. It would be desirable to examine the home pages of all U.S. medical school libraries and to compare these results to those from the pages produced by medical school libraries in other English-speaking countries such as Canada, the United Kingdom and Australia.

Acknowledgments

The author wishes to express his gratitude to Paul D. Clayton (Chair, American Medical Informatics Association) for his guidance in this project, and David S. Crawford (Director, Health Sciences Library, McGill University, Canada) for his help and advice in writing this paper.

Conflicts of Interest

None

References

1. Silberg WM, Lundberg GD, Musacchio RA. Assessing, controlling, and assuring the quality of medical information on the Internet: Caveant lector et viewor--Let the reader and viewer beware. *JAMA* 1997 Apr 16;277(15):1244-1245. [Medline: [97256510](#)] [doi: [10.1001/jama.277.15.1244](https://doi.org/10.1001/jama.277.15.1244)]
2. Impicciatore P, Pandolfini C, Casella N, Bonati M. Reliability of health information for the public on the World Wide Web: systematic survey of advice on managing fever in children at home. *BMJ* 1997 Jun 28;314(7098):1875-1879 [FREE Full text] [Medline: [97367429](#)]
3. McClung HJ, Murray RD, Heitlinger LA. The Internet as a source for current patient information. *Pediatrics* 1998 Jun;101(6):e2 [FREE Full text] [Medline: [98374587](#)] [doi: [10.1542/peds.101.6.e2](https://doi.org/10.1542/peds.101.6.e2)]
4. Alexander J, Tate M. Teaching Critical Evaluation Skills for World Wide Web Resources. URL: [URL:http://www.science.widener.edu/~withers/ala/slides/pptfirst.htm](http://www.science.widener.edu/~withers/ala/slides/pptfirst.htm) [accessed 1999 Mar 25]
5. Brandt DS. Evaluating Information on the Internet. URL: <http://thorplus.lib.purdue.edu/~techman/evaluate.htm> [accessed 1998 January 28]
6. Beck SE. The Good, the Bad, and the Ugly: or why it's a Good Idea to Evaluate Web Sources. URL: <http://lib.nmsu.edu/staff/susabeck/eval.html> [accessed 1997 July 29]

7. Jadad AR, Gagliardi A. Rating health information on the Internet: navigating to knowledge or to Babel? JAMA 1998 Feb 25;279(8):611-614. [Medline: [98146162](#)] [doi: [10.1001/jama.279.8.611](#)]
8. Wyatt JC. Commentary: Measuring Quality and Impact of the World Wild Web. BMJ 1997(314):1897-1881.
9. Garfield E. Citation Indexing, Its Theory and Application in Science, Technology, and Humanities. New York, NY: Isi Press; Jun 1983.
10. Neth M. Citation Analysis and the Web. Art Documentation 1998;17(1):29-33.
11. About Hardin MD. URL: <http://www.lib.uiowa.edu/hardin/md/about.html> [accessed 1998 February 10]
12. Best Graduate Schools (American's Best Graduate Schools, 1998). Washington DC: U.S. News & World Report; 1998.
13. Magnusson C. CheckWeb. URL: <http://www.alterego.fr/dev/chkweb.htm> [accessed 1999 Mar 25]
14. Citation Data Reveal World Rankings of Scientific Papers. Science Watch 1997;8(3):1-2.
15. Bradford JS. The distribution of papers on a given science journals. Engineering 1934(137):85-86.
16. Eysenbach G, Diepgen TL. Towards quality management of medical information on the internet: evaluation, labelling, and filtering of information. BMJ 1998 Nov 28;317(7171):1496-1500 [FREE Full text] [Medline: [99051215](#)]
17. Eysenbach G. Webcite. URL: <http://webcite.net/> [accessed 1999 March 25]

submitted 24.03.99; peer-reviewed by A Risk, V Della Mea; comments to author 01.04.99; revised version received 01.04.99; accepted 01.04.99; published 05.08.99.

Please cite as:

Cui L

Rating Health Web sites using the principles of Citation Analysis: A Bibliometric Approach

J Med Internet Res 1999;1(1):e4

URL: <http://www.jmir.org/1999/1/e4/>

doi: [10.2196/jmir.1.1.e4](#)

PMID: [11720913](#)

© Lei Cui. Originally published in the Journal of Medical Internet Research (<http://www.jmir.org>), 5.8.1999. Except where otherwise noted, articles published in the Journal of Medical Internet Research are distributed under the terms of the Creative Commons Attribution License (<http://www.creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited, including full bibliographic details and the URL (see "please cite as" above), and this statement is included.

Short Paper

Medical pioneers in cyberspace: German practice owners advertising on the WWW

Claudia Schuh

Corresponding Author:

Claudia Schuh

Voss-Strasse 63

30163 Hannover

Germany

Email: n3x31001@rrzn-user.uni-hannover.deURI: <http://unics.rrzn.uni-hannover.de/schuh>

Abstract

Background: In the last few years, the number of Internet users has increased explosively. In the same way the number of Internet users has exploded, the costs in the public health sector have also increased. This resulted cost saving efforts by those responsible people in politics and medical administration. These economy measures have impacted in particular the established physicians. The current German practice owners are faced with an unknown economic situation and are forced to think and act like businessmen. Doubts arise concerning the age-old tradition of the advertising prohibition. Now advertisement is recognized as an important necessity.

Objectives: This study was conducted to answer the following questions:

- Who are the pioneers among the German practice owners presenting themselves to the public with their own website?
- How do they differ from their colleagues not advertising on the WWW?
- What motives and expectations do they associate with their website?

Methods: Built on a detailed analysis of the relevant German and international literature, hypotheses were developed which were empirically checked in the further course of the work. For this purpose, an online survey was conducted on the WWW among established German physicians with their own websites.

Results: 194 physicians participated and 159 valid questionnaires were included in the analysis. The study revealed the following results: The age and sex distribution as well as the distribution of medical specialties in the examined group correspond to the expectations. A high percentage of the respondents participated in a medical professional organization. The median time in practice for practice age of the respondents was a little more than ten years. Many of the websites have been online less than one year. The following hypotheses could only partly be confirmed by the results of the survey: Physicians from different specialties deal with their own website differently. The Internet Familiarity of the physicians is responsible for the importance they attach to advertisement on the web, particularly to their own website. Surprisingly, the attitude towards the advertising prohibition in Germany, apparently results less from economic considerations than from age-conditioned opinions. The size of a medical practice did not influence the attitude of the physicians towards their own website. However, the type of practice in which a physician works played a crucial role in this context.

Conclusion: At present, the importance of the Internet for recruiting new patients is still small, but we anticipate it will continue to expand in the future.

(*J Med Internet Res* 1999;1(1):e2) doi:[10.2196/jmir.1.1.e2](https://doi.org/10.2196/jmir.1.1.e2)

KEYWORDS

Established physicians; Internet; advertising; survey; marketing of health services; private sector; Germany; public relations; practice management

Introduction

This article results from a diploma thesis in media sciences written at the Institut für Journalistik und

Kommunikationsforschung, Hochschule für Musik und Theater Hannover, Germany.

In the last years, the number of Internet users has exploded. As the Internet becomes a greater factor in both the fields of media and of economy, new users get access, new research and

consulting requirements and new markets arise, and all this in a breath-taking speed.

In the same way the number of Internet users has exploded, the costs in the public health sector have also increased during this time in Germany. This resulted in cost saving efforts by those responsible people in politics and administration. These economy measures have impacted in particular the established physicians. The German practice owners are faced with an unknown economic situation: competitive conditions resulting from empty cash-boxes and a competition for patients and budgets force the physicians to think and act like businessmen. Doubts arise concerning the age-old tradition of the advertising prohibition. Now advertising is recognized as an important necessity. In Germany, physicians advertising on the WWW has only recently become possible [1,2] and is still being discussed and debated by lawyers and judges as well as by the members of the medical organizations defending the age-old professional ethics prohibiting advertising [3,4,5].

Various reasons can be listed for these changes: First, there are juridical questions: the advertising prohibition breaks some rules of the German constitution [6,7,8,9,10,11,12] and the European convention on human rights [13]. Second, the increasing Europeanizing and globalization of economies and markets demands an adaptation of German rules to those of other countries in order to equalize competitive conditions among physicians [4]. Finally, the advertising prohibition obstructs competition between physicians in Germany, too, a fact which collides with the concept of a market economy [14,15].

This study also investigated the relationship of physicians to the information technology, their knowledge, use of computers and especially of the Internet. Prior research from other institutions showed that the use of computers and of the Internet among established physicians depends on the age of the physician. Compared to the "general" German Internet user (most of them are between 20 and 29 years old) [16,17], medical users are older with a median age of 45 years [18,19,20]. Another important consideration is the medical specialty of the physicians using the Internet: It has been shown that physicians from different specialties show a different affinity for the use of computers. This can be concluded from the number of practices delivering their quarterly cost overview electronically. Orthopedists, urologists, general practitioners, oto-laryngologists and gynecologists were highest, whereas radiologists, neurologists, psychotherapists, anaesthetists, and pathologists do not use computers for this purpose very often [21]. Male physicians use the Internet much more often than female doctors.

Additionally German physicians from large and partnership practices tend to be more frequent medical online users [19,22].

A number of hypotheses were been concluded from the theoretical background information:

1. Physicians with an "open-minded" attitude towards IT and Internet attach a higher importance to the own website than those who are less "open-minded."

2. Physicians who are familiar with IT and Internet attach a greater importance to their own website than those who are less familiar with IT and Internet do.
3. Younger physicians and physicians from younger practices are more open-minded towards a breakdown of the advertising prohibition than older physicians and physicians from older practices.
4. For physicians from younger practices, the motive of "winning new patients" is more important than for physicians from older practices.
5. Physicians from partnership practices and group practices attach a higher importance to advertising on the WWW than physicians from small and single practices.
6. Male physicians are much more likely than female physicians to have their own practice websites.
7. Physicians participate in professional medical politics and organizations are more "open-minded" towards a breakdown of the advertising prohibition than those who participate less.

Materials and Methods

Between October 31st, 1998 and February 17th, 1999, a WWW survey was conducted. German, Austrian and Swiss established physicians were asked to participate by email, by several user net postings (in medical newsgroups and in a newsgroup announcing German web surveys) as well as with publications in German popular medical media and by hyperlinks from other medical websites. Dentists or physicians working in hospitals were **not** included in the survey.

The original questionnaire (in German language) can be visited at the <http://unics.rzn.uni-hannover.de/schuh/frabo01.html>. It was developed using Netscape Communicator 4.06 and an evaluation version of Perseus Survey Solutions for the Web. The questionnaire was edited in simple HTML without any java applets or special scripts in order to enable a maximum of the addressed users to view it with their browsers.

The questionnaire consists of the following thematic groups of questions:

- the physician himself, his motives and attitudes
- the website, its age, size etc.
- feedback to the website
- the sociodemographical data of the respondents

In addition to the questionnaire itself, there was an introduction page saying hello to the user and introducing the study very briefly. (<http://unics.rzn.uni-hannover.de/schuh/index-alt.html>) This introduction page indicated hyperlinks to a support page for those who had never filled out a WWW questionnaire before (<http://unics.rzn.uni-hannover.de/schuh/hilfe4.html>) as well as to a "more information" page informing the interested reader about framework, goals and hypotheses of the study (<http://unics.rzn.uni-hannover.de/schuh/claudia.html>). All pages contain a mail-to link that enabled the user to send an email to the author. After filling out the questionnaire and sending it to the author, a "thank you" page appears.

In order to guarantee anonymity to the respondents, the completed questionnaires were sent back to the author via a U.S. remailer provided by Perseus to all users of their software.

Results

194 physicians participated, and 159 valid questionnaires were included in the analysis and furnished the following results, represented by the corresponding tables:

To a large extent, the age (Table 2) and the sex (Table 1) distribution in the examined group corresponded to the expectations from the general information on medical Internet users.

The distribution of the specialties in the examined group (Table 3) did not surprise us after the figures presented in the theoretical section of this paper.

The high percentage of physicians engaged in professional organizations (Table 14) was remarkable in the examined group.

More than 20 percent of the respondents held a position in a professional organization. The median time in practice of a little more than ten years (Table 6) with a substantially smaller modulus of five years permits the assumption that the number of physicians who present their practice on the WWW will further grow in the future.

Due to the economic conditions for the operation of a medical practice, as expected especially young practices count on this new method of advertising. This can also be concluded from the fact that many of the websites of the respondents had only been online for less than one year (Table 12).

However, winning new patients is a less important motive for running a website than retaining existing patients by offering a new or better service to them.

Table 1. Sex Distribution

		frequency	%	valid %
Valid	Female	12	7.5	7.6
	Male	146	91.8	92.4
	Total	158	99.4	100.0
Missing		1	.6	
Total		159	100.0	

Table 3. Medical specialty

		Frequency	%	valid %
Valid	General Practitioner	54	34.0	34.4
	Anaesthesiology	2	1.3	1.3
	No Specialty	12	7.5	7.6
	Ophthalmology	5	3.1	3.2
	Surgery	3	1.9	1.9
	Dermatology	2	1.3	1.3
	Gynecology	13	8.2	8.3
	Otolaryngology	5	3.1	3.2
	Internal Medicine	23	14.5	14.6
	Pediatrics	3	1.9	1.9
	Head and Neck Surgery	3	1.9	1.9
	Neurology	5	3.1	3.2
	Orthopedics	9	5.7	5.7
	Psychiatry	2	1.3	1.3
	Radiology	2	1.3	1.3
	Urology	11	6.9	7.0
	Other	3	1.9	1.9
	Total	157	98.7	100.0
Missing		2	1.3	
Total		159	100.0	

Table 2. Age Distribution

		frequency	%	valid %
Valid	Less than 30 years	1	0.6	.6
	31-40 years	42	26.4	26.8
	41-50 years	82	51.6	52.2
	51 and + years	32	20.1	20.4
	Total	157	98.7	100.0
Missing		2	1.3	
Total		159	100.0	

Table 6. Time in Practice

		Frequency	%	valid %
Valid	Less than 5 years	32	20.1	20.3
	5 through less than 10 years	52	32.7	32.9
	10 through less than 15 years	33	20.8	20.9
	15 years or more	41	25.8	25.9
	Total	158	99.4	100.0
Missing		1	.6	
Total		159	100.0	

Table 12. Website Presence

		frequency	%
Valid	< 3 months	20	12.6
	3 through < 6 months	22	13.8
	6 months through < 1 year	41	25.8
	1 through < 1.5 years	35	22.0
	1.5 years or longer	41	25.8
Total		159	100.0

Table 14. Participation in Medical Professional Politics

		frequency	%	valid %
Valid	No	65	40.9	42.2
	Yes, Attend meetings etc.	57	35.8	37.0
	Yes, Holding Office	32	20.1	20.8
	Total	154	96.9	100.0
Missing		5	3.1	
Total		159	100.0	

Discussion

The hypotheses could only partly be confirmed by the results of the survey:

Physicians of different specialties deal with their own website differently. The specialty of a physician could be considered an indicator to how and how intensively he uses the advertising

method of a website. It can be assumed that apart from the IT- and Internet open-mindedness, there are other decisive factors that were not examined in this study.

The Internet familiarity of the physicians (Table 10) is responsible for the importance they attach to advertisement on the web and particularly to the own website.

This hypothesis could be confirmed and suggests at the same time that the WWW will gain in importance as an advertising medium for established physicians. More than a third of the respondents had used the Internet for less than two years (Table 9); with the explosive growth of the Internet the number of new physician users will increase and with the growth, develop new websites.

Surprisingly, the attitude towards the advertising prohibition results apparently less from economic considerations than from age-conditioned opinions. The key factor is the age of the

physician, not the age of the practice, although naturally young physicians tend to be associated with younger practices. Not surprisingly, the tendency to try winning new patients by means of advertisement and a pronounced economic consciousness are stronger among owners of younger practices.

The size of a medical practice (Table 5) did not influence the attitude of the physicians towards their own website. However, the type of practice in which a physician works played a crucial role in this context (Table 4).

Table 10. Internet Familiarity (Scale)

		frequency	%	valid %
Valid	2: Not familiar	3	1.9	1.9
	3	5	3.1	3.2
	4	21	13.2	13.3
	5	35	22.0	22.2
	6	52	32.7	32.9
	7	19	11.9	12.0
	8	11	6.9	7.0
	9: Very familiar	12	7.5	7.6
	Total	158	99.4	100.0
Missing		1	.6	
Total		159	100.0	

Table 9. Use of Internet

		frequency	%	valid %
Valid	Less than 6 months	6	3.8	3.8
	6 months through less than 1 year	14	8.8	8.9
	1 through less than 2 years	35	22.0	22.2
	More than 2 years	103	64.8	65.2
	Total	158	99.4	100.0
Missing		1	.6	
Total		159	100.0	

Table 5. Size of Practice

		frequency	%	valid %
Valid	One of the 5 largest	58	36.5	44.6
	Medium	57	35.8	43.8
	Small	15	9.4	11.5
	Total	130	81.8	100.0
Missing		29	18.2	
Total		159	100.0	

Table 4. Type of Practice

		frequency	%	valid %
Valid	Single practice	98	61.6	62.0
	Partnership practice	59	37.1	37.3
	Partnership with other medical professions (Group)	1	.6	.6
	Total	158	99.4	100.0
Missing		1	.6	
Total		159	100.0	

Conclusion

In conclusion, it appears that the importance of the Internet for the recruitment of new patients is still small, but it will continue to expand in the future. This is indicated the results presented in this study, by the general development of the Internet, by the

European direction of markets and juridical systems, and by the examples from other countries. The few website operators among the established physicians are doing the pioneering work in Cyberspace. It is hoped for them - the respondents of this survey - that their pioneer spirit will be rewarded.

Conflicts of Interest

None declared.

References

1. ; Bundesärztekammer. (Muster-) Berufsordnung für die deutschen Ärztinnen und Ärzte - MBO-Ä 1997 - in der Fassung der Beschlüsse des 100. In: Deutschen Ärztetages in Eisenach. Bundesärztekammer: Bekanntmachung. Deutsches Ärzteblatt; 1997(94):A2354-A2363.
2. , editor; Ärztekammer Niedersachsen/Ärztekammer Niedersachsen. Berufsordnung der Ärztekammer Niedersachsen. In: *Arztrecht in Niedersachsen*. (=Niedersächsisches Ärzteblatt, Sonderheft, 10). Hannover: Hannoversche Ärzte-Verlags-Union; 1998:49-59.
3. Martensen RL. Physician Advertising. *JAMA* 1994;272(12):1623. [doi: [10.1001/jama.272.12.927](https://doi.org/10.1001/jama.272.12.927)]
4. Schulte K. Das standesrechtliche Werbeverbot für Ärzte Unter Berücksichtigung wettbewerbs- und kartellrechtlicher Bestimmungen. (= *Recht & Medizin*. 25). Frankfurt/ Main: Peter Lang; 1992.
5. Morrice AAG. "The Medical Pundits": Doctors and Indirect Advertising in the Lay Press 1922-1927. *Medical History* 1994;38:255-280.
6. Jarass HD. Die freien Berufe zwischen Standesrecht und Kommunikationsfreiheit. *Neue Juristische Wochenschrift* 1982;35:1833-1840.
7. Andreas M. Das Grundrecht auf Meinungsfreiheit begrenzt das strafrechtliche Werbeverbot. *Arztrecht* 1986;21(8):205.
8. Kornblum U. Grenze zwischen Erlaubtem und Verbotenem. *Ärztezeitung* 1988;7(160):19.
9. Kornblum U. Reklame versus Information: Gefahr und Nutzen. *Ärztezeitung* 1988;7(163):19.
10. Pap M. Zur Zulässigkeit eines Arztinterviews in einer Illustrierten. *Medizinrecht* 1988;6(1):38-41.
11. Papier HJ, Petz H. Rechtliche Grenzen des ärztlichen Werbeverbots. *Neue Juristische Wochenschrift* 1994;47:1553-1562.
12. Fishman RHB. Israeli doctors allowed to advertise. *Lancet* 1995;346(8990):1620. [doi: [10.1016/S0140-6736\(95\)91947-3](https://doi.org/10.1016/S0140-6736(95)91947-3)]
13. Das Chaos zwischen Werbung und Klage. *Ärzte Woche* 1997;11(43):32.
14. Deutsch E. *Medizinrecht. Arztrecht, Arzneimittelrecht und Medizinprodukterecht*. In: Eine zusammenfassende Darstellung mit Fallbeispielen und Texten, 3rd edition. Berlin et al: Springer Verlag; Apr 21, 1999.
15. Hofstetter L. *Arztrecht: Zulassung - Berufsausübung - Pflichtverletzungen*. Erlangen: Perimed; 1991.
16. Altersstruktur der Internet-Nutzer. URL: http://www.horizont.net/special/archiv/SP_40KW_98/gfk1.htm [accessed 1998 Sept 28]
17. van Eimeren B, Gerhard H, Oehmichen E, Schröter C. *ARD/ZDF-Online-Studie 1998: Onlinemedien gewinnen an Bedeutung. Nutzung von Internet und Onlineangeboten elektronischer Medien in Deutschland 1998*.
18. Dettmar H. Schon ein Drittel der niedergelassenen Ärzte nutzt das Web zur Infobeschaffung. *Horizont* 1998;15(47):86.
19. Matiaske B. Online-Nutzung von Ärzten. *Neue Kommunikationstechnologien setzen sich bei Ärzten erst langsam durch*. URL: http://www.gfk.cube.net/website/presse/980624_1.htm [accessed 1998 Juli 23]
20. Wie exklusiv sind Internet-Ärzte? *Praxisnetz* 1998;1(4):32.
21. Installationsstatistiken. *Praxis-EDV in Zahlen*. *PraxisComputer* 1998;14(6):16.
22. Soyecz J. Online-Using niedergelassener Allgemeinärzte und Internisten. *Planung & Analyse* 1998;1:42-43.

Abbreviations

HTML: Hypertext Markup Language

IT: Information Technology

WWW: World Wide Web

submitted 23.04.99; peer-reviewed by J Mack, H van der Slikke; accepted 29.04.99; published 05.08.99.

Please cite as:

Schuh C

Medical pioneers in cyberspace: German practice owners advertising on the WWW

J Med Internet Res 1999;1(1):e2

URL: <http://www.jmir.org/1999/1/e2/>

doi: [10.2196/jmir.1.1.e2](https://doi.org/10.2196/jmir.1.1.e2)

PMID: [11720911](https://pubmed.ncbi.nlm.nih.gov/11720911/)

© Claudia Schuh. Originally published in the Journal of Medical Internet Research (<http://www.jmir.org>), 5.8.1999. Except where otherwise noted, articles published in the Journal of Medical Internet Research are distributed under the terms of the Creative Commons Attribution License (<http://www.creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited, including full bibliographic details and the URL (see "please cite as" above), and this statement is included.

Opinion

Factors Driving the Increase in Medical Information on the Web - One American Perspective

Pamela C. Sieving

Corresponding Author:

Pamela C. Sieving
W.K. Kellogg Eye Center
Department of Ophthalmology & Visual Sciences
1000 Wall Street
Ann Arbor MI 48105
USA
Phone: +1 734 763 9468
Fax: +1 734 936 9050
Email: pcsievin@umich.edu
URI: <http://www.med.umich.edu>

Abstract

From the perspective of an academic medical community in the United States, factors driving the increase in medical information on the Internet are examined. These factors are considered in two categories: those that create a demand for information, and those which respond to that demand or attempt to increase or profit by it. The factors explored include demographic, economic, and technological conditions on both sides of the information marketplace. The paper also addresses the responsibilities shared by providers of this information, and possible strategies to assure high-quality resources and informed use of them, both by health care professionals and by patients. The value of informed use is perhaps best conveyed with the following quote.

(*J Med Internet Res* 1999;1(1):e3) doi:[10.2196/jmir.1.1.e3](https://doi.org/10.2196/jmir.1.1.e3)

Introduction

The most important function of physicians is to help their patients make decisions among competing options of therapeutic interventions." [R.F. Brubaker [1]]

As a librarian providing access to information for both patients and the physicians and other health care professionals who work with them, I share with many in the health care and health information fields a deep concern regarding the quality of information on the Internet. More to the point, I am concerned with the quality of information identified and used by patients, their physicians and other health care providers. Information on the Internet exists primarily, without regard to the traditional boundaries of time and place, for which there is limited access, and also of language and information-seeking behaviors. A search on the Web for a medical condition retrieves information from around the world. So while the marketing director of my institution is primarily interested in information that will attract and retain patients in our own clinics, in a sense we also serve patients and the medical staff of our sister institutions around the world.

Ten years ago gophers and CD-ROMs dramatically changed the way we thought about access to information. Today the World Wide Web looks and acts nothing like any medium we

have known before. The coincidence of several social, economic and technological changes has led to a unique point in information history, in which there co-exist a greatly increased demand for information and a greatly increased interest on the part of many diverse institutions to fulfill what they perceive to be that need. The resulting increase in medical information, and specifically that available readily and electronically on the Web, is driven by two groups of factors, which can be termed "pull," for those which create a demand for information, and "push," in which providers of information are actively seeking to find users.

Pull Factors

Pull factors reflect changes in American society which have created a growing, seemingly limitless demand for more access to medical information. The first factor is demographic: an increase in the population of the country, and a shift in age distribution of that population. Overall the population in the United States is predicted to continue to increase, from 151 million in 1950 to 249 million in 1990 with a projected 394 million in 2050 [2,3]. This is due both to birth rates, which continue to more than replace losses by death in our population, and by immigration, particularly from countries in which birth rates are traditionally high—a trend which continues even after arrival in the U.S. Because of political changes, equivalent statistics are not available for all of Europe, but in Germany

figures show a different situation: 68.4 million in 1950, 80 million in 1990, with a projected decline to 57.4 million in 2050 [4]. However, in both countries the percentage of those past working age is increasing at a rate higher than that of the overall population, and lifespans are continuing to increase as well. Those 65 and over comprised 8.1% of the U.S. population in 1950, 12.5% in 1990, and are projected to be 18% (70 million) in 2050 [5]. For Germany, the comparable percentages are 14.9%, 21% at present and 37% by 2050 [6,7,8]. Edward Schneider, Dean of the School of Gerontology at the University of Southern California, comments: "The issue that will most affect the quality of life for tomorrow's older population is their future health requirement." [9] The increase in number and proportion of this older population, which is the heaviest user of the medical system, creates two subsidiary pull factors. The first is an increased need for information on which to base medical decisions, and the second is increased discretionary time on the part of this population-although not on the part of health care providers-in which to look for this information.

A second pull factor is a continuing increase in general educational levels attained and literacy rates in the American population. More students graduate from secondary school, the basic level of education funded by all state governments, each year [10]. Consumer book sales are rising at 5% each year [11], with the official literacy rate being close to 98% [12]. One might argue with all of these figures that the general level represented by each of these measures is not as high as could be desired, but compared to any time in our past history, the educational level can be seen only as higher, and on the rise. This creates an increase in the general ability of the population to read and act on information, an increased confidence in doing so, and increased sophistication in evaluating the information and using it to make decisions about medical care.

Increased comfort in dealing with new technologies, particularly those that are computer-based, is a third factor. Half of all American homes now have access to the Internet [13], and the elderly are increasingly willing to try high-tech versions of traditional behaviors [14]. In a recent survey, 67% declared their willingness to "try something new" in computer use [15]. Web use is tripling annually [16]. Nearly all public libraries in the United States now provide both access to and instruction in the use of the Web; it is no longer true that one must invest significant time and financial resources in acquiring and mastering hardware and software. In addition to access in home and libraries, workplace access is growing. One in three American workplace computers had Internet access in 1998 [17]; 30 percent of Americans who categorize at least half of their Internet use as "personal" report that this activity takes place at work [16].

The last thirty years have witnessed a dramatic change in consumerism in the U.S. The publication in 1973 of a slim book, *Our Bodies, Our Selves*, by a group of feminists in Boston, the Boston Women's Health Book Collective, was one of the first signs that consumers were no longer willing to let physicians dictate medical care. This book, which has just appeared in a new edition for 1999, advocates that women make informed decisions about their own health care, and over the past 25 years has made a great contribution to the information behind those

decisions. Also in the early 70's, Americans learned that their government had been involved in an appalling experiment during the 1940s: a group of Black men had been infected with syphilis without their knowledge, in order to study the effects of the disease in a controlled setting. This led to a sense of distrust, particularly by our large minority population groups, of the government as a source of reliable medical advice and help in decision-making, and an element of skepticism being introduced to the public's respect for the medical professions. The film *Lorenzo's Oil* in 1993 chronicled one family's quest for a treatment for their son's life-threatening illness, and is viewed by some as a model of consumer activism focused on a specific condition. The hospice movement, patterned on a model of end-of-life care that originated in England, is another indication that patients and their families demand to be involved in both medical decision making and actual care. Yet another indication is the increased interest in non-traditional medical care; in the last few years the National Institutes of Health established the Office of Alternative Medicine (now the National Center for Complementary and Alternative Medicine) to fund and promote research in alternative and complementary medicine. Some within the medical establishment view this as a waste of precious resources or worse, but many such therapies are welcomed by patients. The number of Medline searches performed by directly accessing the database at the National Library of Medicine increased from 7 million in 1996 to 120 million in 1997, when free public access was opened; the new searches are attributed primarily to non-physicians [18]. Finally, in late March of 1999 a new site, www.health-mart.net, was announced; this site, under a grant from two agencies of the U.S. government, will attempt to determine the feasibility of providing pricing and outcomes information on 400 diagnoses for essentially all U.S. hospitals to consumers. All of these are indicators of another pull factor: an increase in health care consumerism.

Several dramatic changes within the health care system, perhaps amounting to a revolution, also create a demand for information. In the 1960s, at a time when many were without medical insurance, the national government established two programs to assure access to medical care: Medicare, which provides coverage for services by physicians and hospital stays, and Medicaid, which insures the poor for these same services. Shortly afterwards, health maintenance organizations, which had started in California in the 1940s in very limited numbers, began to seem a viable alternative to fee-for-service care coupled with traditional medical insurance; in HMOs, groups of physicians provide all medical care for a set monthly fee. These organizations were attractive to both employers, who pay most of our medical insurance costs, and patients, who under traditional insurance policies had been responsible for whatever insurance did not cover, because the costs of care were now fixed annually, and known in advance. Now, however, there are concerns that too many of health care providers are primarily concerned with controlling costs rather than caring for patients-that the incentive is to NOT provide medical care-and that patients are not free to choose the best medical care they can identify.

Led by Medicare, under which the government establishes reimbursement rates for every procedure and reimburses physicians and hospitals by diagnosis rather than according to the care an individual patient needs, and by HMOs, which reward physicians for controlling costs, our medical system has dramatically changed. This has affected the care received by those requiring hospitalization. To compare countries in 1998 in Germany the average length of hospitalization for all causes was 11 days [19], whereas the University of Michigan hospitals, which as a tertiary care facility, care for the sickest patients, have reduced the average length of stay to fewer than 6 days in 1998 [unpublished data provided by the Budget Office, University of Michigan Health Care System]. Cost-cutting measures have provoked strong reactions among patients and legislators. The federal government recently passed legislation requiring that women who give birth must be allowed to remain in the hospital for at least 24 hours after delivery. In addition, consumers have successfully fought changes that would have made mastectomy an outpatient procedure. In the United States cataract extraction has been performed only as an outpatient procedure for nearly 15 years, except in rare cases in which the patient is so ill as to require hospitalization for another reason. By contrast, many German hospitals still keep patients in the hospital 3-5 days.

The positive aspect of this change has been a shift in emphasis from treating illness to maintaining and improving health; patients are increasingly viewed as partners with primary responsibility for maintaining their own health. Patient education programs, particularly those emphasizing prevention of illness, consume a new and increasing percentage of the expenditures of all medical care providers. Negatives contributing to the same "pull" on medical information include the fact that fewer nurses are caring for more patients who are sicker for briefer periods of time in the hospital. Figures as high as one nurse for 20 patients are not uncommon [20]. The traditional educational function of nurses, explaining details of care and the medical reasons for that care, is rare today. The cumulative effect of all of these changes is an increased need for information on maintaining and improving health, and on recovering from illness or coping with chronic or terminal disease. Health care providers as individuals are less likely to be the primary source of this information.

Changes in technology are also part of the "pull", enabling consumers of medical information to demand and use the information. Compared to 20 years ago, when personal computers were in their infancy, today's machines are fast and easy to use, requiring much less technical skill on the part of the user. They are cheaper; recently there have been advertisements for "e-tower" machines for less than \$500. Even cheaper: "Free PC", a recent development in the States; this is an unsubtle marketing effort, in which free computer, software, and Internet access are provided in exchange for a heavy advertising content every time one accesses the Web. One can also use the Web without actually needing a computer at all: WebTV, now available for less than \$100, uses simple equipment and the user's own television monitor and pre-existing telephone lines to access email and the Web. New adaptive technologies are announced almost daily; these enable those

with limited visual and manipulative abilities to access the Web with increasing ease.

All of the above create a demand, or pull, for information.

Push Factors

By contrast, the "push" factors are those initiated by information providers, specifically those on the Web, to meet this demand or create demand where none existed before. Who are they, and what do they want?

1. Governmental Agencies (which have historically had a public-information mission.) The National Library of Medicine and Medline, as well as many other databases, both health and science or technology-related, are prime examples familiar to Americans. Increasingly, websites from the federal government are being used to carry out the government's traditional role of making information freely available. This is simply an extension of a long-established practice in which the public funds its own access to information; the Web makes it quicker and easier in many ways, although the corresponding decrease in printed documents available in what are known as "depository libraries," and available at no charge or nearly so, is of concern to many. The government also provides most funding for clinical and biomedical research in the United States, and is thus also interested in attracting subjects for clinical trials, as well as making the results of research available to patients, medical personnel and other researchers.
2. Medical Health Care Providers who are trying to attract and retain consumers by providing information. This category may include university medical centers, large independent hospitals, and even solo or group medical practices. Additional goals for the investment of time and money in creating and maintaining sophisticated websites include enhancing the image and reputation of the institution, providing information for referring physicians, recruiting research subjects and patients, and attracting students and research associates for the biomedical teaching and research activities of the institution. In the increasingly competitive world of managed care, where the continuing existence of a hospital may depend on its ability to meet the needs of a single large employer such as Ford or Kellogg, an effective Web presence is not a trivial matter.
3. Marketers of Medical Care or Products. This category includes a range of providers, but they are distinguished from the above category by their approach, which involves advertising a highly competitive or perhaps not-yet-accepted therapy, or aggressive marketing of a product. One example of this within the eye care field is LASIK, a laser procedure that reduces or eliminates the need for spectacles or contact lenses. It was only recently approved in the U.S., and is not covered by most medical insurance, so is not subject to price controls. When this procedure was approved in Canada, before the United States, Canadian laser centers marketed this new procedure to the U.S. audience. Another example is ozone therapy for the blinding eye diseases known as retinitis pigmentosa. This very controversial

procedure, which costs \$15,000 and must be repeated at intervals, is offered primarily in Cuba; the scientific basis for the procedure is unknown. The international nature of the Web allows marketing of these procedures to patients who may be desperate, or merely wealthy. This category may also include commercial operations; perhaps those marketing night vision goggles or other low vision aids, using direct sales approaches aimed primarily at patients as consumers. Commercial information products can also be included here.

4. Libraries. Sometimes discounted simply because they are such a fixture in the U.S. and Europe, libraries, continue to "push" information, in print and audio-visual formats, and increasingly through the Web. Librarians' traditional roles in acquiring, preserving, organizing and disseminating information are changing; their roles in teaching information retrieval and evaluation skills are being enhanced. Librarians may call themselves "cybrarians", but do not fear losing their jobs.
5. Organizations and Support Groups devoted to education and research on diseases and conditions. These vary in their sophistication and legitimacy, but have an obvious presence and appeal on the Web as consumers of health care look for sources of information they can understand and use, and others with whom they can share similar experiences. Individual resources may have the same apparent status as sources when a list of sites is retrieved by one of the search engines.

Quality vs. Quantity

There are many analogies to dramatize the difficulties faced by health information consumers in retrieving reliable, understandable information in reasonable quantities. One is that using the Internet to look for information is similar to using a firehose to take a drink of water: the virtual flood of information, unsorted, unedited, is of unknown validity and utility. Another is a quote from Molly Mettler, senior vice president of Healthwise, Inc., a non-profit consumer organization, that searching on the Web is

"...like hunting for wild mushrooms. If you know what you're doing and you've got a trusted guide, you can find a real treasure. But you run the chance of picking something toxic." [21].

Not only is the Web unwieldy, but consumers may not be in the best position to understand and evaluate the information they find. A study published in JAMA in February of 1999 described the results of using the Short Test of Functional Health Literacy in an adult population in three U.S. cities. Both Spanish and English speakers were tested in their native language. Approximately 34% of the English speakers, and 54% of the Spanish speakers, were rated "inadequate" or "marginal" users of health information; only 1.6% could correctly interpret instructions on preparing for an upper GI system procedure, while 11.5% were able to correctly interpret instructions on taking medications [22].

We assume that this "medical literacy" is not a problem with professional health care providers, but they face their own

challenges. A 1986 study in the Annals of Internal Medicine claimed that if one read two articles per day in the biomedical literature, in one year the reader would be 55 centuries behind on that one year's production [23]. A recent Medline search for asthma-related articles retrieved over 47,000 citations, while an Infoseek search on the Web found over 154,000 sites. Sophisticated medical professionals are often unsophisticated consumers of medical information. The number of competing sources of information makes identifying, evaluating and using new sources of information an increasingly difficult task. One study showed a decline in the knowledge level of general practitioners between five and ten years after the completion of training [24]; this may be a reflection of the gradual loss of previously-learned knowledge, and advances in medical knowledge, coupled with lack of skills for continued learning.

Strategies

What strategies can be suggested to deal with the real needs of consumers, the "pull" factors described above; the "push" of the needs of producers of information on the Internet; and the associated problems of retrieving, understanding, evaluating and using that information? Several possibilities are suggested in other papers on this issue. Possibilities include:

1. Professional attention to developing meta-sites, such as HealthWeb [<http://www.healthweb.org>] and their active promotion and marketing, to both consumers and professionals. The open nature of the Web makes it unlikely that any acceptable form of "Web police" will protect anyone from false, misleading or slanted information on the Web.
2. Encouraging development of and reliance on evidence-based medicine. This encourages active evaluation of the existing medical literature, and more critical attention to new clinical research.
3. Teaching of information seeking and knowledge management strategies throughout our educational systems, but particularly for those entering the medical professions. Many academic libraries take this responsibility seriously; the skills may be taught humorously [<http://www.improb.com/archives/cat.html>] or seriously [<http://www.virtualchase.com>, for legal resources; <http://www.library.ucla.edu/libraries/college/instruct/web/critical.htm> for a general approach within the academic community]. A recent study of incoming college students showed that students who cited more sources in their papers, and believed material on the Internet should be viewed with skepticism, had higher grade point averages when compared to their peers [25].
4. Insisting on a clearer understanding of the difference between information technologies and knowledge management strategies.
5. Encouraging and rewarding adherence to Web codes of conduct, such as HON. Easy-to-navigate and reliable sites will be of increasing importance. HON reinforces the importance of principles that are easy to articulate but may nevertheless be overlooked in the preparation of sites.
6. Making a commitment to providing accurate, high-quality links from our own sites seems obvious but is not always

acted upon. Individual personal referrals of consumers and patients to good sites are equally important, and are a close corollary to good links.

Theodore Roszak, philosopher and social critic, in a recent New York Times opinion piece, described just why Shakespeare had no need of a word processor, and proceeded to criticize the Web:

The Web is the product of a predatory entrepreneurial sensibility. Like a spider's trap, it exists to ensnare

attention with high-tech effects and eye-popping tricks. Those who weave the Web are seeking desperately to transform the medium into the new television... their objective is to lure millions to their sites so they can make lots of money [26].

We hold our own destiny. We can let his words be a warning of the possible judgment of the future on what we do today. If we don't change our direction, we might end up where we're headed.

Conflicts of Interest

None declared.

References

1. Brubaker RF. Decisions, decisions. *Ophthalmology* 1999 Jan;106(1):165-168. [Medline: [99116324](#)] [doi: [10.1016/S0161-6420\(99\)90019-2](#)]
2. Brunner B. *Information Please Almanac* 1998. Boston: Information Please; 1998:826.
3. ; U.S. Bureau of the Census. *Resident Population Projections of the United States: Middle, Low and High Series, 1996-2050*. Washington DC: USGPO; 1996.
4. ; U.S. Bureau of the Census. *Population pyramid Summary for Germany*. Washington DC: USGPO URL: <http://www.census.gov/cgi-bin/ipc/idbpyrs.pl> [accessed March 16, 1999]
5. ; Healthy Aging Project. *Fact Sheet*. URL: <http://www.hhs.gov/news/press/1998pres/981014.html> [accessed October 14, 1998]
6. *International Historical Statistics Europe*, 4th edition. New York: MacMillan Reference; 1998.
7. ; U.S. Bureau of the Census. *Germany: Demographic Indicators*. Washington DC: USGPO URL: <http://www.census.gov/cgi-bin/ipc/idbpyrs.pl> [accessed March 16, 1999]
8. *Aging of the German and European Population*. URL: <http://www.statistik-bund.de/presse/english/pm/p839022.htm> [accessed March 8, 1999]
9. Schneider EL. Aging in the third millennium. *Science* 1999 Feb 5;283(5403):796-797. [Medline: [99151369](#)] [doi: [10.1126/science.283.5403.796](#)]
10. ; National Center for Education Statistics, U.S. Department of Education. *Digest of Education Statistics*, Table 103. Washington DC: USGPO; 1997.
11. Marks J. *Business & Technology: Publish and Don't Perish*. *U.S. News & World Report* 1998;124(1):38-40.
12. *Illiteracy*. *Encyclopedia Americana Online*. URL: <http://www.ea.grolier.com> [accessed March 16, 1999]
13. Russell C. *Trend Cop: The Haves and the Want-Nots*. *American Demographics* 1998;20(4):10-12.
14. ; *Seniors Cruise the NET for Health Information*. *National Library of Medicine Press Release*. 1999 Apr 12. URL: http://www.nlm.nih.gov/news/press_releases/seniorpr.html [accessed January 15, 1999]
15. Price D. *Cyberia: Net Draws Seniors Online*. *Detroit News* 1998 Apr 23:e3.
16. Miller TE. *Segmenting the Internet*. *American Demographics* 1998;18(7):48-52.
17. Key J. *Technology: Spin Your Own Web*. *ABA Journal* 1998;84(11):76.
18. ; *National Library of Medicine. National Library of Medicine to Work with Public Libraries to Help Consumers Find Answers to Medical Questions*. *National Library of Medicine Press Release*. 1998 Oct 22. URL: http://www.nlm.nih.gov/news/press_releases/medplus.html [accessed March 30, 1999]
19. *Krankenhauskosten stiegen 1997 um 0.5%*. *Statistisches Bundesamt Mitteilung fu"r die Presse*. URL: <http://www.statistik-bund.de/presse/deutsch/pm/p9033094.html> [accessed March 8, 1999]
20. Fagan CM. *Nurses patients and managed care*. *New York Times* 1999 Mar 16:B1.
21. Mettler M. *Now, Prescribing Just What the Patient Ordered*. In: *Stolberg SG, editor*. *New York Times* 1997 Aug 10:e3.
22. Gazmararian JA, Baker DW, Williams MV, Parker RM, Scott TL, Green DC, et al. *Health literacy among Medicare enrollees in a managed care organization*. *JAMA* 1999 Feb 10;281(6):545-551. [Medline: [99144709](#)] [doi: [10.1001/jama.281.6.545](#)]
23. Haynes RB, Mckibbon KA, Fitzgerald D, Guyatt GH, Walker CJ, Sackett DL. *How to keep up with the medical literature: I. Why try to keep up and how to get started*. *Ann Intern Med* 1986 Jul;105(1):149-153. [Medline: [86240502](#)]
24. Vanleeuwen YD, Mol SSL, Pollemans MC, Drop MJ, Grol R, Vandervleuten CPM. *Change in knowledge of general practitioners during their professional careers*. *Family Practice* 1995;12:313-317.
25. Geffert B, Christensen B. *Things they carry: Attitudes toward, opinions about, and knowledge of libraries and research among incoming college students*. *Reference and User Services Quarterly* 1998;37:279-285.
26. Roszak T. *Shakespeare Never Lost a Manuscript to a Computer Crash*. *New York Times* 1999 Mar 11:D3.

submitted 04.06.99; peer-reviewed by J Mack, HE Rippen; accepted 04.07.99; published 11.08.99.

Please cite as:

Sieving PC

Factors Driving the Increase in Medical Information on the Web - One American Perspective

J Med Internet Res 1999;1(1):e3

URL: <http://www.jmir.org/1999/1/e3/>

doi: [10.2196/jmir.1.1.e3](https://doi.org/10.2196/jmir.1.1.e3)

PMID: [11720912](https://pubmed.ncbi.nlm.nih.gov/11720912/)

© Pamela C. Sieving. Originally published in the Journal of Medical Internet Research (<http://www.jmir.org>), 11.8.1999. Except where otherwise noted, articles published in the Journal of Medical Internet Research are distributed under the terms of the Creative Commons Attribution License (<http://www.creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited, including full bibliographic details and the URL (see "please cite as" above), and this statement is included.

Original Paper

Can Examination of WWW Usage Statistics and other Indirect Quality Indicators Help to Distinguish the Relative Quality of Medical websites?

Angel A Hernández-Borges¹, MD; Pablo Macías-Cervi², MD; María Asunción Gaspar-Guardado², MD; María Luisa Torres-Álvarez DeArcaya⁴, MD; Ana Ruiz-Rabaza⁵, MD; Alejandro Jiménez-Sosa³, PhD

¹Pediatric Intensive Care Unit, Hospital Universitario de Canarias, Spain

²Family and Community Medicine Unit, Hospital Universitario de Canarias, Spain

³Research Unit, Hospital Universitario de Canarias, Spain

⁴Primary Care Center of La Orotava, Hospital Nuestra Señora de La Candelaria, Tenerife, Canary Islands, Spain

⁵Department of Clinical Chemistry, Hospital Nuestra Señora de La Candelaria, Tenerife, Canary Islands, Spain

Corresponding Author:

Angel A Hernández-Borges, MD

Valencia 21, 3^o

38005 Santa Cruz de Tenerife

Canary Islands

Spain

Phone: +922 200972

Fax: +922 647112

Email: borges@redkbs.com

Abstract

Background: The Internet offers a great amount of health related websites, but concern has been raised about their reliability. Several subjective evaluation criteria and websites rating systems have been proposed as a help for the Internet users to distinguish among web resources with different quality, but their efficacy has not been proven.

Objective: To evaluate the agreement of a subset of Internet rating systems editorial boards regarding their evaluations of a sample of pediatric websites. To evaluate certain websites characteristics as possible quality indicators for pediatric websites.

Methods: Comparative survey of the results of systematic evaluations of the contents and formal aspects of a sample of pediatric websites, with the number of daily visits to those websites, the time since their last update, the impact factor of their authors or editors, and the number of websites linked to them.

Results: 363 websites were compiled from eight rating systems. Only 25 were indexed and evaluated by at least two rating systems. This subset included more updated and more linked websites. There was no correlation among the results of the evaluation of these 25 websites by the rating systems. The number of inbound links to the websites significantly correlated with their updating frequency ($p < .001$), with the number of daily visits ($p = .005$), and with the results of their evaluation by the largest rating system, HealthAtoZ ($p < .001$). The websites updating frequency also significantly correlated with the results of the websites evaluation by HealthAtoZ, both about their contents ($p = .001$) and their total values ($p < .05$). The number of daily visits significantly correlated ($p < .05$) with the results of the evaluations by Medical Matrix.

Conclusions: Some websites characteristics as the number of daily visits, their updating frequency and, overall, the number of websites linked to them, correlate with their evaluation by some of the largest rating systems on the Internet, what means that certain indexes obtained from the usage analysis of pediatric websites could be used as quality indicators. On the other hand, the citation analysis on the Web by the quantification of inbound links to medical websites could be an objective and feasible tool in rating great amounts of websites.

(*J Med Internet Res* 1999;1(1):e1) doi:[10.2196/jmir.1.1.e1](https://doi.org/10.2196/jmir.1.1.e1)

KEYWORDS

Health Education; Information Systems; Computer Communication Networks; Internet; Bibliometrics; Cybermetrics; Web metrics; Webometrics

Introduction

After the early enthusiasm generated by the potential use of the Internet in Medicine [1,2,3], concern has been raised about the quality of the resources available on the Internet compared to more academic media. It is technically very easy to publish on the Internet [4]. The lack of a review process of the documents on the Net, and the power of this media in transmitting the data has the risk of misinforming both lay people [5,6,7] and health care professionals [8]. However, only a few studies have tried to measure this risk of misinformation [9,10,11]. Nothing yet is known about the users' ability to discriminate between low and high quality resources.

Several initiatives have been proposed which could be applied at different levels to improve the average quality of medical websites. For instance, we could apply certain basic methods for the websites to be correctly designed. In this sense, some academic organizations have proposed a set of basic information that every medical web site should provide about the author and sources of the web site contents, their potential conflicts of interest and funding, and the currency of the information [12]. But many of the available medical websites have been created without any quality control by a third party. How can Internet health care visitors distinguish between such different resources?

Internet users can find health and medical related websites in several ways. World Wide Web search engines (e.g., AltaVista, Excite, Infoseek and many others) provide the users with a list of websites that match a given topic, with the results ordered by syntactic similarity with the query [13]. Unfortunately, the quality of contents is not guaranteed.

On the other hand, certain websites indexes and review services, such as Medical Matrix (<http://www.medmatrix.org/>) and HealthAtoZ (<http://www.HealthAtoZ.com/>), offer systematic evaluations of medical resources on the Web [14], as a post publication editorial process. These rating systems could be an useful tool for guiding the visitors of medical websites [12]. However, authors who have reviewed these Internet resources, point out the variability of their evaluation criteria and their doubtful efficacy [14].

The quality of a given medical article on the Internet could be measured by the users opinion about it, for example by counting the number of times it is retrieved [15]. However, this idea has been criticized because it would replace the scientific peer review process with the opinion of the Internet users, whatever their qualification [6].

Despite the differences between the printed medical information and the Internet, several evaluation tools from the former could be useful if applied on the "Net." Similarly to printed medical journals, medical documents on the Internet could be ranked by their citation analysis [15,16], but no methods have been proven for use with medical websites. When an article is quoted in a paper, certain agreement among the authors may be supposed. Similarly, when a webmaster makes a link from his web site to another, certain credibility is given to the latter. In

fact, the International Committee of Medical Journals Editors recommend caution when a link is made from a peer reviewed journal site to other sites [17]. If linking on the web can be equivalent to quoting in printed medical articles, a citation analysis on the web could be performed by the quantification of the links to a given medical web site.

The ideal method for assessing the quality of medical websites should provide a means of rating great amounts of medical web resources while respecting the World Wide Web peculiarities, such as its multimedia capabilities and changing contents. At the same time, it should at least be as reliable as systematic reviews of those resources by editorial boards. In summary, it should be a method born in the Internet but with the efficacy of those used in the printed media.

In this study, we evaluated the reliability of four websites characteristics as medical websites quality indicators. The four characteristics used: their authors' impact factor, their grade of updating, their daily visits and inbound links. The evaluations of a sample of pediatric websites by a number of Internet rating systems was the gold standard with which these websites characteristics were compared.

Methods

During March 1998 a subset of websites rating systems were compiled. From these, we selected a sample of websites that were studied during the first week of April 1998.

Eight web rating systems, whose evaluations were offered as figures, were compiled from previous studies [13,14] (Table 1). One half of the selected rating systems gave the results of their evaluations by means of graphic analog scales, and the other half by numeric scales. Every web site evaluated by these rating systems that provided information about child health, whether for lay people or health professionals, was included in the study. Some of these rating systems (e.g., Lycos Top 5%) provides the visitors with a search tool by keyword. In these cases, the websites were selected using the keywords "Pediatrics", "Infancy", "Child health", and "Child Care." For the remaining rating systems, the pediatric websites were compiled manually. Those websites not accessible twice during the study period were excluded.

Only three rating systems (Medical Matrix, Physician Choice, and Six Senses) gave information about their editorial boards. Most of their members were physicians. Two of the web rating systems only gave a global result of their websites evaluation (Medical Matrix and Magellan), while the rest (HealthAtoZ, Argus Clearinghouse, Lycos Top 5%, Sympatico Health, Physician Choice, and Six Senses) gave a result for each considered criterion. Content was a common criterion to all the eight ranking systems. Therefore, the results of the evaluation of each web site were divided in two categories, content and non-content (design) aspects. In order to make comparisons, the results of the evaluations of the websites supplied by each rating system were transformed to a one hundred scale.

Table 1. Compiled web sites ranking systems. The results of evaluations are showed as two possible types of scales, graphic analog (A) or numeric (N)

Rating systems (Included/excluded web sites)	Uniform Resource Locator	Type of scale
Argus Clearinghouse Seal of Approval (16/1)	http://www.clearinghouse.net/cgi-bin/chadmin/viewcat/Health___Medicine?kywd++	A
HealthAtoZ (241/66)	http://www.healthatoz.com	*
Lycos Top 5% (8/3)	http://point.lycos.com/topics/Health_Overall.html	N
Magellan Internet Guide (40/11)	http://www.mckinley.com/magellan/Reviews/Health_and_Medicine/index_magellan.html	A
Medical Matrix (75/11)	http://www.medmatrix.org/SPages/Pediatrics.asp	A
Physician's choice (4/0)	http://www.mdchoice.com/pcsites.htm	N
Six Senses Seal of Approval (4/0)	http://www.sixsenses.com/winners.html	N
Sympatico Health (8/1)	http://www1.sympatico.ca/Contents/Health/LISTS/D3-C03_all1.html	A

* Graphic analog scale developed in numeric

When provided, the daily visits registered by the websites visits counters were recorded. In some websites the date from which the counter was started was not available. Thus, their webmasters were asked for this information by electronic mail, and it was included in the statistical study if provided before the end of the observation period, 15th April 1998.

The websites authors and editors' names were searched in 1997 MEDLINE [18], and their articles were registered. Their impact factors of the journals wherein they were published were obtained by using the 1996 Science Citation Index (Institute for Scientific Information, Philadelphia, PA). The impact factor of a given web site author was the sum of the impact factors of his or her articles. For institutional websites only the name of the web editor was considered.

When provided, the time since the last update was also recorded.

Finally, by means of the Web search engine Infoseek [19], we calculated how many websites on the Internet linked to each web site of our sample. The searching strategy by syntax of this

engine allows to know the websites that are linked to a given web site [20]. As a web site may be linked not only from external websites but also from websites of its own organization, we only considered external links. Although other search engines such as AltaVista, Excite or HotBot offer similar searching options, we chose Infoseek because it provided the results of the queries grouped by web site, which makes the exclusion of the internal links easier.

Comparison of means was performed by Mann-Whitney U test, and correlation analysis by means of Spearman's correlation coefficient (r_s). P values equal or less than .05 were considered significant. All computations were made with SPSS for Windows 7.0 (SPSS Inc., Chicago, IL) statistical package.

Results

After excluding 93 non-accessible websites, a total of 363 pediatric websites were compiled.

Table 2. Correlations among the number of daily visits to the web sites, the impact factor of their authors or editors, the grade of update, and the number of links that receive. NS means not significant

	Number of inbound links r_s p	Visits/day r_s p	Author's impact factor r_s p
Visits/day	.46 .005		
Author impact factor	NS	NS	
Weeks since the last update	-.36 <.001	NS	NS

Table 3. Correlation among the number of links and visits to the web sites, the impact factor of their authors, and the time since the last update, and the results of their evaluation by HealthAtoZ and Medical Matrix. No significant correlations were demonstrated with the other systems. Medical Matrix only provides total results, does not specify results by contents and non-contents aspects

		Number of Inbound Links		Visits/day		Author impact factor		Weeks since the last update	
		r_s	p	r_s	p	r_s	p	r_s	p
HealthAtoZ	Total	.29	<.001	NS		NS		-.19	.04
	Contents	.30	<.001					-.23	.00
	Non contents	.24	<.001					NS	
Medical Matrix	Total	NS		.79	.03	NS		NS	

On average, the websites of our sample received links from 470 other sites on the Internet (range, 0 to 3574). In 48% of the websites, information on their last update was given. On average, they had been updated 47.5 weeks before (range, 0 to 395). Only 10% of the websites had a visit counter, and the average daily visits were 470 (range, 1.2 to 3145). Seven visit

counters did not distinguish among different visitors, that is, they registered any visit to their websites. In 137 websites (38%) the editor/author's name was given, but only 60 of them had published at least one article since January 1997 in the journals included in MEDLINE database. Their average impact factor was 2.14.

Figure 1. Weeks since the last update for the total of the sample, n=363, and for the websites evaluated at least by two rating systems, n=25 (median, 25th and 75th percentiles)




Figure 2. Number of inbound links to websites for the total of the sample, n=363, and for the websites evaluated at least by two rating systems, n=25 (median, 25th and 75th percentiles)




Table 4. Top 50 pediatric web sites of the sample (N= 363) by the number of their inbound links. The weeks since the last update, the number of daily visits to the web sites and their editor/author's impact factor are also provided. In parenthesis, the place that each web site would obtain if ranked by the two latter criteria. In italics, those web sites indexed at least by two rating systems. Missing values are due to the lack of visits counter, editor's name, or information about the last update, for many web sites

	Uniform Resource Locator	Number of inbound links	Daily visits to web sites	Web site editor/author's impact factor	Weeks since the last update
1	http://www.merck.com	3574	-	-	13
2	http://www.ucalgary.ca/~dkbrown/index.html	2355	1620 (3°)	0 (360°)	-
3	<i>http://KidsHealth.org</i>	1109	-	-	-
4	<i>http://www.psych.med.umich.edu/web/aacap</i>	927	-	-	3
5	<i>http://www.aap.org</i>	896	-	-	1
6	http://www.chadd.org	785	-	-	4
7	<i>http://www.castleweb.com/diabetes</i>	767	-	-	-
8	http://www.medconnect.com	714	-	-	-
9	http://www.aaaai.org	677	-	-	-
10	http://www.aacap.org/web/aacap	612	-	-	4
11	http://www.nas.com/downsyn	572	-	0 (360°)	1
12	http://www.childbirth.org	534	-	-	-
13	http://web.syr.edu/~jmwobus/autism	502	-	0 (360°)	-
14	http://oncolink.upenn.edu/disease	487	-	10.1 (8°)	9
15	<i>http://www.jdfcure.com/index.html</i>	428	-	-	-
16	http://www.mic.ki.se/Diseases/index.html	423	1412 (5°)	-	-
17	http://www.asf.org	365	940 (6°)	-	1
18	http://www.mdcc.com	365	-	-	1
19	http://www.mc.vanderbilt.edu/peds	357	-	-	-
20	http://www.ama-assn.org/journals/standing/jama/jamahome.htm	330	-	-	-
21	<i>http://www.med.jhu.edu/peds/neonatology/poi.html</i>	322	253 (10°)	9.3 (13°)	2
22	http://www.wish.org	317	-	-	-
23	http://education.indiana.edu/cas/adol/adol.html	312	-	0 (360°)	52
24	<i>http://www.kidsdoctor.com</i>	297	-	0 (360°)	-
25	http://www.xmission.com/~gastown/safe	297	94 (20°)	-	-
26	http://www.childquest.org	287	-	-	6
27	<i>http://www.uab.edu/pedinfo</i>	284	-	-	-
28	http://www.childsecure.com	255	-	-	-
29	http://www.mc.vanderbilt.edu/peds/pidl	254	-	0 (360°)	1
30	http://www.stjude.org	251	-	-	-
31	<i>http://www.nccf.org</i>	249	70 (25°)	-	8
32	<i>http://www.mda.org.au</i>	238	-	0 (360°)	12
33	http://www.peds.umn.edu	235	-	0 (360°)	2
34	http://www.csmc.edu/neonatology	232	117 (15°)	-	1
35	http://med-aapos.bu.edu	225	-	0.4 (51°)	3
36	http://www.jhbmc.jhu.edu	220	-	-	3
37	http://sids-network.org	214	3145 (1°)	0.3 (54°)	1

	Uniform Resource Locator	Number of inbound links	Daily visits to web sites	Web site editor/author's impact factor	Weeks since the last update
38	http://www.diabetes.com	212	-	-	-
39	http://sids-network.org/index.htm	208	3145 (1°)	0.3 (55°)	1
40	http://www.oneworld.org/scf	205	-	-	-
41	http://www.childmmc.edu	204	-	-	13
42	http://www.os.dhhs.gov/hrsa/mchb	197	-	-	7
43	http://www.wp.com/pedsrheum	197	81 (23°)	11.7 (6°)	-
44	http://dem0nmac.mgh.harvard.edu/neurowebforum/neurowebforum.html	188	2441 (2°)	0 (360°)	-
45	http://pedscm.wustl.edu	179	145 (13°)	1.0 (39°)	2
46	http://www.drgreene.com	179	-	-	-
47	http://www.medsch.wisc.edu	162	-	-	-
48	http://www.blindentr.org/bcc	150	-	-	-
49	http://home.coqui.net/titolugo	144	68 (26°)	0.2 (56°)	1
50	http://www.chmcc.org	141	-	-	1

Only 25 websites of the sample were indexed and evaluated at least by two rating systems, and none by the eight. This subset of websites showed significantly better results of the evaluation of their contents and design by HealthAtoZ, and higher grade of updating (Figure 1) and higher number of inbound links (Figure 2). When the evaluations of these 25 websites by the different rating systems were compared, no significant correlations were found. Changes regarding the average impact factor of the authors of the websites or the number of daily visits could not be demonstrated in this subset of websites.

Some interesting correlations between the results of the evaluations of the websites and the rest of study variables were found. The number of links received by the websites significantly correlated with their daily visits and with the time since the last update (Table 2). The number of inbound links also correlated with the results of the websites evaluation by HealthAtoZ (Table 3).

The number of daily visits significantly correlated with the results of the websites evaluation made by Medical Matrix, and the grade of updating significantly correlated with the results of the contents and designs evaluation made by HealthAtoZ (Table 3).

Finally, no correlation was demonstrated between the average impact factor of the websites authors and the other variables.

The top fifty pediatric websites of the sample are shown in Table 4, ordered by the number of their inbound links according to the Infoseek indexing engine. More than a half of the 25 websites indexed by at least two rating systems may be found among these top fifty websites.

Discussion

In this study, certain websites characteristics that depend on the users' preferences have been compared with evaluations of pediatric resources on the Web by third parties. Although rating

systems have been previously criticized because their editorial boards frequently do not employ uniform criteria [13], we have considered them as the standard method because it somewhat represents a post-publication review process.

Some aspects of our method are open to discussion. Firstly, the reliability of the data regarding the daily visits and the updating frequency depends on the accuracy of the information that the websites editors offer in their sites. In this sense, we considered the grade of updating of the websites by the dates of their last changes. Clearly these changes could involve very different aspects and in different grades, and not necessarily provide more current contents. However, we believe that it could demonstrate the editor's efforts in maintaining or increasing the interest of his web site for the visitors.

The results regarding the number of daily visits to the websites must be considered with caution when comparing one web site to another, because some visit counters were set to register every visit, instead of every distinct visitor. Nevertheless, both can be considered usage indexes of a given web site.

On the other hand, quantification of links to the websites clearly depends on the power of the search engine we employ. By no means our results show the *total* number of links to the websites in our sample. In fact, a previous article states that it would be necessary to combine the databases from at least five large search engines to cover the most of the web [21].

Although all bibliometric indexes have limitations [22,23], we employed the impact factor as a measure of the webmasters' publishing capacity because it is a classical indicator of the quality of biomedical articles. Recently, it has been suggested that every medical web site should be evaluated following some basic criteria [24]. One of the more accepted criteria is that the authorship must be clearly stated, as a basic means for assessing the reliability of the web site contents. However, we could not demonstrate that the more highly evaluated, the most updated, or the most linked or visited pediatric websites, had the authors

with the highest publishing capacity measured by their impact factor. In other words, some web quality standards do not correlate with classical quality standards from the printed media such as the impact factor of a given author's articles.

We could not find statically significant correlations among the evaluations of the websites by the different rating systems. This is probably due to the small size of the subset of websites indexed and evaluated by all the systems, and their different evaluation criteria. However, some interesting data were found when we considered the correlations among the four websites characteristics and the evaluations. We found that the best websites for HealthAtoZ, the largest analyzed rating system, were the most updated and the most linked ones. On the other hand, the most valuable websites for Medical Matrix, the second rating system by size, were the most visited ones. In any case, both the number of daily visits and the time since the last update highly correlated with the number of inbound links. The lack of correlation among the four variables and the evaluations by the other rating systems could be due to their little contribution to our sample.

Many efforts to establish quality criteria will have limited efficacy due to the dynamic behaviour of the Internet as a publishing medium. In fact, a recent article demonstrates the lack of consensus among the editorial boards of a large sample of evaluation and rating systems regarding the evaluation criteria they employ. The same authors pointed out that "... it may be difficult or even inappropriate to develop a static tool or system for assessing health related websites." [25] Therefore, the question could be to provide context to this issue. That is, to know how good a given medical web site is in comparison with the rest of medical websites. A democratic and feasible method for reaching this objective could be let the Internet community say which medical websites are the best ones, that is, which they usually visit or which they usually recommend by linking to them. Moreover, we believe that the fact that these usage indexes correlate with the evaluations by third parties, qualifies them as quality markers.

Eysenbach and Diepgen [16] have recently proposed that an ideal quality control system for medical resources on the Internet should take in account the users opinion, and not only their evaluation by a third party, that is, a "downstream filtering" and not only an "upstream filtering" approach. More interestingly, our study demonstrates certain agreement among both approaches in identifying high quality resources.

LaPorte et al [15] proposed an electronic publishing system in which the impact of a given resource on the Internet could be measured by counting how many times the document was retrieved or quoted. The introduction of the citation analysis of the medical resources on the web as a method to assess their quality has been recently proposed [16]. On the other hand, a very promising software system is being developed by Kleinberg [26,27]. This system would provide the users with a way of knowing the very best of the web on a given topic in a faster and more complete way than commercial human compiled directories. This system is based in the identification of two subsets of websites when a query on a given topic is made, those websites containing a lot of information about the topic

(*authoritative websites*) and those which contain large amounts of links to the former (*hub sites*). Our work demonstrates that those authoritative websites, that is the more linked ones, are indeed the best ones regarding the evaluation of its contents and design by the editorial boards of some large web rating systems.

The citation analysis of biomedical journals has been a classic tool in assessing their relative quality [28]. Similarly, medical web resources could be ranked by a "webcite index" [16], which is not yet defined. Linking in the World Wide Web could be equivalent to quoting in printed publications, and its quantification could be useful for measuring the relative quality of medical websites. Some indexes could be created to make more rational comparisons among websites with different sizes. For example, in the same way that the calculation of the impact factor of a given medical journal takes into account the number of articles published by that journal yearly, the size of a given domain could be considered to obtain some indexes that would express more accurately the grade of linkage of a medical web site. Moreover, Platform for Internet Content Selection (PICS) [29], an infrastructure that could be applied as a filtering system of the medical information on the Net [16], could incorporate these indexes as one of the meta- data assigned to every medical document as electronic labels. Then, these electronic labels could be checked automatically by an user's browser, bypassing those documents with a "webcite index" not high enough. A problem could be how to avoid false "self-labelling" by dishonest webmasters. In any case, more work is needed to give answers to these and other technical questions on the emerging field of *Webometrics* [30].

An evaluation system based on this quantification would bring advantages and risks. Rankings could be generated very quickly and in an objective way, because the Internet community by itself would evaluate great amounts of medical websites. However, this evaluation process would be made *a posteriori*, and the potential harmful effects of the diffusion of documents without enough quality could not be avoided. Therefore, this method could not replace previous editorial effort that warrants a minimal quality for each resource.

Our work demonstrates that the visitors of pediatric websites and the editors of websites on the "Net," so called webmasters, show certain maturity when they have to identify the pediatric resources with high quality. We believe that the key point is how to augment the proportion of these resources. An important issue could be to establish a citation style not only for articles from peer reviewed electronic journals [31], but also for any medical document on the Net. The prestige that citation in a printed journal represents will stimulate high quality publishing on the Internet, and web site editors will employ enough review processes to obtain the necessary quality. A web site's ranking system based on the citation analysis on the web by the quantification of links would be an additional incentive. The more valuable resources will attract the Internet users' visits and the webmasters' links, and very likely the best funding and financial supports.

In summary, although the Internet provides a very different publishing medium, traditional means borrowed from printed journals could also be used with this electronic media for

achieving minimal levels of quality. These include certain peer review processes, that enhance the rigor of the documents submitted for publication taking in account the peculiarities of this media, and linking analysis as a measure of the citation on the World Wide Web.

Acknowledgments

The authors are sincerely grateful to the members of the Research Unit of the Hospital Universitario de Canarias, and specially to Dr Armando Torres and Dr Eduardo Salido for their help and support in the editing and translation of the manuscript. We are also specially grateful to Mr. Trevor P. Doble for his help in the translation of this manuscript.

Conflicts of Interest

None declared.

References

1. Goldwein JW, Benjamin I. Internet-based medical information: time to take charge. *Ann Intern Med* 1995 Jul 15;123(2):152-153 [FREE Full text] [Medline: 95297748]
2. Chi-lum BI, Lundberg GD, Silberg WM. Physicians accessing the Internet, the PAI Project. An educational initiative. *JAMA* 1996 May 1;275(17):1361-1362. [Medline: 96200922] [doi: 10.1001/jama.275.17.1361]
3. LaPorte RE. On behalf of the Global Health Network. Internet server with targeted access would cure information deficiency in developing countries [letter]. *BMJ* 1997;314:980. [Medline: 9099146]
4. Kassirer JP, Angell M. The Internet and the Journal. *N Engl J Med* 1995 Jun 22;332(25):1709-1710 [FREE Full text] [Medline: 95280982] [doi: 10.1056/NEJM199506223322509]
5. Bower H. Internet sees growth of unverified health claims (news). *BMJ* 1996;313:381. [Medline: 8761214]
6. Dyer C. Internet sales of prescription drugs investigated. *BMJ* 1996 Sep 14;313(7058):645 [FREE Full text] [Medline: 96407736]
7. Editorial. The web of information inequality. *Lancet* 1997(349):1781.
8. Shapira Y, Talmor D, Artru AA, Lam AM. Resident education and unreviewed material [letter]. *Anesth Analg* 1996;83:886-891. [Medline: 8831342]
9. Impicciatore P, Pandolfini C, Casella N, Bonati M. Reliability of health information for the public on the World Wide Web: systematic survey of advice on managing fever in children at home. *BMJ* 1997 Jun 28;314(7098):1875-1879 [FREE Full text] [Medline: 97367429]
10. Hernández-Borges AA, Pareras LG, Jiménez A. Comparative analysis of pediatric mailing lists on the Internet. *Pediatrics* 1997;100(2) [FREE Full text]
11. Hernández-Borges AA, Macías-Cervi P, Gaspar-Guardado MA, Torres-Álvarez de Arcaya ML, Ruiz-Rabaza A, Ormazábal-Ramos C. Assessing the Relative Quality of Internet Mailing Lists on Anesthesiology and Critical Care Medicine. *Anesth Analg* 1999 [in press].
12. Silberg WM, Lundberg GD, Musacchio RA. Assessing, controlling, and assuring the quality of medical information on the Internet: Caveant lector et viewer--Let the reader and viewer beware. *JAMA* 1997 Apr 16;277(15):1244-1245. [Medline: 97256510] [doi: 10.1001/jama.277.15.1244]
13. Sullivan D. A Webmaster's Guide To Search Engines. URL: <http://www.searchenginewatch.com/webmasters/index.html> [accessed 1999 Apr 15]
14. Jadad AR, Gagliardi A. Rating health information on the Internet: navigating to knowledge or to Babel? *JAMA* 1998 Feb 25;279(8):611-614. [Medline: 98146162] [doi: 10.1001/jama.279.8.611]
15. Laporte RE, Marler E, Akazawa S, Sauer F, Gamboa C, Shenton C, et al. The death of biomedical journals. *BMJ* 1995 May 27;310(6991):1387-1390 [FREE Full text] [Medline: 95307224]
16. Eysenbach G, Diepgen TL. Towards quality management of medical information on the internet: evaluation, labelling, and filtering of information. *BMJ* 1998 Nov 28;317(7171):1496-1500 [FREE Full text] [Medline: 99051215]
17. ; International Committee of Medical Journals Editors. Policies for posting biomedical journal information on the Internet. *JAMA* 1997;277(22):1808. [doi: 10.1001/jama.277.22.1808]
18. ; National Library of Medicine. PubMed. National Library of Medicine. URL: <http://www.ncbi.nlm.nih.gov/PubMed/medline.html> [accessed 1999 Apr 15]
19. ; Infoseek Corporation. Home page. URL: <http://infoseek.go.com> [accessed 1999 Apr 15]
20. ; Infoseek. Quick Reference to Syntax. URL: <http://www.infoseek.com/Help?pg=SyntaxHelp.html> [accessed 1999 Apr 15]
21. Lawrence S, Giles CL. Searching the world wide Web . *Science* 1998 Apr 3;280(5360):98-100. [Medline: 0009525866] [doi: 10.1126/science.280.5360.98]
22. Tsafirir JS, Reis T. Using the citation index to assess performance. *BMJ* 1990 Dec 8;301(6764):1333-1334. [Medline: 91105400]

23. Hansson S. Impact factor as a misleading tool in evaluation of medical journals [letter]. *Lancet* 1995;346:906. [Medline: [7564699](#)]
24. ; Health Information Technology Institute. Criteria for Assessing the Quality of Health Information on the Internet. URL: <http://www.mitrectek.org/hiti/showcase/documents/criteria.html> [accessed 1999 Apr 15]
25. Kim P, Eng TR, Deering MJ, Maxfield A. Published criteria for evaluating health related web sites: review. *BMJ* 1999 Mar 6;318(7184):647-649 [FREE Full text] [PMC: [10066209](#)] [Medline: [99165691](#)]
26. Kleinberg JM. Authoritative sources in a hyperlinked environment. URL: <http://simon.cs.cornell.edu/home/kleinber/auth.pdf> [accessed 1999 Apr 15]
27. Arunachalam S. Assuring quality and relevance of Internet information in the real world. *BMJ* 1998;317:1501-1502.
28. Garfield E. Citation analysis as a tool in journal evaluation. *Science* 1972 Nov 3;178(60):471-479. [Medline: [73024713](#)]
29. ; W3C. Platform for Internet Content Selection (PICS). URL: <http://www.w3.org/PICS> [accessed 1999 Jun 8]
30. Almind TC, Ingwersen P. Informetric analyses on the World Wide Web: methodological approaches to "Webometrics". *Journal of Documentation* 1997;53(4):404-426. [doi: [10.1108/EUM0000000007205](#)]
31. ; International Committee of Medical Journals Editors. Uniform requirements for manuscripts submitted to biomedical journals. *JAMA* 1997;277(11):927-934. [doi: [10.1001/jama.277.11.927](#)]

submitted 27.04.99; peer-reviewed by R Appleyard, M Hogarth; comments to author 28.05.99; revised version received 11.06.99; accepted 05.07.99; published 11.08.99.

Please cite as:

*Hernández-Borges AA, Macías-Cervi P, Gaspar-Guardado MA, DeArcaya MLTÁ, Ruiz-Rabaza A, Jiménez-Sosa A
Can Examination of WWW Usage Statistics and other Indirect Quality Indicators Help to Distinguish the Relative Quality of Medical websites?*

J Med Internet Res 1999;1(1):e1

URL: <http://www.jmir.org/1999/1/e1/>

doi: [10.2196/jmir.1.1.e1](#)

PMID: [11720910](#)

© Angel A Hernández-Borges, Pablo Macías-Cervi, María Asunción Gaspar-Guardado, María Luisa Torres-Álvarez DeArcaya, Ana Ruiz-Rabaza, Alejandro Jiménez-Sosa. Originally published in the *Journal of Medical Internet Research* (<http://www.jmir.org>), 11.8.1999. Except where otherwise noted, articles published in the *Journal of Medical Internet Research* are distributed under the terms of the Creative Commons Attribution License (<http://www.creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited, including full bibliographic details and the URL (see "please cite as" above), and this statement is included.

Publisher:
JMIR Publications
130 Queens Quay East.
Toronto, ON, M5A 3Y5
Phone: (+1) 416-583-2040
Email: support@jmir.org

<https://www.jmirpublications.com/>