

Review

Dangers and Benefits of Social Media on E-Professionalism of Health Care Professionals: Scoping Review

Tea Vukušić Rukavina¹, MD, PhD; Joško Viskić², DMD, PhD; Lovela Machala Poplašen¹, MLiS; Danko Relić¹, MD, PhD; Marko Marelić¹, MSc; Drazen Jokic³, DMD; Kristijan Sedak⁴, MagComm

¹Andrija Stampar School of Public Health, School of Medicine, University of Zagreb, Zagreb, Croatia

²Department of Fixed Prosthodontics, School of Dental Medicine, University of Zagreb, Zagreb, Croatia

³Department of Orthodontics, School of Dental Medicine, University of Zagreb, Zagreb, Croatia

⁴Department of Communication Sciences, Catholic University of Croatia, Zagreb, Croatia

Corresponding Author:

Joško Viskić, DMD, PhD

Department of Fixed Prosthodontics

School of Dental Medicine

University of Zagreb

Gundulićeva 5

Zagreb, 10000

Croatia

Phone: 385 98769245

Email: viskic@sfzg.hr

Abstract

Background: As we are witnessing the evolution of social media (SM) use worldwide among the general population, the popularity of SM has also been embraced by health care professionals (HCPs). In the context of SM evolution and exponential growth of users, this scoping review summarizes recent findings of the e-professionalism of HCPs.

Objective: The purpose of this scoping review is to characterize the recent original peer-reviewed research studies published between November 1, 2014, to December 31, 2020, on e-professionalism of HCPs; to assess the quality of the methodologies and approaches used; to explore the impact of SM on e-professionalism of HCPs; to recognize the benefits and dangers of SM; and to provide insights to guide future research in this area.

Methods: A search of the literature published from November 1, 2014, to December 31, 2020, was performed in January 2021 using 3 databases (PubMed, CINAHL, and Scopus). The searches were conducted using the following defined search terms: “professionalism” AND “social media” OR “social networks” OR “Internet” OR “Facebook” OR “Twitter” OR “Instagram” OR “TikTok.” The search strategy was limited to studies published in English. This scoping review follows the PRISMA-ScR (Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews) guidelines.

Results: Of the 1632 retrieved papers, a total of 88 studies were finally included in this review. Overall, the quality of the studies was satisfactory. Participants in the reviewed studies were from diverse health care professions. Medical health professionals were involved in about three-quarters of the studies. Three key benefits of SM on e-professionalism of HCPs were identified: (1) professional networking and collaboration, (2) professional education and training, and (3) patient education and health promotion. For the selected studies, there were five recognized dangers of SM on e-professionalism of HCPs: (1) loosening accountability, (2) compromising confidentiality, (3) blurred professional boundaries, (4) depiction of unprofessional behavior, and (5) legal issues and disciplinary consequences. This scoping review also recognizes recommendations for changes in educational curricula regarding e-professionalism as opportunities for improvement and barriers that influence HCPs use of SM in the context of e-professionalism.

Conclusions: Findings in the reviewed studies indicate the existence of both benefits and dangers of SM on e-professionalism of HCPs. Even though there are some barriers recognized, this review has highlighted existing recommendations for including e-professionalism in the educational curricula of HCPs. Based on all evidence provided, this review provided new insights and guides for future research on this area. There is a clear need for robust research to investigate new emerging SM platforms, the efficiency of guidelines and educational interventions, and the specifics of each profession regarding their SM potential and use.

KEYWORDS

e-professionalism; social media; internet; health care professionals; physicians; nurses; students; medicine; dental medicine; nursing

Introduction

Background

Global digital growth shows no sign of slowing, with a million new people worldwide coming online every day. This growth is clearly fueling social media (SM) use, as 45% of the world's population are now SM users: a whopping 3.5 billion people [1]. The popularity and use of SM has increased substantially in the past few years, despite controversy around privacy, hacking, fake news, and all other negative aspects of online life [2].

Social media have been defined as “a group of online applications that allow for the creation and exchange of content generated by users” [3] and can be categorized into five groups: (1) collaborative projects (eg, Wikipedia), (2) blogs or microblogs (eg, Blogger or Twitter), (3) content communities (eg, YouTube), (4) social networking sites (SNSs; eg, Facebook), and (5) virtual gaming or social worlds (eg, Second Life) [4]. SNSs (eg, Facebook) are “applications that enable users to connect by creating personal information profiles, inviting friends and colleagues to have access to those profiles, and sending e-mails and instant messages between each other” [4]. There is a lot of mixing and confusion between the terms SM and SNSs with SM being a newer and a much broader term, encompassing SNSs.

As we are witnessing the evolution of SM use globally among the general population, popularity of SM has also been embraced by health care professionals (HCPs) [5]. It is further reflected as a considerable growth in the research about SM use in health and medicine [6], mainly focusing on the roles of SM or SNSs in linking patients and HCPs [7-9] or use of SM/SNSs for communication among HCPs [10].

Within these new platforms exists an unprecedented ability to expand access and communication, with the potential to revolutionize the way medical professionals interact with peers, patients, and the public. However, along with this expanded access lies the potential for inadvertent overlap between the physicians' personal and professional lives. Boundary concerns are increasing with the blurring of personal and professional lines on SM [11]. Anything placed on the internet is essentially permanent, and our “digital footprint” stays forever documented in this virtual yet, for almost everyone, accessible world.

A definition for a new term “e-professionalism” was given by Cain and Romanelli [12] as “attitudes and behaviors (some of which may occur in private settings) reflecting traditional professionalism paradigms that are manifested through digital media.” The intersection between medical professionalism and SM has been termed also as online professionalism or digital professionalism [13].

Prior reviews have focused on the e-professionalism of medical students, residents, or physicians [14], or have presented a full spectrum of SM-related challenges and opportunities in the context of medical professionalism of diverse types of HCPs [15,16], but these studies were conducted almost 6 years ago. Within that time frame, the number of SM users (both HCPs and patients), SM influence on private and professional life, and new features within SM have increased substantially leaving scientific research struggling to keep up [17-19]. Since the end of November 2014, the number of Facebook users has doubled (from 1.35 billion to 2.7 billion) and the number of Instagram users almost quadrupled (from 300 million to 1.158 billion). New SM platforms like TikTok have gained popularity [20]. A gap has emerged in comprehensive understanding of the ways SM has influenced the medical field, especially professional behavior. With time being crucial in the context of SM evolution and exponential growth of users, this scoping review maps and summarizes recent findings and fills the knowledge gap about e-professionalism of HCPs.

Objective

The purpose of this scoping literature review was to characterize the recent original peer-reviewed research studies published between November 1, 2014, to December 31, 2020, on e-professionalism of HCPs; to assess quality of the methodologies and approaches used; to explore the impact of SM on e-professionalism of HCPs; to recognize benefits and dangers of SM; and to provide insights to guide future research in this area.

Methods

A Scoping Review

We performed a scoping review to explore the extent of the latest current evidence on e-professionalism of HCPs. The review questions were what are the reported outcomes of the benefits and dangers, and of SM on e-professionalism for HCPs, and what was the quality of methodologies and approaches used on the use of SM affecting e-professionalism of HCPs? The review subquestions were which knowledge gaps have been identified in studies and what are the recommendations for future research?

The scoping review method was chosen to map and summarize the evidence, and inform future research in the domain of e-professionalism of HCPs [21-23]. We performed a scoping review consistent with the guidance provided by the Joanna Briggs Institute Reviewer Manual [24,25]. The scoping review follows the PRISMA-ScR (Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews) guidelines [26]. The protocol was registered on the Open Science Framework (registration DOI 10.17605/OSF.IO/YR8TW) [27] on April 9, 2021.

Search Strategy

A search of the literature was performed in January 2021 using 3 databases (PubMed, CINAHL [EBSCO], and Scopus). The searches were conducted for the period from November 1, 2014, to December 31, 2020, using the following defined search terms: “professionalism” (a Medical Subject Headings [MeSH] term) AND (“social media” [a MeSH term] OR “social networks” OR “Internet” [a MeSH term] OR “Facebook” OR “Twitter” OR “Instagram” OR “TikTok”) included in the title or abstract or keywords. The search strategy was limited to studies published in English.

The full search strategy is summarized in [Multimedia Appendix 1](#). A senior information specialist validated the search strategy. For a comprehensive assessment, we also searched the reference lists of all the included articles to identify other studies that may be relevant to our review.

Study Inclusion and Exclusion Criteria

Studies were included in this review if they were original research focused primarily on the use of SM among health professionals and studied the uses, benefits, or dangers of SM.

Studies were excluded from this review if they were not in English; were books, dissertations, reviews, reports, abstracts only, case studies, opinions, letters, commentaries, policies, guidelines, or recommendations; did not focus primarily on the use of SM among health professionals; did not study the uses, benefits, or dangers of SM among health professionals; did not study HCPs as a study population; described the use of SM primarily with a marketing or advertising focus; and were not available as full text in the final search.

Eligibility and Data Extraction

Following the search, all references captured by the search engine were uploaded to the reference management system Zotero (Corporation for Digital Scholarship). Duplicates were identified and removed. Initial screening of the studies, based on the information contained in the titles and abstracts, was undertaken independently by 2 reviewers (TVR and JV). The interrater reliability (IRR) between them was established. IRR to screen the papers was determined using the indices *average pairwise percent agreement*, *Cohen kappa*, and *Krippendorff α* (alpha) [28]. IRR was calculated with the ReCal (“Reliability Calculator”), an online utility that computes IRR coefficients [29]. To assess the eligibility of the papers, two researchers (TVR and JV) independently reviewed and evaluated the studies. Discrepancies were discussed with reference to the research

objectives until consensus was reached on the inclusion for the analysis.

Data extraction was done in two passes. In the first pass, seven reviewers (TVR, JV, DR, LMP, DJ, KS, MM) extracted the data from included studies; in the second pass, two reviewers (TVR and JV) agreed on the extracted data. The following data were extracted: authors, year, country of origin, study objective and design, data analysis methods, study population, type of SM, key measures, conclusions/recommendations, and ethics statements.

Quality Evidence Assessment

The Quality Assessment Tool for Observational Cohort and Cross-Sectional Studies developed by the National Heart, Lung, and Blood Institute was used to evaluate the quality of the quantitative studies [30]. The Critical Appraisal Skills Programme appraisal tools were used to evaluate the quality of the qualitative and mixed methods reviewed studies [31]. Quality evidence assessment was performed by two reviewers (TVR and JV). If there was a discrepancy, a third reviewer was consulted (LMP).

Ethics Approval and Consent to Participate


This was a scoping review with no data collected from human participants. Ethical approval was not needed.

Results

Findings

[Figure 1](#) shows the PRISMA flowchart illustrating the searching process and how the studies were included in the review. The literature search retrieved 1632 papers, and after removing duplicates, 749 titles and abstracts were screened. The IRR between the two researchers (TVR and JV) who screened titles and abstracts was established. IRR values indicated high reliability (average pairwise percent agreement 89%, Cohen kappa 0.80, Krippendorff $\alpha=.83$). Full texts of 126 papers were assessed for eligibility. We also searched the reference lists of the included articles and found another 10 relevant articles for inclusion. Thus, a total of 88 studies were finally included in this review. Details of the studies including year, country of origin, study objective and design, data analysis methods, study population, type of SM, key measures, conclusions/recommendations, and ethics statements are shown in [Multimedia Appendix 2](#). The studies (n=671) that were excluded are shown in [Multimedia Appendix 3](#), along with the reasons for their exclusion.

Figure 1. PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) flowchart of the selection procedure. HCP: health care professional; SM: social media.



Characteristics of the Reviewed Studies

The studies were conducted in 40 countries, the majority being based in the United States (n=35), Canada (n=13), Australia (n=10), and the United Kingdom (n=10). Other countries with one or two studies were Brazil, China, Greece, Dominican Republic, Germany, Hong Kong, India, Ireland, Italy, Kingdom of Saudi Arabia, Mexico, New Zealand, Nigeria, Pakistan, Philippines, Singapore, South Africa, South Korea, Spain, Taiwan, Thailand, Turkey, and the United Arab Emirates (Multimedia Appendix 2). A total of 8 studies were conducted in several countries simultaneously [32-39]. Participants in the reviewed studies were from diverse health care professions (Table 1).

Medical health professionals were involved in about three-quarters of the studies. On several occasions, more than

one health care profession was involved in the evaluated studies. Regarding the educational level of targeted HCPs, 35 studies investigated students [32,40-73]; 41 studies investigated residents or practicing HCPs [34-39,74-108]; 5 studies investigated deans or directors of programs [109-113]; and 7 studies investigated several educational levels of HCPs, students, residents, faculty members, or practicing HCPs [33,114-119].

Table 2 describes the types of SM/SNSs studied; the majority of the studies were unspecific, studying use of any type of SM or SNS. Only Facebook or “all SMs/SNSs with specific reference to Facebook” was analyzed in one-third of the studies (Multimedia Appendix 2). Twitter [38,44,80,91,110], Instagram [101], and YouTube [37] were specifically targeted SM/SNSs in 7 studies.

Table 1. Types of health care professions included in the reviewed studies.

Health care profession	Studies (N=88), n ^a
Medical	
Deans and directors	2
Faculty	6
Specialists	11
Doctors (general)	8
Residents	15
Students	23
Dental	
Program directors	2
Faculty	1
Doctors (general)	1
Students	5
Nursing	
Deans and directors	1
Faculty	2
Nurses	3
Students	8
Pharmacy	
Pharmacists	2
Students	4
Other health care professionals ^b	4

^aA study could include more than one type of health care professional.

^bOther health care professionals are physiotherapists, physician assistant students, and osteopathic medicine students.

Table 2. Types of social media or social networking sites.

Social media/social networking site	Studies, n
Unspecific (any type of social media/social networking sites)	59
Facebook	21
All social media sites with specific reference to Facebook	1
All social media sites with specific reference to Facebook and Twitter	3
Instagram	1
Twitter	2
YouTube	1

Assessing the Quality of Studies

Overall, the quality of the studies was satisfactory. Most of the reviewed studies met the criteria in checklists ([Multimedia Appendix 4](#)). All studies were exploratory in nature, and the findings were descriptive. Among 88 studies, 49 were quantitative [32, 33, 35, 38-43, 51-53, 55, 59-61, 64, 66-69, 71, 72, 74, 75, 77-80, 82, 85, 88, 89, 91, 94-96, 98, 100, 102, 105-108, 110, 113, 114, 116, 118], 12 were qualitative [34, 36, 44, 45, 49, 57, 73, 76, 92, 93, 101, 104], and 27 used mixed methods [35, 37, 46-48, 50, 54, 56, 58, 62, 63, 65, 70, 81, 83,

84, 86, 87, 90, 97, 99, 103, 109, 111, 112, 115, 117]. Most studies used surveys (n=64) [32, 33, 35, 38-43, 47, 48, 51-55, 57, 59-62, 64-72, 74, 75, 77-82, 85, 88, 89, 91, 94-98, 100, 102, 103, 106-119]. The questionnaires used in surveys were mostly developed by researchers. Of these survey studies, only about one-third had a response rate of 50% or greater, and 9 studies did not explicitly report a response rate [39,53,60,63,65,67,72,75,96]. In the mixed methods studies, dominantly, content or thematic analyses were used. A total of 11 studies conducted in-depth or semistructured interviews [34,36,44,49,58,65,73,76,97,104,117], and 6 studies used focus

groups [45,49,58,70,112,117]. Most studies included (n=77) had clear ethical statements within the paper either stating ethical board approval or exemption, and 11 studies did not explicitly report an ethical statement [37-39,53,54,72,74,90,105,108,117].

SM Use Patterns Among Health Care Professionals

Studies that assessed SM use among different types of HCPs found high use among students, from 66.9% to 98.7% [40,43,50,51,60,61,64-66,68-70,102]; the highest with 98.7% using Facebook at least once a week was established among dental students. Lower rates of use were seen in practicing HCPs, physicians of different specialties, and program directors (PDs) or faculty, mostly ranging from 50% to 80% [35,39,74,80,83,85,86,88,89,91,96,105,106,108,110,113,114]. The exceptions were 3 studies: family medicine residents and physicians in Saudi Arabia where 95.4% of participants reported having an SM account and checking them at least once a day [79], 93.4% of medical doctors in a Singapore hospital [100], and 100% of Chinese registered nurses owned an SM account [107].

Several studies demonstrated a “generation gap” in SM use, where students are more likely than faculty to use SM [114,115,117,118]. A linear relationship between increasing age and decreasing SM use was also found among physicians of the same specialty or other HCPs [85,91,94,95,100,106].

Significant gender differences were established in several studies [71,79,91,95,105,107].

Irfan et al's [79] study showed females using SM more for professional purposes, and Wang et al's [107] study, where the study population was registered nurses, was similar. In Patel et al's [91] study where a subgroup analysis on Twitter use for professional purposes revealed a significant gender difference: only one in four users was a female radiologist and only 14% of highly active users were female. Gender difference was established also in Gupta et al's [62] content study of Facebook profiles (in favor of male medical students, ranging from 73.5% to 96.4%) [62], and 98.8% of all participants were males in a study about orthopedic surgeons [105].

Studies showed privacy settings deployment from 71% to 97% among HCPs [40,42,65,66,68,96,100,115,117,118]. Only 4 studies explicitly stated the percentage of students who had set their Facebook account on private: 37% of pharmacy students [40], 83.6% and 91% of dental students [64,65], and 71% of medical students [42]. More students than faculty used privacy features [115,118]. Results from a study among doctors in Singapore suggest that there is a knowledge deficit in terms of understanding of the privacy settings of SM accounts. From 30% to 55% of the respondents had an incorrect understanding of their SM account settings despite 95.5% claiming that they were aware that the institution had a SM policy [100]. Use of real names was investigated in 2 studies; in both, the vast majority of HCPs used their own names on Facebook [51,117], but on Twitter (45%) and Instagram (54%), far fewer dental students presented themselves with real names [51].

Studies also investigated the purpose of SM use, whether participants mixed professional and personal information and activities on SM sites (blended profiles) or adopted a separation

strategy where professional information and activities were clearly separated from personal ones (dual citizenship) [34,39,69,78,79,91,96,97,106]. In Duke et al's [115] study, significant differences were established between nursing students' and faculties' purpose of use, where almost twice as many students used SM for educational purposes than did faculty (58.5% vs 27.6%; $P<.001$), and almost 96% of students used SM to talk about academic-related problems compared to only 28% of faculty who did so ($P<.001$). Irfan et al [79] investigated family medicine residents and physicians use of SM not only for personal purposes (76%) or professional reasons (26%); they have determined that participants also use SM for general education (46%) and in a smaller proportion (18.2%) for continuing medical education [79]. A study among South African nurses established that they experience difficulty in separating their professional and personal lives when using SM [73].

In terms of themes covered in the reviewed studies, we have focused on two major themes: benefits and dangers of SM on e-professionalism of HCPs. This scoping review also recognizes an evaluation of effects of existing approaches on promoting e-professionalism and barriers that influence HCPs use of SM in the context of e-professionalism.

Benefits of Social Media on E-Professionalism of Health Care Professionals

For the selected studies, there are three recognized benefits of SM on e-professionalism of HCPs: (1) professional networking and collaboration, (2) professional education and training, and (3) patient education and health promotion.

Professional Networking and Collaboration

The benefits of SM on e-professionalism of HCPs can be seen as improvements of established networks or possibilities for collaboration through SM sites [33, 34, 36, 38, 39, 44-46, 53, 69, 72, 76, 78, 79, 92, 97, 106-108, 117]. Besides providing the opportunity for connecting with others and sharing experiences [38,39,46,53,69,72,78,106-108], SM have enabled the creation of communities for support. This enables students to help each other in studying and interacting with faculty who can provide advice, encouragement, and virtual mentorship [44]. Chretien et al [44] describe two roles that medical students use via SM, first, as access to information and, second, as a voice, a platform for advocacy, and an opportunity to state attitudes and opinions. SM is also where they gained control of their digital footprint and a sense of equalization within the medical hierarchy. SM provide for students, residents, and faculty a good discussion medium and an engaging way to get high-quality current information [79,117]. Professional networking and collaborations on SM enable the development and building of professional identities for health care professions [34,38,39,45,67,73,104]. Some studies emphasize SM benefits of peer-to-peer advising or learning, provision of emotional support, and identifying approaches through which physicians establish interpersonal trust on SM [36,45,92].

Professional Education and Training

Several studies have demonstrated students' use of SM for acquiring knowledge, to gain access to information from experts

with whom they otherwise would not be able to connect with, or for creating communities that can then be used as means for supportive, professional, and social learning [44,45,58,66].

A survey among US surgeons indicated that 70% of respondents believe SM benefits professional development, similar to findings among Chinese urologist where 52.7% believe that SM provides a platform for surgical or medical education [95,106].

Canadian urologists (59%) consider SM as a simple information repository that is likely to increase in the continuing professional development space [95]. About 80% of HCPs from Saudi Arabia agreed with the benefits of using SM in health care services and considered that the use of these technologies in the provision of health services improves their professional knowledge and that SM can be a useful tool by which physicians may promote their services [75].

In Duke et al's [115] study, significant differences were established between nursing students' and faculties' purpose of use, where almost twice as many students used SM for educational purposes than did faculty (58.5% vs 27.6%; $P < .001$), and almost 96% of students used SM to talk about academic-related problems compared to only 28% of faculty who did so ($P < .001$). Irfan et al [79] investigated family medicine residents' and physicians' use of SM for not only personal purposes (76.0%) or professional reasons (26.0%); they have determined that participants use SM also for general education (46.0%) and, in a smaller proportion, for continuing medical education (18.2%).

Patient Education and Health Promotion

Positive professional behaviors and attitudes regarding patient education and health promotion were also reported [34,37,75,97,106]. George et al [47] investigated US medical students' attitudes about what positive role SM can play in improving communication with patients. A total of 44% of respondents stated they should and would react if a patient sought their medical advice via Facebook. Some students acknowledged the potential usefulness of SM in medical practice, patient education, health promotion, and interpersonal communication, if applied in a safe and responsible manner [47]. The thematic analysis of pharmacists' semistructured interviews recognized addressing unprofessional posts made by peers as positive online behavior. Another positive professional activity was the use of SM to educate society in general about the role that pharmacists play in the health care system, their clinical roles, and how they can promote quality care for patients [34]. More than half of the HCPs in a cross-sectional study in Saudi Arabia agreed with the benefits of using SNSs in health care services as a suitable tool for patient education and raising public health awareness [75]. The results of the study among Saudi Arabian orthopedic surgeons showed that they are more likely to post online for the sake of sharing general medical knowledge as opposed to giving specific treatment advice. Most of them were open to the possibilities of using SM more with their patients for the sake of education, knowledge sharing, and improving patient outcomes [97]. In terms of communication with patients, in Long et al's [106] study, the majority of urologists thought SM had improved

efficiency in patient education (65.4%) and patient communication (55.1%).

Dangers of Social Media on E-Professionalism of Health Care Professionals

For the selected studies, there are five recognized dangers of SM on e-professionalism of HCPs: (1) loosening accountability, (2) compromising confidentiality, (3) blurred professional boundaries, (4) depiction of unprofessional behavior, and (5) legal issues.

Loosening Accountability

According to some studies in this review, loosening accountability can be seen as a danger to e-professionalism from two points of view: eroding public trust by providing poor quality of information on SM [39,106,117] and damaging to the professional image [43, 45, 51, 56, 57, 59, 64, 66, 68, 70, 73, 102, 106, 112].

Potential damage to the professional image has been depicted by students as concerns about repercussions of their posts on career development or future employment, since employers are checking SM profiles of candidates [43, 45, 51, 56, 57, 59, 66, 68, 70].

Students are concerned about the extent of representation of the students' character on SM; they edit profiles before interviews or career fairs [57,70] or intend to review or modify their profiles when they become qualified [45,51]. As students get closer to graduation, they are more concerned about future employment opportunities and their professional career. In addition, it has been reported that there is more awareness of online responsibilities as students progress through their program because employers can, and at times do, use SM profiles to make hiring decisions [56].

Three reviewed studies investigated PDs' (medical and dental) attitudes about the use of SM for admission criteria [109,110,112]. In a study that evaluated how SM is being used in dental hygiene programs admissions and policy, only 4% of programs evaluated a potential student's internet presence, mostly by searching on Facebook. Of those respondents that do not evaluate internet presence in applicants, more than half are not considering adding this to the admissions criteria (57.2%). Others are considering it (39.1%), and a small number (3.6%) plan to implement this in the future [109]. Use of SM is higher among medical PDs, and they more often view the online behavior of residency applicants, surgical residents, and faculty surgeons [110]. Among general surgery PDs, 18% reported visiting the SM profiles of medical students applying for surgical residency. Overall, 11% of PDs reported lowering the rank or completely removing a residency applicant from the rank order list because of online behavior [110].

Compromising Confidentiality

Being both an ethical and potentially legal issue, many of the studies have investigated attitudes toward compromising confidentiality, concerns that HCPs have about use of SM, patient privacy, and violations of Health Insurance Portability and Accountability Act (HIPAA) standards as a separate problem. Breaches of patient privacy was a concern for many

different types of HCPs [34,43,47,57,91,94,97,107,111,119]. Bagley et al's [41] results showed that the frequency of a student's updates of a Facebook status appears to be associated with a risk of violating HIPAA online. Similar findings were made in Wejls et al's [96] study. Greater disclosure on Facebook was associated with lesser awareness of the consequences of posting information on Facebook, a greater need for popularity, a higher level of self-esteem, a greater number of Facebook friends, and a higher frequency of signing in to Facebook [96]. In a study among nursing students, perceptions of confidentiality existed on the level of knowledge; all students knew that posting patient names or pictures was a breach of confidentiality. However, 34% were aware of other students who had breached patient confidentiality on Facebook [43]. "Cognitive dissonance," a disconnect between what they thought they *would* do versus what they thought they *should* do was also reported by George et al [47].

Examples of compromising confidentiality and breaches of patient privacy were reported in several studies. In Long et al's [106] study among Chinese urologists, nearly half of the respondents had experience posting information or pictures of patients' SM, but only 5% of them sought their patients' consent before posting [106]. In an exploratory qualitative study among nursing students in South Africa, students admitted that there is no responsible use of SM. They have stated that each of them perceives responsible use of SM differently. They took pictures, recorded video and audio clips of patients and of clinical interactions involving patients, and posted this information on SM compromising confidentiality [73]. In Wang et al's [107] study, 13.4% of Chinese registered nurses (n=88) confessed that they had "sometimes" posted anonymous patient information on SM.

Blurred Professional Boundaries

Traditional boundaries are blurred on many levels by online interactions. Blurred boundaries between professional and personal spheres of SM use [34, 39, 47, 51, 69, 78, 79, 91, 96, 97, 106], with concerns about exposure of one's private life or separating private and professional profiles have been presented in numerous studies of this review.

Several studies in this review investigated the purpose of SM use and whether participants mixed professional and personal information and activities on SM sites (blended profiles) or adopted a separation strategy where professional information and activities were clearly separated from personal ones (dual citizenship) [34,78,79,91,96].

Numerous studies document blurred boundaries between patient and HCPs, and between students and faculty [40, 43, 47, 59, 64, 65, 68, 70, 73, 75, 78, 82, 85, 98, 100, 105, 107, 114, 117]. Medical students have different attitudes regarding online interaction with a patient. "Friending a patient" is generally not acceptable nor endorsed; a wide range of opinions have been observed concerning this issue, ranging from one-third for medical students in Brazil [59] that find this unacceptable to 92% for senior medical students in New Zealand [70].

Among physicians, the majority have legal concerns about communicating with patients through SM [78,105,117]. In

Fuoco and Leveridge's [78] study about attitudes toward and use of SM among urologists, online patient interaction was endorsed by only 14% of urologists. Even though 56% of urologists agreed that SM integration in medical practice will be "impossible" due to privacy and boundary issues, 73% felt that online interaction with patients would become unavoidable in the future, especially for those in practice [78].

Students were anxious about the possibility their teachers could read about their personal life on SM. Dental students are ambivalent toward "friending" a faculty member [65]. From pharmacy students' perspectives, an active user is generally open to "friending" the outside world. However, the majority were still reluctant to "friend" faculty members at their school. Students have beliefs that student-faculty interactions should remain professional, and SM sites are not appropriate venues for such professional communication [40]. Academic faculty members were worried that connecting via SM with students or residents would blur the boundaries of the teacher-student relationship. In Jafarey et al's [117] study, almost half of faculty members found it inappropriate to friend a current student, and friending patients was not acceptable for 70% of respondents, with major differences found in age groups; it was acceptable to friend patients to 31% of trainees and 62% of students compared to only 5% of faculty. In a similar linear progression, younger age associated with more openness to being friends with patients was also demonstrated by Klee et al [82]. Two-thirds of family medicine residents and half of practicing physician respondents believed it was not ethical to be SM friends with patients.

Brisson et al [114] found that faculty were more likely than students to have been approached by patients on SNSs (53% vs 3%). Karveleas et al's [64] study showed a significantly higher percentage of fifth-year dental students (48.3%) compared to fourth-year students (20.6%; $P<.001$) who had received a Facebook friend request from one or more patients [64].

Depiction of Unprofessional Behavior

Numerous studies in this review have tried to assess the extent of unprofessional behavior posted by HCPs themselves or seen to be posted by their peers. Although there is no uniform consensus on what constitutes unprofessional behavior, studies most frequently associated it with online content pertaining to alcohol intoxication; substance or illegal drug use, nudity, and sexuality; demeaning content about patients, peers, educators, clinical sites, or the profession as a whole; discriminatory content; profanity; and aggressive/bullying content toward coworkers. Surveys that captured students' self-report of posted unprofessional behavior reported witnessing the investigated examples with varying frequencies [32, 42, 43, 55, 59, 62, 64, 73, 114, 118]. Among Brazilian medical students, frequencies ranged from 13.7% for "violation of patient's privacy" to 85.4% for "photos depicting consumption of alcoholic beverages" [59]. Posting of unprofessional content was highly prevalent among medical students in Australia despite understanding that this might be considered inappropriate and despite awareness of professionalism guidelines. A total of 34.7% of students reported unprofessional content (eg, evidence of being intoxicated 34.2%, illegal drug use 1.6%, posting patient

information 1.6%, and depictions of an illegal act 1.1%) [36]. In Kenny and Johnson's [51] study among dental students, 34% had questionable content on their profile, while 3% had definite violations of professionalism on their profile and 25% had unprofessional photographs on their profile including alcohol and different levels of nudity. Of those with unprofessional photographs, 52% had a documented affiliation with the dental school also visible on their profile [56]. In another study among dental students by Karveas et al [64], unprofessional content had been posted by most students. A total of 71.7% of students had posted pictures from holidays, 41.5% moments in nightclubs, and 26.2% photographs wearing swimwear or underwear. Alcohol consumption and smoking were published by 19.1% and 5.5% of responders, respectively, while 0.4% of responders admitted having posted photographs of themselves using illegal drugs [64].

An international survey among health science students, from 8 universities in 7 countries, registered that a significant number of students (20.5%) across all health science disciplines self-reported sharing clinical images inappropriately [32]. Furthermore, medical students who observed unprofessional behaviors were more likely to participate in such behaviors [55], and the phenomenon of "distancing" was described among nursing students, while the existence of unwise posting on SNSs was widely acknowledged, students tended to attribute such behavior to others [43].

Age difference in the terms "older and wiser," meaning more cautious about posting unprofessional behavior online, was proven in studies comparing students' and faculties' online behavior. Medical students were more likely than faculty to display content they would not want patients to see (57% vs 27%), report seeing inappropriate content on colleagues' SNS profiles (64% vs 42%), and ignore harmful postings by colleagues (25% vs 7%) [114]. Medical students in Kitsis et al's [118] study reported the self-posting of profanity, depiction of intoxication, and sexually suggestive material more often than faculty ($P < .001$). Medical students and faculty both reported peers posting unprofessional content significantly more often than self-posting [118].

Studies that assessed the online unprofessional behavior of residents or practicing HCPs were dominantly among different physicians' specialties (emergency medicine [EM], public health professionals, surgical residents or practicing surgeons, urology residents or practicing urologists, different residencies/specialties) [77, 80, 83, 84, 86, 87, 89, 96, 99, 100, 119], with 1 study investigating nurses [107] and 1 investigating pharmacists [34].

Soares et al's [119] study compared EM trainees' and faculties' perceptions of unprofessional SM behaviors to those of state medical board directors from a prior published study [120]. They found that themes involving patient information, inappropriate communication, and discriminatory speech elicited similar probabilities of anticipated investigation by both EM and state medical board directors, compared to published data. However, compared with state medical board directors, EM physicians were less likely to anticipate that themes involving alcohol and disrespectful speech would be investigated. A study

to assess changes in unprofessional content on urologists' SM was done by Koo et al [83]. Comparing the cohort in practice versus the cohort at the completion of residency, there were no significant differences in how many urologists had public Facebook accounts (70% vs 71%) or whose accounts had concerning content (43% vs 40%). Examples of concerning content included images and references to intoxication, explicit profanity, and offensive comments about patients. The presence of unprofessional content at the completion of residency strongly predicted having unprofessional content later in practice. A similar comparison was made among surgical residents and practicing surgeons [86,87]. In a study among surgical residents, 14.1% had potentially unprofessional content, and 12.2% had clearly unprofessional content. Binge drinking, sexually suggestive photos, and HIPAA violations were the most commonly found variables in the clearly unprofessional group [86]. Among attending surgeons, 10.3% had potentially unprofessional content, and 5.1% had clearly unprofessional content. Inappropriate language and sexually suggestive material were the most commonly found variables in the clearly unprofessional group [87]. Loo et al's [99] study among faculty and residents in Singapore suggested that doctors within the same residency do not necessarily have a uniform set of professional priorities regarding professionalism on SM. Data from Kesselheim et al's [80] study on pediatric residents clearly demonstrates "cognitive dissonance" in residents' approach to lapses in professionalism while using SM. More than half of the responding residents rated posting of online comments about the workplace as "completely inappropriate," yet a similar proportion estimate that residents engage in this behavior at least monthly [80]. Among nurses in China, 7.6% reported that they had "sometimes" posted identifiable patient information on SM. When asked about colleagues' online professionalism, half (50.3%) of the participants indicated that they had "sometimes" witnessed their colleagues' inappropriate SM posts and 49.5% reported "never" [107].

Among pharmacists, examples of perceived unprofessional behaviors included revealing details of personal life and activities; open complaints about the pharmacy sector, coworkers, physicians, and patients; inappropriate description of pharmacists' roles and activities; and breaches of patient confidentiality [34].

Legal Issues and Disciplinary Consequences

Unprofessional behavior on SM of HCPs can have legal consequences, potentially affecting credibility and licensure. Several studies have emphasized this issue or reflected on disciplinary legal consequences if SM are used inappropriately [61,64,78,90,111,113,115,116].

Fuoco and Leveridge [78] raised the controversy of whether medical regulatory bodies should monitor the SM activities of HCPs. In all, 94.6% of respondents agreed that physicians need to exercise caution in personal SM posting, although 57% felt that medical regulatory bodies should "stay out of [their] personal SM activities," especially those in practice for less than 10 years. Most urologists agreed that care should be taken in posting on SM sites, as unprofessional posts can put one at risk of discipline, so medicolegal guidance would be beneficial

in this aspect as well. Duke et al [115] emphasized that use of SM platforms, while potentially beneficial, can have professional and legal implications if not used appropriately in both personal and academic use. Faculty and students need to be aware that this could negatively impact their professional image and the nursing profession [115].

In Great Britain since 2013, all General Dental Council (GDC) registrants' online activities have been regulated by the GDC's SM guidelines. Failure to comply with these guidelines results in a Fitness to Practice (FtP) complaint being investigated. Documentary analysis of FtP cases from September 2013 to June 2016 revealed that 6 complaints in relation to SM were investigated. A total of 2.4% of FtP cases published on the GDC website during that period were related to breaches of the SM guidelines. All of the cases investigated were proven and upheld. Most of those named in the complaints were dental nurses, and the most common type of complaint was inappropriate Facebook comments [90]. Staud and Kearny's [113] study identified how online SM behaviors influence the licensure and enforcement practices of dental professionals. Dental boards are aware of potential online unprofessional behaviors and have implemented various consequences. Dental boards should consider developing policies to address potential online unprofessional behavior to protect the public that they serve [113]. In a recent study among Greek dental students, 75.3% of responders admitted not being aware whether the behavior of dentists on SM could result in legal sanctions [64].

Garg et al [116] conducted a survey of individual and institutional risks associated with the use of SM among residents and faculty in EM. EM residents and faculty members cause and encounter high-risk-to-professionalism events frequently while using SM; these events present significant risks to the individuals responsible and their associated institution. Some of the observations and occurrences documented in that study fall within the scope of HIPAA and put individuals and institutions at legal risk. The authors emphasize that, in addition to federal ramifications for medical institutions in regard to unprofessional conduct on SM by employees, the individuals responsible for the high-risk-to-professionalism events face state licensing consequences.

Evaluation of Existing Approaches' Effects on Promoting E-Professionalism

A total of 10 studies have tried to assess effectiveness of educational sessions or workshops incorporated in students' or residents' curriculum [46,48,52,54,55,60,63,81,89,103], and 1 study assessed the effects of formal SM instruction and policy on residents' ability to navigate case-based scenarios about online behavior in the context of professional medicine [88]. In 4 studies that included medical students as participants [46,48,60,63], educational interventions were positively accepted by students and showed a positive impact on the way they view themselves and their use of SM.

Flickinger et al [46] stated that medical educators have an opportunity not only to provide valuable guidance to students in using SM wisely but also to promote the development of professional identities by implementing SM interventions into the medical curricula [46]. In a cohort study by Gomes et al

[48], 94% of medical students reported some increase in awareness, and 64% made changes to their SM behavior due to the session, reflecting the longer-term impact. Walton et al [60] performed an exploratory pre-post study to examine the internet presence of a Canadian medical school graduating class by scanning students' public profiles on Facebook. They incorporated this information into an educational activity (3-hour long session) addressing professionalism and SM, and evaluated the impact of this activity on students' SM behavior. Repeated searches for all class members 1 month following the educational intervention revealed that many students had changed their privacy settings to further restrict public access to information on their Facebook accounts. Fewer overall students could be found by any search strategy, and in particular, there was a significant decrease in the proportion that could be found using only a simple name search. Significantly, fewer students displayed personal information or friends lists. Finally, there was a significant reduction in the number of students who openly displayed large numbers of personal photographs [60].

A similar positive effect of educational intervention was described among nursing students by Marnocha et al [52]. The study assessed effects of a peer-facilitated SM education session on changes in attitudes and knowledge among recently admitted prelicensure nursing students. Participants described plans to use a more reflective, cautious, and accountable use of SM after the intervention. Uncertain or unprofessional attitudes and knowledge showed significant improvements after the intervention [52].

One study did not find a positive correlation between educational interventions and the impact on e-professionalism among students [55]. Medical students received two 45-minute educational sessions on digital professionalism. Findings of this study suggest that isolated sessions on professionalism are not sufficient to sustain perceptions and behaviors of professionalism. Their results reflect an erosion of professionalism related to information security that occurred despite medical school and hospital-based teaching sessions to promote digital professionalism. According to Mostaghimi et al's [55] study, true alteration of trainee behavior will require a cultural shift that includes continual education; better role models; and frequent reminders for faculty, house staff, students, and staff.

A study conducted among pharmacy students showed that they are active users of peer-mediated SM learning groups. Pharmacy students have reservations regarding online professionalism and doubt the place of SM in education that includes the teacher [54].

In 3 studies that assessed the effectiveness of educational sessions on residents' perception of e-professionalism [81,89,103], the positive impact was also determined. In Khandelwal et al's [81] study, a postworkshop survey revealed that the postgraduate trainees perceived significant improvement in their understanding of e-professionalism. Compared with the preworkshop phase, residents were more comfortable defining professionalism, recognizing attributes of professionalism, describing the social contract, understanding the role of the code of conduct, and applying principles of professionalism to

challenging scenarios [81]. Similar findings were presented in Mohiuddin et al's [89] study where reflective practice-based sessions regarding the impact of SM on professionalism in surgery were well favored by the residents. Participants reported having an increased awareness to protect patient privacy and use SM more professionally [89]. Robertson et al [103] described a SM training program aimed to provide medical residents with academic and practical knowledge regarding the effective use of SM. Participants' knowledge of SM policies increased as a result of the SM training. They have also increased the ability to identify potentially inappropriate media interactions and to identify appropriate responses to such interactions, and they gained an understanding of how their actions on SM affect others [103].

One study aimed to determine the effects of formal SM instruction and policy on residents' ability to navigate case-based scenarios about online behavior in the context of professional medicine [88]. Prior SM instruction or familiarity with an SM policy were associated with improved performance on case-based questions regarding online professionalism.

Barriers to Using Social Media for Health Care Professionals

Analyzing our review sample, we have recognized that some papers highlighted important aspects of barriers that influence HCPs use of SM in the context of e-professionalism. These barriers are lack of time or time constraint, lack of knowledge or technical skills, lack of previous education or supportive institutional SM policies, ignorance to existing SM policies, and problem developing and sustaining mutual trust on SM. HCPs perceived them less as risks and more as something that keeps them away from using SM, either at all, more often, or with more quality. Lack of free time or time constraint was often recognized as a barrier [39,69,74,79,91,93,96], as well as lack of knowledge or technical skills for use of SM [33,39,76,79,93,118]. The majority of these studies that recognize the lack of time or lack of knowledge as barriers have respondents on the level of practicing HCPs. By age distribution, representatives of "millennials" or "generation Z" were not included as study participants. As shown in Adilaman et al's [74] study, this demonstrates a significant gap in SM use between younger users and mid- to late-career users. This study also found that midcareer physicians (aged 45-54 years) had statistically significantly more hesitations around joining medically geared SM sites for professional purposes, compared with those aged 25-34 years [74]. In a qualitative study among physicians by Campbell et al [76], participants expressed many levels of uncertainty about their preparedness, their impact, the potential for repercussions, and the future of physicians' presence on SM. Participants described feeling unprepared when they started using SM. Many participants described concerns such as lacking knowledge about how to use certain SM platforms versus others. Several participants felt that they were "digital immigrants" [76].

A lack of previous education about SM was emphasized in several studies [33,98,102].

A lack of SM policies was also recognized as a barrier, either as a lack of models/guidelines in how to conduct themselves

online in their role as physicians, which is manifested as fear of saying the wrong thing online [76] or related mainly to being unclear about whether they are supported by their employer and professional bodies [93,97]. Contrary to that finding, even if institutions have SM policies or guidelines, HCPs acknowledged reluctant behavior regarding existing SM policies [78,85,114] or ignorance to their existence [61,64,65,100]. A lack of awareness of existing institutional SM policies was also observed for physiotherapists; 41.6% were not aware whether there was one or not [85], and half of the medical students and faculty were unaware of existing institutional SM guidelines [114].

Panahi et al [36] recognized the problem of developing and sustaining mutual trust as one of the main barriers to knowledge sharing on SM platforms [36]. Physicians trust their peers on SM in a slightly different way than in face-to-face communication. The study found that the majority of participants established trust on SM mainly through previous personal interaction, authenticity and relevancy of voice, professional standing, consistency of communication, peer recommendation, and nonanonymous and moderated sites.

Discussion

Principal Findings

A scoping review method was used to capture the latest current evidence on e-professionalism of HCPs. The 88 studies included in this scoping review cover a broad spectrum of the benefits and dangers of SM on e-professionalism for HCPs, alongside barriers perceived as threats for the limitation of SM use in the context of e-professionalism and effects of existing approaches on promoting e-professionalism. This review includes multi-perspective views from various health care professions (medical, dental, nursing, pharmacy, and physiotherapy) and from various generations of HCPs (students, residents, practicing HCPs, faculty members, and PDs/deans). Overall, the quality of the studies was satisfactory. All studies were exploratory in nature, and the findings were descriptive. Medical health professionals were involved in about three-quarters of the studies. The majority of the studies were unspecific, studying use of any type of SM or SNSs. Only Facebook or "all SM/SNSs with specific reference to Facebook" was analyzed in more than one-third of the studies. Twitter [38,44,80,91,110], Instagram [101], and YouTube [37] were specifically targeted SM/SNSs in 7 studies.

Benefits of Social Media on E-Professionalism of Health Care Professionals

Benefits of SM on e-professionalism of HCPs can be seen as improvements of established networks or possibilities for collaboration through SM sites [33, 34, 36, 38, 39, 44-46, 53, 69, 72, 76, 78, 79, 92, 97, 106-108, 117]. Besides providing the opportunity for connecting with others and sharing experiences [38,39,46,53,69,72,78,106-108], SM have enabled the creation of communities for support. The benefits of SM on e-professionalism of HCPs, identified in this scoping review as professional networking and collaboration, have been

documented in previous research for physicians [121-123], nursing profession [124,125], or other HCPs [126-129].

The benefits of peer advice, learning from peers, provision of emotional support, and identifying approaches through which physicians establish interpersonal trust on SM [36,45,92] are novel insights into the domain of e-professionalism of HCPs on SM.

Professional networking and collaborations on SM enable the development and building of professional identities for health care professions [34,38,39,45,67,73,104]. Professional identity formation among medical students now entails consideration by students about whether and how they can continue to use SM as physicians. Ruan et al's [104] study tried to define the properties and development of the digital self and its interactions with the current professional identity development theory. SM introduces new features to professional identity in the digital world. The formation of digital identity, its development, and its reconciliation with other identities were features described, and educational institutions should give more importance to navigating professional identity development. According to Cruess et al [130], students may develop "identity dissonance" when components of their identity as physicians conflict with their identity as laypersons. Research regarding identity development in SM has been primarily confined to electronic professionalism through best practice guidelines. Evolving the possibilities of SM allows HCPs to reach a large audience and can act to increase their popularity among colleagues and patients [69]. SM also creates space for self-presentation and self-promotion that has already been embraced by some HCPs, enabling them to become microcelebrities [131].

Several studies have demonstrated students' use of SM for acquiring knowledge, for gaining access to information from experts with whom they otherwise would not be able to connect, or for creating communities that can then be used as a means for supportive, professional, and social learning [44,45,58,66].

A number of studies have been conducted to investigate the ways in which health care students informally use SM for educational purposes [132]. The results identified efficient communication with educators, peer collaboration, and small group learning and sharing resources as key strengths [133]. SM has been proven to be used for educational purposes at medical schools, for example, to complement university courses [134,135]. SNSs can facilitate efficient communication, interactions, and connections among health professionals in education and training, with limitations identified as technical knowledge, professionalism, and risks of data protection [10]. Students' use of SM for health education is overwhelmingly higher in the last few years, with almost the same proportion using SM often or always [69,136]. Our findings are consistent with previous research.

Dangers of Social Media on E-Professionalism of Health Care Professionals

According to some studies in this review, loosening accountability can be seen as a danger on e-professionalism from two points of view, eroding public trust by providing poor quality of information on SM [39,106,117] and damage to

professional image [43, 45, 51, 56, 57, 59, 64, 66, 68, 70, 73, 102, 106, 112].

Potential damage to professional image has been depicted by students as a concern about repercussions of their posts, on career development, or on future employment since employers are checking SM profiles of candidates [43, 45, 51, 56, 57, 59, 66, 68, 70]. In addition, it has been reported that there is more awareness of online responsibilities as students progress through their program because employers can, and at times do, use SM profiles to make hiring decisions [56,137]. Three reviewed studies investigated PDs' (medical and dental) attitudes about use of SM for admission criteria [109,110,112]. Students should be concerned about the level of professionalism presented on their profiles. Information available on SM has been already used regarding admissions to medical or nursing programs, selection for residence, or employment for over 8 years [137,138]. In 2016, the Mayo Clinic announced that it will take scholarly SM activity into account when considering academic promotion [139]. With time, it is reasonable to expect that more programs, schools, or any kind of potential employers of HCPs will use this "screening SM profiles" approach more often in the admissions process.

Compromising confidentiality concerns were described in numerous studies in this review [34, 43, 47, 57, 91, 94, 97, 107, 111, 119], especially about breaches of patient privacy or possible risks of violating HIPAA online. As previous research shows, the public availability of information on patients and physicians represents a threat to privacy [140-142], with the potential for a negative impact on patient-physician relationships [143,144]. Students and residents have a "cognitive dissonance" approach to lapses in their professionalism while using SM. It is a disconnect between what they thought they *would* do versus what they thought they *should* [47,80]. This inconsistency between attitudes and actions has been observed also elsewhere [145,146].

Traditional boundaries are blurred on many levels by online interactions. Blurred boundaries between professional and personal spheres of SM use [34, 39, 47, 51, 69, 78, 79, 91, 96, 97, 106], with concerns about exposure of one's private life, presenting details of personal life, or separating private and professional profiles, have been presented in numerous studies in this review. The recommendation that health professionals maintain a separate account with a different name, a "dual citizen approach," that maintains online professional and private identities by creating separate online profiles was introduced in 2011 by Mostaghimi and Crotty [147]. Surprisingly this issue is still prevalent. Several studies in this review investigated the purpose of SM use, whether participants mixed professional and personal information and activities on SM sites (blended profiles) or adopted a separation strategy where professional information and activities were clearly separated from personal ones (dual citizenship) [34,78,79,91,96]. Recent research shows that, for some HCPs, the risk of using SM is still a concern for the exposure of one's private life [10,39,148].

Boundaries are blurred between patients and HCPs, and between students and faculty [40, 43, 47, 59, 64, 65, 68, 70, 73, 75, 78, 82, 85, 98, 100, 105, 107, 114, 117].

Although online interaction with a patient is generally not acceptable nor endorsed, a wide range of opinions have been observed concerning this issue, ranging from one-third for medical students in Brazil [59] that find this unacceptable to 92% for senior medical students in New Zealand [70]. This disproportion in range could be explained by cultural and age differences. Some studies have demonstrated generation gap differences in friending patients, with younger age being associated with more openness to be friends with a patient [82,117]. Both students and faculty are worried that connecting via SM would blur the boundaries of the teacher-student relationship, also recognized in other studies [148,149].

Chester et al's [70] study in this review addresses a deficit in data and knowledge regarding patient-targeted Googling. This study provides a comprehensive understanding of patient-targeted Googling in concert with SNS use among senior New Zealand medical students. Results of this study show that 16.7% of respondents had conducted patient-targeted Googling. There is some evidence of an association between SNS use and likelihood of patient-targeted Googling, with high SNS users more likely to conduct patient-targeted Googling, but as the authors acknowledge, their observations were made on a small number of observations. Previous research in the United States showed that 2.3% of medical students had visited a patient's profile on an online social network [150].

Various concerns about potential professionalism implications [151-153] exist, particularly related to breaches of patient confidentiality, professional boundaries, and depiction of unprofessional behaviors. Chretien and Tuck's [14] review of online professionalism studies found that themes involving patient identifying images, inappropriate communications, and discriminatory language were consistently regarded as most inappropriate, whereas derogatory speech, images of alcohol, and partial nudity were considered only moderate to least inappropriate. Numerous studies in this review have tried to assess the extent of unprofessional behavior, posted by HCPs themselves or seen to be posted by their peers. Surveys that captured students' self-report of posted unprofessional behavior (eg, evidence of being intoxicated, illegal drug use, posting patient information, sharing clinical images inappropriately, and depictions of an illegal act) reported witnessing the investigated examples with varying frequencies [32,42,43,55,59,62,64,73,114,118].

Age difference in the term "older and wiser," meaning more cautious about posting unprofessional behavior online, was proven in studies comparing students' and faculties' online behavior [114,118]. A similar comparison was made among surgical residents and practicing surgeons with a decreasing percentage of unprofessional content among attending surgeons [86,87]. An interesting paradoxical observation from Kitsis et al's [118] study is that, although students seemed more concerned than faculty about their professional images, their online behavior did not reflect this concern. Medical students reported that they considered their online presence to be unprofessional four times more often than faculty. In view of these findings, one might expect medical students to monitor their online presence regularly. Surprisingly, they rarely reported self-monitoring and at a rate similar to the faculty. This study

shows that medical students' posting of unprofessional material does not decrease during medical school and that medical students self-post and notice peers' unprofessional posts more often than faculty do [118].

Other studies have determined important differences exist in perceptions of inappropriate SM behavior among various stakeholders. Medical students often regard themes of speech, alcohol, and dress as components of online "social identity" rather than potential unprofessional behavior [154,155]. In contrast, patients, supervisors, and regulatory groups demonstrate more conservative views. An online survey using mock Facebook profiles found that, compared to university students, faculty and members of the public rated images significantly less appropriate [156]. Survey results showed that among students there is little consensus on what constitutes unprofessional behavior beyond the US HIPAA violations, and students have felt that posting inappropriate material on personal SM sites was "unavoidable" [156].

It seems that consensus about what constitutes unprofessional behavior, even evoked as a question since Chretien et al's [155] study in 2010, has still not been reached. There are numerous studies with examples of definitions of unprofessional behavior on SM [42,110,157,158]. Although there is no uniform consensus on what constitutes unprofessional behavior, studies most frequently associated it with online content pertaining to alcohol intoxication; substance or illegal drug use, nudity, and sexuality; demeaning content about patients, peers, educators, clinical sites, or the profession as a whole; discriminatory content; profanity; and aggressive/bullying content toward coworkers. Karveleas et al's [64] study among dental students showed that students' perceptions of and attitudes toward e-professionalism is complicated and contradictory. In their study, posting holiday pictures or wearing swimwear was categorized as unprofessional. Are these depictions of behaviors and situations unprofessional? What constitutes "potentially unprofessional behavior" has made quite a stir recently in medical scientific circles and the medical population in general.

In December 2019, a paper by Hardouin et al [159] was published investigating open, publicly available Facebook profiles of young vascular surgeons for unprofessional posts (text, images, or video content). The paper used a coding matrix, previously developed and used in other studies, for content analysis [83,84,87]. There were two distinct categories depicting e-professionalism of found content: "clearly unprofessional" and "potentially unprofessional." Three male researchers created new anonymous Facebook profiles and screened through the available data. In the "potentially unprofessional" category, images of trainees in swimwear (bikinis) screened in the research were included. This sparked controversy primarily on Twitter but also on other SM sites and mainstream media about the objectivity and bias of the researchers, reviewers, and editors, creating a hashtag #medbikini [160]. A substantial number of HCPs participated in the outraged reaction to branding posting such images or videos in bikinis as a possible sign of unprofessional behavior. They posted this content with #medbikini and their disapproval of such a label and referred to the gender bias of the researchers, questioning possibly outdated norms of behavior for HCPs [161]. This ultimately led

to the retraction of the paper and publication of a “Retraction notice” by the editors of the Journal of Vascular Surgery [162].

In a recently published paper by Pronk et al [163] that studied all levels of medical professionals (students, residents, and specialists), the authors found that all investigated groups perceived information or pictures to be unprofessional related to alcohol abuse, partying, and sexually suggestive posts, creating a dissonance between the #medbiniki movement’s perception of professionalism and collected data [163]. However, they argue that some of the participants’ opinions could have changed due to the debate initiated by the #medbikini movement, which occurred after their data collection.

Another recent study by Meira et al [164] investigating professionalism perception of orthodontist through exposure of laypeople, dental students, and dentists to images usually found on Instagram found that images related to social and family relationships were associated with lower scores regarding the perception of professional credibility for all groups [164]. They argued that their results indicate that personal images, possibly because they are not related to the professional context, contribute little toward the professional image of orthodontists on Instagram.

Unprofessional behavior on SM of HCPs can have legal consequences, potentially affecting credibility and licensure. Several studies have emphasized this issue or reflected on possible professional consequences if SM are used inappropriately [61,64,78,90,111,113,115,116].

Previous research has described associations of specific SM behaviors with the risk of investigation and subsequent disciplinary action by regulatory agencies by state medical boards and reported that online violations of professionalism by physicians were quite common and often led to disciplinary actions [120,165]. The consequences in the breach of privacy in the nursing profession can be severe and may lead to civil or criminal penalties [166]. Recent studies have also recognized that consequences of unprofessional online SM use can result in expulsion, lawsuits, job loss, and permanently damaged professional reputations [167]. This can also result in inaction or lack of use of SM for beneficial purposes, as the fear of legal issues can hinder use. This was recognized in a recent study by Al-Khalifa et al [168] where on a population of Saudi Arabian dentist only 41% of them were inclined to give online consultations. They argued the rest were possibly fearing potential legal ramifications. In an age of social distancing due to COVID-19, this could lead to patients not receiving information or care that they need and could have possibly gotten through online contact.

Recommendations for E-Professionalism Curriculum Changes

Ten years ago, many schools lacked policies specific to SM use [151], but nowadays schools have developed specific guidelines [169,170]. Guidelines are also available from numerous professional societies [171-178], and a recent review about available guidelines from nine medical international bodies has been published [179]. Previous work on health care education interventions and experiences has noted how learners may be

motivated to reduce the hazards of SM, revise SM confidentiality settings, or even terminate SM involvement upon realizing that online postings may have an enduring presence [180,181].

Effectiveness of educational interventions about e-professionalism or impact of existing SM policies has been recognized in this review, since numerous studies explored educational interventions for promoting e-professionalism [46,48,52,54,55,60,63,81,89,103].

On an educational level for students, recommendations are to include a variety of e-professionalism topics into a curriculum to provide students with a clear picture of what constitutes professional violations on SM and assist them in distinguishing between personal and professional personas online [42,43,47,49,50,53,54,64,103,111,114]. Hsieh et al’s [63] study demonstrates the possibility of how SM can be used as a learning platform for professionalism, enabling students a virtual space in which to share positive examples that reflect the authentic experience in a clinical environment. Our previous findings demonstrate that the perception of unprofessional behavior varies among HCPs, mostly associated with age of the participants [86,109,114,118]. Similar findings were confirmed also for health science students who struggle with the concepts associated with professionalism [182]. Teaching professionalism in general offers challenges for educators, and these challenges are amplified when the topic moves into cyberspace, where students are digital natives and faculty are generally digital immigrants [136]. Several studies in this review have recognized the need to include students in the development of guidelines [47] or to assist in education with somebody of their age group, providing personal experiences and more of a “nonauthoritative” approach [49].

O’Sullivan et al [32] have also recognized the importance of schools using an evidence-based approach to policy creation and to involve students in the process of the creation of these policies. A recent study by Wissinger and Stiegler [183] also highlights the importance of formal integration of e-professionalism into the health care curricula to prepare students for situations they will face once employed. By placing the responsibility of learning e-professionalism inside the walls of academia, students are prepared to take control of their online identity and craft a persona that represents their professional image [167]. As Chretien and Kind [183] described it, a victory for online professionalism would be providing trainees with tools and guidance needed to ascend on the SM hierarchy pyramid of needs, from public trust to discovery.

Similar recommendations were described in this review for residents, with important issues that must be addressed during curriculum development: integrate trainees as educators, encourage peer-to-peer regulation, and provide opportunity for reflection. Effective educational interventions for teaching online professionalism must include the skills necessary for residents not only to recognize inappropriate behavior on SM but also to learn how to address it themselves [80,103]. There is a qualitative distinction between disseminating guidelines and formally integrating SM instruction into medical curricula, which should become imperative for HCP education,

undergraduate or graduate level, or continuing medical education [42]. Similar conclusions were made in a systematic review of SM in residency [184]. Economides et al's [184] review depicts evolving perceptions and a paradigm shift, where a growing body of literature is now focusing on promoting responsible SM use, examining how SM training can enhance professional growth and academic scholarship. As the tone of the dialogue shifts from trepidation to interest or even to enthusiasm, it is clear that there is a need for formalized standards and education on SM use established within the trainee's curriculum.

Barriers to Social Media Use for Health Care Professionals

Analyzing our review sample, we have recognized that some papers highlighted important aspects of barriers that influence HCPs use of SM in context of e-professionalism. A lack of free time or time constraint was often recognized as a barrier [39,69,74,79,91,93,96], as well as a lack of knowledge or technical skills for use of SM [33,39,76,79,93,118]. Studies in this review with "lack of time" or "lack of knowledge" barriers had respondents that were practicing HCPs and older HCPs; representatives of "millennials" or "generation Z" were not included as study participants. This demonstrates a significant gap in SM use between younger users and mid- to late-career users [74,82]. This is consistent with previous research demonstrating that in addition to the practical barriers to adoption of SM in the professional realm, a generation gap exists, with millennials using SM for contact and information far more frequently than members of generation X and baby boomers [150]. Similar results can be found in Chan et al's [10] systematic review where identified positive predictors of use of SNSs for professional purposes were younger age (20-39 years), fewer years of professional experience (0-10 years), and lower rank, such as residents.

Our results show that even though a lack of SM policies was recognized as a barrier, even if institutions have SM policies or guidelines, HCPs acknowledged reluctant behavior regarding existing SM policies [78,85,114] or ignorance to their existence [61,64,65,100]. This should be considered as a warning to increase awareness on this matter, as SM will continue to be increasingly ubiquitous and integrated in health care. As Parsi and Elster [185] note, "if we fail to engage this technology constructively, we will lose an important opportunity to expand the application of medical professionalism within contemporary society." Since the SM world is changing so fast, adopting novel approaches to existing SM policies becomes essential. As Kerr et al [101] suggest, it is imperative for nursing education, professional regulatory bodies, and employers to develop more robust and dynamic policies and guidelines related to the appropriate use of SM within the profession, especially with the growing presence of web-based HCP microcelebrities [131].

Comparison With Prior Work

Compared to other literature reviews published on related topics, this scoping review is the first to capture original research about e-professionalism in terms of methods, subjects, and themes since Chretien and Tuck [14], who conducted a synthetic review to characterize the original peer-reviewed research on online professionalism of medical students, residents, or physicians.

The review included 32 studies and recognized general areas of online professionalism (use and privacy, assessment of unprofessional behavior, consensus-gathering of what constitutes unprofessional or inappropriate behaviors, and education and policies) with no clear separation between challenges or benefits and addressed only online professionalism of medical students, residents, or physicians. Other reviews presented a full spectrum of SM-related challenges and opportunities in the context of medical professionalism of diverse types of HCPs [15,16] or in the context of SM as an emerging tool in education [132,186], but these studies were conducted several years ago.

Similar conclusions were made in other research. Although there exist concerns about misuse of SM and violation of e-professionalism by HCPs, SM can also be used constructively as a tool for professional development; as a means of accessing information, marketing practices and services, job opportunities; and as a means of sharing or adding opinions on issues of interest to HCPs and to other like-minded individuals online [44,187].

Ventola [121] recognized benefits, risks, and best practices for HCPs. He concluded that SM can provide considerable benefits in professional networking or collaboration, professional education, patient's care, education, and health programs. All these benefits of SM were recognized in this scoping review as well. According to Ventola [121], there are some risks related to poor quality of information, damage to professional image, breaches of patient privacy, violation of the patient-HCP boundary, and licensing and legal issues, which was also recognized in this scoping review. Likewise, risks such as privacy and accuracy of information, compromising confidentiality, eroding public trust, and loosening accountability were presented in previous research [156,188,189].

Gaps in the Literature and Potential Areas for Further Research

This review demonstrates dominance of Facebook in research done so far. With the rapid evolution of SM, future insights should be more oriented toward new and emerging SM sites. Instagram has gained an enormous following with new features like "Stories" and "Reels" within the SM itself, which are completely scientifically unexplored. Snapchat and TikTok have also gained a substantial following, especially among the student population. TikTok did not even exist in 2014; nowadays, TikTok has 689 million users worldwide [20]. They function on a completely different set of parameters, being that the content is time limited. New research should consider how to approach the youngest generation of HCPs who are using these SM sites and how to design a novel study methodology to gain insight, due to the time limitation of the content.

Gaining popularity on SM is not only reserved for adolescents and young adults. Creation of influencers who are HCPs can affect perception of the professional image, either positively or negatively. This has been rarely analyzed so far.

Geographical locations may affect the generalization of findings in research on SM use. Asian countries have regionally oriented

SM and SNSs like WeChat not used in European countries or the United States. Cultural differences should also be considered.

The curriculum implementation of SM guidelines and educational efforts are also there to be evaluated. As the diversity of such actions is apparent, efficiency is key in getting the proper message to a generation of “millennials” with a short attention span.

The COVID-19 pandemic has caused much of the world’s population to isolate itself and many of us to shift our lives to digital tech platforms, especially SM and SNSs, all experiencing strong growth. Previous research has shown that more people are relying on SM to find and share health information during times of crisis. Future research should investigate how the pandemic affected our e-professional behavior. We are experiencing an unprecedented time in health care and education due to the COVID-19 pandemic, so the use of SM in patient/HCP communication and student education should also be explored in more detail.

SM can also be used in marketing and self-promotion [190]. Dental medicine is much more open to such actions, with medical professionals showing a lack of interest and being more worried about legal ramifications. Research into the reasons of such divergence and insight into the negative attitudes is essential for creating a platform for implementing SM in a positive and professional manner.

Findings of this research confirm the dominance of medical students or physicians as a study population of HCPs in the context of e-professionalism. Future research could be done to further investigate other types of HCPs with an emphasis on the specifics of each profession regarding their SM potential and use. Comparison among different types of HCPs would add novel insights to the field of e-professionalism.

Limitations of the Review

We acknowledge that scoping reviews have several limitations, but a scoping review allowed us to gain a wide-ranging understanding of the impact of SM on e-professionalism of

HCPs. Research into SM is rapidly growing, and this scoping review is a snapshot of the latest current evidence on e-professionalism of HCPs.

There might be a selection bias (failure to search in additional potentially relevant databases to which the university does not have access) and a publication bias (we only searched in 3 databases, we did not extensively search for gray literature, and our search was limited to the English language). All studies were exploratory in nature, and the findings were descriptive. The questionnaires adopted in the surveys were mostly developed by the researchers, where validation mostly was not done. Research on SM is growing so fast that evidence may have been published in electronic media or platforms not indexed through the academic databases. Thus, findings in this review are limited to research published in traditional peer-reviewed journals only.

Conclusions

A scoping review was conducted that included 88 studies, offering current evidence on e-professionalism of HCPs. Almost all studies were found to be of adequate quality. Findings in reviewed studies indicate the existence of both benefits of SM on e-professionalism such as professional networking and collaboration, training, and education, and, on the other hand, the dangers of SM, such as loosening of accountability, compromising doctor-patient confidentiality, blurred professional boundaries, depiction of unprofessional behavior on SM, and legal consequences.

Even though there are some barriers recognized, this review has highlighted existing recommendations for including e-professionalism in educational curricula of HCPs. Based on all evidence provided, this review provided new insights and guides for future research on this area. There is a clear need for robust research to investigate new emerging SM platforms, the efficiency of guidelines and educational interventions, and the specifics of each profession regarding their SM potential and use.

Acknowledgments

The authors thank Prof Howard H Goldman and Alejandro Ortiz, PhD, School of Medicine, University of Maryland for their support. This study was funded by the Croatian Science Foundation under project UIP-05-2017 “Dangers and benefits of social networks: E-Professionalism of healthcare professionals – SMePROF.”

Authors' Contributions

TVR, JV, and DJ conceived and designed the review, and TVR coordinated it. TVR, JV, and LMP were involved in developing the search strategy, and TVR, JV, LMP, DJ, KS, and MM extracted the data. Data analyses were undertaken by TVR and JV, whereas data interpretation was done by TVR, JV, LMP, and MM. TVR drafted the review. All authors reviewed and approved the final version of the manuscript.

Conflicts of Interest

None declared.

Multimedia Appendix 1

Search strategy.

[\[PDF File \(Adobe PDF File\), 210 KB-Multimedia Appendix 1\]](#)

Multimedia Appendix 2

Summary of the reviewed studies (n=88).

[[PDF File \(Adobe PDF File\), 479 KB-Multimedia Appendix 2](#)]

Multimedia Appendix 3

List of the excluded studies and the reasons for exclusion.

[[DOCX File , 102 KB-Multimedia Appendix 3](#)]

Multimedia Appendix 4

Quality of the reviewed studies.

[[DOCX File , 55 KB-Multimedia Appendix 4](#)]

References

1. Kemp S. Digital 2019: global internet use accelerates. We Are Social. 2019 Jan 30. URL: <https://wearesocial.com/uk/blog/2019/01/digital-in-2019-global-internet-use-accelerates/> [accessed 2020-10-22]
2. Social media fact sheet. Pew Research Center. 2019 Jun 12. URL: <https://www.pewresearch.org/internet/fact-sheet/social-media/> [accessed 2020-10-22]
3. Hamm MP, Chisholm A, Shulhan J, Milne A, Scott SD, Klassen TP, et al. Social media use by health care professionals and trainees: a scoping review. *Acad Med* 2013 Sep;88(9):1376-1383. [doi: [10.1097/ACM.0b013e31829eb91c](https://doi.org/10.1097/ACM.0b013e31829eb91c)] [Medline: [23887004](https://pubmed.ncbi.nlm.nih.gov/23887004/)]
4. Kaplan AM, Haenlein M. Users of the world, unite! The challenges and opportunities of Social Media. *Business Horiz* 2010 Jan;53(1):59-68. [doi: [10.1016/j.bushor.2009.09.003](https://doi.org/10.1016/j.bushor.2009.09.003)]
5. Smailhodzic E, Hooijsma W, Boonstra A, Langley DJ. Social media use in healthcare: a systematic review of effects on patients and on their relationship with healthcare professionals. *BMC Health Serv Res* 2016 Aug 26;16:442 [FREE Full text] [doi: [10.1186/s12913-016-1691-0](https://doi.org/10.1186/s12913-016-1691-0)] [Medline: [27562728](https://pubmed.ncbi.nlm.nih.gov/27562728/)]
6. Giustini D, Ali SM, Fraser M, Kamel Boulos MN. Effective uses of social media in public health and medicine: a systematic review of systematic reviews. *Online J Public Health Inform* 2018;10(2):e215 [FREE Full text] [doi: [10.5210/ojphi.v10i2.8270](https://doi.org/10.5210/ojphi.v10i2.8270)] [Medline: [30349633](https://pubmed.ncbi.nlm.nih.gov/30349633/)]
7. Capurro D, Cole K, Echavarría MI, Joe J, Neogi T, Turner AM. The use of social networking sites for public health practice and research: a systematic review. *J Med Internet Res* 2014 Mar 14;16(3):e79 [FREE Full text] [doi: [10.2196/jmir.2679](https://doi.org/10.2196/jmir.2679)] [Medline: [24642014](https://pubmed.ncbi.nlm.nih.gov/24642014/)]
8. Moorhead SA, Hazlett DE, Harrison L, Carroll JK, Irwin A, Hoving C. A new dimension of health care: systematic review of the uses, benefits, and limitations of social media for health communication. *J Med Internet Res* 2013 Apr 23;15(4):e85 [FREE Full text] [doi: [10.2196/jmir.1933](https://doi.org/10.2196/jmir.1933)] [Medline: [23615206](https://pubmed.ncbi.nlm.nih.gov/23615206/)]
9. Coiera E. Social networks, social media, and social diseases. *BMJ* 2013 May 22;346:f3007. [doi: [10.1136/bmj.f3007](https://doi.org/10.1136/bmj.f3007)] [Medline: [23697672](https://pubmed.ncbi.nlm.nih.gov/23697672/)]
10. Chan WS, Leung AY. Use of social network sites for communication among health professionals: systematic review. *J Med Internet Res* 2018 Mar 28;20(3):e117 [FREE Full text] [doi: [10.2196/jmir.8382](https://doi.org/10.2196/jmir.8382)] [Medline: [29592845](https://pubmed.ncbi.nlm.nih.gov/29592845/)]
11. Ashton KS. Teaching nursing students about terminating professional relationships, boundaries, and social media. *Nurse Educ Today* 2016 Feb;37:170-172. [doi: [10.1016/j.nedt.2015.11.007](https://doi.org/10.1016/j.nedt.2015.11.007)] [Medline: [26602238](https://pubmed.ncbi.nlm.nih.gov/26602238/)]
12. Cain J, Romanelli F. E-professionalism: a new paradigm for a digital age. *Curr Pharm Teaching Learning* 2009 Dec;1(2):66-70. [doi: [10.1016/j.cptl.2009.10.001](https://doi.org/10.1016/j.cptl.2009.10.001)]
13. Greysen SR, Kind T, Chretien KC. Online professionalism and the mirror of social media. *J Gen Intern Med* 2010 Nov;25(11):1227-1229 [FREE Full text] [doi: [10.1007/s11606-010-1447-1](https://doi.org/10.1007/s11606-010-1447-1)] [Medline: [20632121](https://pubmed.ncbi.nlm.nih.gov/20632121/)]
14. Chretien KC, Tuck MG. Online professionalism: a synthetic review. *Int Rev Psychiatry* 2015 Apr;27(2):106-117. [doi: [10.3109/09540261.2015.1004305](https://doi.org/10.3109/09540261.2015.1004305)] [Medline: [25804627](https://pubmed.ncbi.nlm.nih.gov/25804627/)]
15. Gholami-Kordkheili F, Wild V, Strech D. The impact of social media on medical professionalism: a systematic qualitative review of challenges and opportunities. *J Med Internet Res* 2013 Aug 28;15(8):e184 [FREE Full text] [doi: [10.2196/jmir.2708](https://doi.org/10.2196/jmir.2708)] [Medline: [23985172](https://pubmed.ncbi.nlm.nih.gov/23985172/)]
16. Grajales FJ, Sheps S, Ho K, Novak-Lauscher H, Eysenbach G. Social media: a review and tutorial of applications in medicine and health care. *J Med Internet Res* 2014 Feb 11;16(2):e13 [FREE Full text] [doi: [10.2196/jmir.2912](https://doi.org/10.2196/jmir.2912)] [Medline: [24518354](https://pubmed.ncbi.nlm.nih.gov/24518354/)]
17. Kemp S. Digital 2014: global digital statshot December 2014. DataReportal. URL: <https://datareportal.com/reports/digital-2014-global-digital-statshot-december-2014> [accessed 2021-04-19]
18. Kemp S. Digital 2014: global social media users pass 2 billion mark. DataReportal. URL: <https://datareportal.com/reports/digital-2014-global-social-media-users-pass-2-billion-mark> [accessed 2021-04-19]
19. Kemp S. Digital 2020: October global statshot. DataReportal. URL: <https://datareportal.com/reports/digital-2020-october-global-statshot> [accessed 2021-04-19]

20. Tankovska H. Number of social network users worldwide from 2017 to 2025. Statista. URL: <https://www.statista.com/statistics/278414/number-of-worldwide-social-network-users/> [accessed 2021-04-19]
21. Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodology* 2005 Feb;8(1):19-32. [doi: [10.1080/1364557032000119616](https://doi.org/10.1080/1364557032000119616)]
22. Munn Z, Stern C, Aromataris E, Lockwood C, Jordan Z. What kind of systematic review should I conduct? A proposed typology and guidance for systematic reviewers in the medical and health sciences. *BMC Med Res Methodol* 2018 Jan 10;18(1):5 [FREE Full text] [doi: [10.1186/s12874-017-0468-4](https://doi.org/10.1186/s12874-017-0468-4)] [Medline: [29316881](https://pubmed.ncbi.nlm.nih.gov/29316881/)]
23. Tricco AC, Soobiah C, Antony J, Cogo E, MacDonald H, Lillie E, et al. A scoping review identifies multiple emerging knowledge synthesis methods, but few studies operationalize the method. *J Clin Epidemiol* 2016 May;73:19-28. [doi: [10.1016/j.jclinepi.2015.08.030](https://doi.org/10.1016/j.jclinepi.2015.08.030)] [Medline: [26891949](https://pubmed.ncbi.nlm.nih.gov/26891949/)]
24. Peters M, Godfrey C, McInerney P, Munn Z, Trico A, Khalil H. Chapter 11: scoping reviews. JBI Global Wiki. URL: <https://jbi-global-wiki.refined.site/space/MANUAL/3283910770/Chapter+11%3A+Scoping+reviews> [accessed 2021-04-09]
25. Peters MDJ, Godfrey CM, Khalil H, McInerney P, Parker D, Soares CB. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc* 2015 Sep;13(3):141-146. [doi: [10.1097/XEB.000000000000050](https://doi.org/10.1097/XEB.000000000000050)] [Medline: [26134548](https://pubmed.ncbi.nlm.nih.gov/26134548/)]
26. Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med* 2018 Oct 02;169(7):467-473 [FREE Full text] [doi: [10.7326/M18-0850](https://doi.org/10.7326/M18-0850)] [Medline: [30178033](https://pubmed.ncbi.nlm.nih.gov/30178033/)]
27. Vukusic Rukavina T, Viskic J, Machala Poplasen L, Relic D, Marelic M, Jokic D, et al. Dangers and benefits of social media on e-professionalism of healthcare professionals: scoping review. OSF. 2021 Sep 23. URL: <https://osf.io/yr8tw> [accessed 2021-11-10]
28. Neuendorf K. The Content Analysis Guidebook 2nd edition. London: SAGE Publications; 2017.
29. Freelon DG. ReCal: intercoder reliability calculation as a web service. *Int J Internet Sci* 2010;5(1):33 [FREE Full text]
30. Quality assessment tool for observational cohort and cross-sectional studies. National Heart, Lung, and Blood Institute. URL: <https://www.nhlbi.nih.gov/health-pro/guidelines/in-develop/cardiovascular-risk-reduction/tools/cohort> [accessed 2019-04-27]
31. CASP checklists. Critical Appraisal Skills Programme. URL: <https://casp-uk.net/casp-tools-checklists/> [accessed 2019-04-11]
32. O'Sullivan E, Cutts E, Kavikondala S, Salcedo A, D'Souza K, Hernandez-Torre M, et al. Social media in health science education: an international survey. *JMIR Med Educ* 2017 Jan 04;3(1):e1 [FREE Full text] [doi: [10.2196/mededu.6304](https://doi.org/10.2196/mededu.6304)] [Medline: [28052842](https://pubmed.ncbi.nlm.nih.gov/28052842/)]
33. D'Souza K, Henningham L, Zou R, Huang J, O'Sullivan E, Last J, et al. Attitudes of health professional educators toward the use of social media as a teaching tool: global cross-sectional study. *JMIR Med Educ* 2017 Aug 04;3(2):e13 [FREE Full text] [doi: [10.2196/mededu.6429](https://doi.org/10.2196/mededu.6429)] [Medline: [28778841](https://pubmed.ncbi.nlm.nih.gov/28778841/)]
34. Benetoli A, Chen TF, Schaefer M, Chaar B, Aslani P. Pharmacists' perceptions of professionalism on social networking sites. *Res Social Adm Pharm* 2017;13(3):575-588. [doi: [10.1016/j.sapharm.2016.05.044](https://doi.org/10.1016/j.sapharm.2016.05.044)] [Medline: [27423783](https://pubmed.ncbi.nlm.nih.gov/27423783/)]
35. Levati S. Professional conduct among registered nurses in the use of online social networking sites. *J Adv Nurs* 2014 Oct;70(10):2284-2292. [doi: [10.1111/jan.12377](https://doi.org/10.1111/jan.12377)] [Medline: [24617801](https://pubmed.ncbi.nlm.nih.gov/24617801/)]
36. Panahi S, Watson J, Partridge H. Fostering interpersonal trust on social media: physicians' perspectives and experiences. *Postgrad Med J* 2016 Feb;92(1084):70-73. [doi: [10.1136/postgradmedj-2015-133270](https://doi.org/10.1136/postgradmedj-2015-133270)] [Medline: [26627975](https://pubmed.ncbi.nlm.nih.gov/26627975/)]
37. Ahmad T, Sattar K, Akram A. Medical professionalism videos on YouTube: content exploration and appraisal of user engagement. *Saudi J Biol Sci* 2020 Sep;27(9):2287-2292 [FREE Full text] [doi: [10.1016/j.sjbs.2020.06.007](https://doi.org/10.1016/j.sjbs.2020.06.007)] [Medline: [32884409](https://pubmed.ncbi.nlm.nih.gov/32884409/)]
38. Borgmann H, DeWitt S, Tsaour I, Haferkamp A, Loeb S. Novel survey disseminated through Twitter supports its utility for networking, disseminating research, advocacy, clinical practice and other professional goals. *Can Urol Assoc J* 2015;9(9-10):E713-E717 [FREE Full text] [doi: [10.5489/cuaj.3014](https://doi.org/10.5489/cuaj.3014)] [Medline: [26664662](https://pubmed.ncbi.nlm.nih.gov/26664662/)]
39. Nikiphorou E, Studenic P, Ammitzbøll CG, Canavan M, Jani M, Ospelt C, EMEUNET. Social media use among young rheumatologists and basic scientists: results of an international survey by the Emerging EULAR Network (EMEUNET). *Ann Rheum Dis* 2017 Apr;76(4):712-715. [doi: [10.1136/annrheumdis-2016-209718](https://doi.org/10.1136/annrheumdis-2016-209718)] [Medline: [27797750](https://pubmed.ncbi.nlm.nih.gov/27797750/)]
40. Alkhateeb F, Alameddine S, Attarabeen O, Latif D, Osolin S, Khanfar N, et al. Pharmacy students' use of social media sites and perception toward Facebook use. *Arch Pharm Pract* 2015;6(4):77. [doi: [10.4103/2045-080x.165134](https://doi.org/10.4103/2045-080x.165134)]
41. Bagley JE, DiGiacinto D, Lawyer J, Anderson MP. Health Care Students Who Frequently Use Facebook Are Unaware of the Risks for Violating HIPAA Standards. *J Diagn Med Sonography* 2014 Apr 09;30(3):114-120. [doi: [10.1177/8756479314530509](https://doi.org/10.1177/8756479314530509)]
42. Barlow CJ, Morrison S, Stephens HO, Jenkins E, Bailey MJ, Pilcher D. Unprofessional behaviour on social media by medical students. *Med J Aust* 2015 Dec 14;203(11):439. [doi: [10.5694/mja15.00272](https://doi.org/10.5694/mja15.00272)] [Medline: [26654611](https://pubmed.ncbi.nlm.nih.gov/26654611/)]
43. Barnable A, Cuning G, Parcon M. Nursing students' perceptions of confidentiality, accountability, and e-professionalism in relation to Facebook. *Nurse Educ* 2018;43(1):28-31. [doi: [10.1097/NNE.0000000000000441](https://doi.org/10.1097/NNE.0000000000000441)] [Medline: [28857955](https://pubmed.ncbi.nlm.nih.gov/28857955/)]
44. Chretien KC, Tuck MG, Simon M, Singh LO, Kind T. A digital ethnography of medical students who use Twitter for professional development. *J Gen Intern Med* 2015 Nov;30(11):1673-1680 [FREE Full text] [doi: [10.1007/s11606-015-3345-z](https://doi.org/10.1007/s11606-015-3345-z)] [Medline: [25952652](https://pubmed.ncbi.nlm.nih.gov/25952652/)]

45. Ferguson C, DiGiacomo M, Saliba B, Green J, Moorley C, Wyllie A, et al. First year nursing students' experiences of social media during the transition to university: a focus group study. *Contemp Nurse* 2016 Oct;52(5):625-635. [doi: [10.1080/10376178.2016.1205458](https://doi.org/10.1080/10376178.2016.1205458)] [Medline: [27334672](https://pubmed.ncbi.nlm.nih.gov/27334672/)]
46. Flickinger TE, O'Hagan T, Chisolm MS. Developing a curriculum to promote professionalism for medical students using social media: pilot of a workshop and blog-based intervention. *JMIR Med Educ* 2015 Dec 01;1(2):e17 [FREE Full text] [doi: [10.2196/mededu.4886](https://doi.org/10.2196/mededu.4886)] [Medline: [27731846](https://pubmed.ncbi.nlm.nih.gov/27731846/)]
47. George DR, Navarro AM, Stazyk KK, Clark MA, Green MJ. Ethical quandaries and Facebook use: how do medical students think they (and their peers) should (and would) act? *AJOB Empirical Bioethics* 2014 Apr 14;5(2):68-79. [doi: [10.1080/23294515.2013.864344](https://doi.org/10.1080/23294515.2013.864344)]
48. Gomes AW, Butera G, Chretien KC, Kind T. The development and impact of a social media and professionalism course for medical students. *Teach Learn Med* 2017;29(3):296-303. [doi: [10.1080/10401334.2016.1275971](https://doi.org/10.1080/10401334.2016.1275971)] [Medline: [28272900](https://pubmed.ncbi.nlm.nih.gov/28272900/)]
49. Henning MA, Hawken S, MacDonald J, McKimm J, Brown M, Moriarty H, et al. Exploring educational interventions to facilitate health professional students' professionally safe online presence. *Med Teach* 2017 Sep;39(9):959-966. [doi: [10.1080/0142159X.2017.1332363](https://doi.org/10.1080/0142159X.2017.1332363)] [Medline: [28562145](https://pubmed.ncbi.nlm.nih.gov/28562145/)]
50. Jawaid M, Khan MH, Bhutto SN. *Pak J Med Sci* 2015;31(1):209-213 [FREE Full text] [doi: [10.12669/pjms.311.5643](https://doi.org/10.12669/pjms.311.5643)] [Medline: [25878645](https://pubmed.ncbi.nlm.nih.gov/25878645/)]
51. Kenny P, Johnson IG. Social media use, attitudes, behaviours and perceptions of online professionalism amongst dental students. *Br Dent J* 2016 Nov 18;221(10):651-655. [doi: [10.1038/sj.bdj.2016.864](https://doi.org/10.1038/sj.bdj.2016.864)] [Medline: [27857111](https://pubmed.ncbi.nlm.nih.gov/27857111/)]
52. Marnocha S, Marnocha M, Cleveland R, Lambie C, Limberg CY, Wnuk J. A peer-delivered educational intervention to improve nursing student cyberprofessionalism. *Nurse Educ* 2017;42(5):245-249. [doi: [10.1097/NNE.0000000000000368](https://doi.org/10.1097/NNE.0000000000000368)] [Medline: [28252547](https://pubmed.ncbi.nlm.nih.gov/28252547/)]
53. Mather C, Cummings E, Nichols L. Social media training for professional identity development in undergraduate nurses. *Stud Health Technol Inform* 2016;225:344-348. [Medline: [27332219](https://pubmed.ncbi.nlm.nih.gov/27332219/)]
54. Mawdsley A. Pharmacy students' perceptions of social media in education. *Pharm Education* 2015;15(1):108-110 [FREE Full text]
55. Mostaghimi A, Olszewski AE, Bell SK, Roberts DH, Crotty BH. Erosion of digital professionalism during medical students' core clinical clerkships. *JMIR Med Educ* 2017 May 03;3(1):e9 [FREE Full text] [doi: [10.2196/mededu.6879](https://doi.org/10.2196/mededu.6879)] [Medline: [28468745](https://pubmed.ncbi.nlm.nih.gov/28468745/)]
56. Nason KN, Byrne H, Nason GJ, O'Connell B. An assessment of professionalism on students' Facebook profiles. *Eur J Dent Educ* 2018 Feb;22(1):30-33 [FREE Full text] [doi: [10.1111/eje.12240](https://doi.org/10.1111/eje.12240)] [Medline: [27735108](https://pubmed.ncbi.nlm.nih.gov/27735108/)]
57. Ness GL, Sheehan AH, Snyder ME. Graduating student pharmacists' perspectives on e-professionalism and social media: qualitative findings. *J Am Pharm Assoc (2003)* 2014;54(2):138-143. [doi: [10.1331/JAPhA.2014.13188](https://doi.org/10.1331/JAPhA.2014.13188)] [Medline: [24632929](https://pubmed.ncbi.nlm.nih.gov/24632929/)]
58. Nicolai L, Schmidbauer M, Gradel M, Ferch S, Antón S, Hoppe B, et al. Facebook groups as a powerful and dynamic tool in medical education: mixed-method study. *J Med Internet Res* 2017 Dec 22;19(12):e408 [FREE Full text] [doi: [10.2196/jmir.7990](https://doi.org/10.2196/jmir.7990)] [Medline: [29273572](https://pubmed.ncbi.nlm.nih.gov/29273572/)]
59. Rocha PN, de Castro NAA. Opinions of students from a Brazilian medical school regarding online professionalism. *J Gen Intern Med* 2014 May;29(5):758-764 [FREE Full text] [doi: [10.1007/s11606-013-2748-y](https://doi.org/10.1007/s11606-013-2748-y)] [Medline: [24395103](https://pubmed.ncbi.nlm.nih.gov/24395103/)]
60. Walton JM, White J, Ross S. What's on YOUR Facebook profile? Evaluation of an educational intervention to promote appropriate use of privacy settings by medical students on social networking sites. *Med Educ Online* 2015;20:28708 [FREE Full text] [doi: [10.3402/meo.v20.28708](https://doi.org/10.3402/meo.v20.28708)] [Medline: [26198434](https://pubmed.ncbi.nlm.nih.gov/26198434/)]
61. Dobson E, Patel P, Neville P. Perceptions of e-professionalism among dental students: a UK dental school study. *Br Dent J* 2019 Jan 11;226(1):73-78. [doi: [10.1038/sj.bdj.2019.11](https://doi.org/10.1038/sj.bdj.2019.11)] [Medline: [30631197](https://pubmed.ncbi.nlm.nih.gov/30631197/)]
62. Gupta S, Singh S, Dhaliwal U. Visible Facebook profiles and e-professionalism in undergraduate medical students in India. *J Educ Eval Health Prof* 2015;12:50. [doi: [10.3352/jeehp.2015.12.50](https://doi.org/10.3352/jeehp.2015.12.50)] [Medline: [26582630](https://pubmed.ncbi.nlm.nih.gov/26582630/)]
63. Hsieh J, Kuo L, Wang Y. Learning medical professionalism - the application of appreciative inquiry and social media. *Med Educ Online* 2019 Dec;24(1):1586507 [FREE Full text] [doi: [10.1080/10872981.2019.1586507](https://doi.org/10.1080/10872981.2019.1586507)] [Medline: [30831060](https://pubmed.ncbi.nlm.nih.gov/30831060/)]
64. Karveleas I, Kyriakouli A, Koukou M, Koufatzidou M, Kalogirou E, Tosios KI. The relationship between Facebook behaviour and e-professionalism: a questionnaire-based cross-sectional study among Greek dental students. *Eur J Dent Educ* 2021 Feb;25(1):151-158. [doi: [10.1111/eje.12585](https://doi.org/10.1111/eje.12585)] [Medline: [32780448](https://pubmed.ncbi.nlm.nih.gov/32780448/)]
65. Knott PN, Wassif HS. Older and wiser? First year BDS graduate entry students and their views on using social media and professional practice. *Br Dent J* 2018 Sep 14;225(5):437-440. [doi: [10.1038/sj.bdj.2018.745](https://doi.org/10.1038/sj.bdj.2018.745)] [Medline: [30168814](https://pubmed.ncbi.nlm.nih.gov/30168814/)]
66. Sadd R. Student nurse attitudes and behaviours when using social network sites. *Stud Health Technol Inform* 2019 Aug 21;264:1342-1346. [doi: [10.3233/SHTI190445](https://doi.org/10.3233/SHTI190445)] [Medline: [31438144](https://pubmed.ncbi.nlm.nih.gov/31438144/)]
67. West CA, Wagner JM, Greenberg SB, Buck E, Hsieh P, Horn K, et al. Examining medical students' social media beliefs and behaviors and their relationship to professional identity. *Med Sci Educator* 2018 Mar 26;28(2):389-399. [doi: [10.1007/s40670-018-0562-1](https://doi.org/10.1007/s40670-018-0562-1)]
68. Yang Y, Jeong E, Je NK, Jee J, Yoo JC, Choi EJ. An Analysis of Pharmacy Students' Social Networking Service Activities and Perceptions Regarding E-Professionalism under the Newly Implemented 6-year Pharmacy Educational System in South Korea. *Indian J Pharm Education Res* 2016 Jan 01;50(1):63-69. [doi: [10.5530/ijper.50.1.9](https://doi.org/10.5530/ijper.50.1.9)]

69. Avcı K, Çelikden SG, Eren S, Aydenizöz D. Assessment of medical students' attitudes on social media use in medicine: a cross-sectional study. *BMC Med Educ* 2015 Feb 15;15:18 [FREE Full text] [doi: [10.1186/s12909-015-0300-y](https://doi.org/10.1186/s12909-015-0300-y)] [Medline: [25890252](https://pubmed.ncbi.nlm.nih.gov/25890252/)]
70. Chester AN, Walthert SE, Gallagher SJ, Anderson LC, Stitely ML. Patient-targeted Googling and social media: a cross-sectional study of senior medical students. *BMC Med Ethics* 2017 Dec 04;18(1):70 [FREE Full text] [doi: [10.1186/s12910-017-0230-9](https://doi.org/10.1186/s12910-017-0230-9)] [Medline: [29202840](https://pubmed.ncbi.nlm.nih.gov/29202840/)]
71. Gettig JP, Noronha S, Graneto J, Obucina L, Christensen KJ, Fjortoft NF. Examining health care students' attitudes toward e-professionalism. *Am J Pharm Educ* 2016 Dec 25;80(10):169 [FREE Full text] [doi: [10.5688/ajpe8010169](https://doi.org/10.5688/ajpe8010169)] [Medline: [28179718](https://pubmed.ncbi.nlm.nih.gov/28179718/)]
72. Hinojo-Lucena F, Aznar-Díaz I, Cáceres-Reche M, Romero-Rodríguez J. Use of social networks for international collaboration among medical students. *Educación Médica* 2020 Mar;21(2):137-141. [doi: [10.1016/j.edumed.2018.08.009](https://doi.org/10.1016/j.edumed.2018.08.009)]
73. Nyangeni T, Du Rand S, Van Rooyen D. Perceptions of nursing students regarding responsible use of social media in the Eastern Cape. *Curationis* 2015 Jul 24;38(2):1496 [FREE Full text] [doi: [10.4102/curationis.v38i2.1496](https://doi.org/10.4102/curationis.v38i2.1496)] [Medline: [26244464](https://pubmed.ncbi.nlm.nih.gov/26244464/)]
74. Adilman R, Rajmohan Y, Brooks E, Urgoiti GR, Chung C, Hammad N, et al. Social media use among physicians and trainees: results of a national medical oncology physician survey. *J Oncol Pract* 2016 Jan;12(1):79-80, e52. [doi: [10.1200/JOP.2015.006429](https://doi.org/10.1200/JOP.2015.006429)] [Medline: [26443837](https://pubmed.ncbi.nlm.nih.gov/26443837/)]
75. Alshakhs F, Alanzi T. The evolving role of social media in health-care delivery: measuring the perception of health-care professionals in Eastern Saudi Arabia. *J Multidiscip Healthc* 2018;11:473-479. [doi: [10.2147/JMDH.S171538](https://doi.org/10.2147/JMDH.S171538)] [Medline: [30275699](https://pubmed.ncbi.nlm.nih.gov/30275699/)]
76. Campbell L, Evans Y, Pumper M, Moreno MA. Social media use by physicians: a qualitative study of the new frontier of medicine. *BMC Med Inform Decis Mak* 2016 Jul 15;16:91 [FREE Full text] [doi: [10.1186/s12911-016-0327-y](https://doi.org/10.1186/s12911-016-0327-y)] [Medline: [27418201](https://pubmed.ncbi.nlm.nih.gov/27418201/)]
77. Dawkins R, King WD, Boateng B, Nichols M, Desselle BC. Pediatric residents' perceptions of potential professionalism violations on social media: a US national survey. *JMIR Med Educ* 2017 Jan 31;3(1):e2 [FREE Full text] [doi: [10.2196/mededu.5993](https://doi.org/10.2196/mededu.5993)] [Medline: [28143804](https://pubmed.ncbi.nlm.nih.gov/28143804/)]
78. Fuoco M, Leveridge MJ. Early adopters or laggards? Attitudes toward and use of social media among urologists. *BJU Int* 2015 Mar;115(3):491-497. [doi: [10.1111/bju.12855](https://doi.org/10.1111/bju.12855)] [Medline: [24981237](https://pubmed.ncbi.nlm.nih.gov/24981237/)]
79. Irfan KS, Farhana I, Eiad AF, Nassr AM, Al Mohammed AQ, Maya N, et al. Family physicians' utility of social media: a survey comparison among family medicine residents and physicians. *Afr Health Sci* 2018 Sep;18(3):817-827 [FREE Full text] [doi: [10.4314/ahs.v18i3.41](https://doi.org/10.4314/ahs.v18i3.41)] [Medline: [30603016](https://pubmed.ncbi.nlm.nih.gov/30603016/)]
80. Kesselheim JC, Schwartz A, Belmonte F, Boland KA, Poynter S, Batra M, Association of Pediatric Program Directors Longitudinal Educational Assessment Research Network (APPD LEARN) Study Group on Social Media Professionalism. A national survey of pediatric residents' professionalism and social networking: implications for curriculum development. *Acad Pediatr* 2016 Mar;16(2):110-114. [doi: [10.1016/j.acap.2015.12.004](https://doi.org/10.1016/j.acap.2015.12.004)] [Medline: [26718877](https://pubmed.ncbi.nlm.nih.gov/26718877/)]
81. Khandelwal A, Nugus P, Elkoushy MA, Cruess RL, Cruess SR, Smilovitch M, et al. How we made professionalism relevant to twenty-first century residents. *Med Teach* 2015;37(6):538-542. [doi: [10.3109/0142159X.2014.990878](https://doi.org/10.3109/0142159X.2014.990878)] [Medline: [25594336](https://pubmed.ncbi.nlm.nih.gov/25594336/)]
82. Klee D, Covey C, Zhong L. Social media beliefs and usage among family medicine residents and practicing family physicians. *Fam Med* 2015 Mar;47(3):222-226 [FREE Full text] [Medline: [25853534](https://pubmed.ncbi.nlm.nih.gov/25853534/)]
83. Koo K, Bowman MS, Ficko Z, Gormley EA. Older and wiser? Changes in unprofessional content on urologists' social media after transition from residency to practice. *BJU Int* 2018 Aug;122(2):337-343. [doi: [10.1111/bju.14363](https://doi.org/10.1111/bju.14363)] [Medline: [29694713](https://pubmed.ncbi.nlm.nih.gov/29694713/)]
84. Koo K, Ficko Z, Gormley EA. Unprofessional content on Facebook accounts of US urology residency graduates. *BJU Int* 2017 Jun;119(6):955-960. [doi: [10.1111/bju.13846](https://doi.org/10.1111/bju.13846)] [Medline: [28393475](https://pubmed.ncbi.nlm.nih.gov/28393475/)]
85. Laliberté M, Beaulieu-Poulin C, Campeau Larrivière A, Charbonneau M, Samson É, Ehrmann Feldman D. Current uses (and potential misuses) of Facebook: an online survey in physiotherapy. *Physiother Can* 2016;68(1):5-12 [FREE Full text] [doi: [10.3138/ptc.2014-41](https://doi.org/10.3138/ptc.2014-41)] [Medline: [27504042](https://pubmed.ncbi.nlm.nih.gov/27504042/)]
86. Langenfeld SJ, Cook G, Sudbeck C, Luers T, Schenarts PJ. An assessment of unprofessional behavior among surgical residents on Facebook: a warning of the dangers of social media. *J Surg Educ* 2014;71(6):e28-e32. [doi: [10.1016/j.jsurg.2014.05.013](https://doi.org/10.1016/j.jsurg.2014.05.013)] [Medline: [24981657](https://pubmed.ncbi.nlm.nih.gov/24981657/)]
87. Langenfeld SJ, Sudbeck C, Luers T, Adamson P, Cook G, Schenarts PJ. The glass houses of attending surgeons: an assessment of unprofessional behavior on Facebook among practicing surgeons. *J Surg Educ* 2015;72(6):e280-e285. [doi: [10.1016/j.jsurg.2015.07.007](https://doi.org/10.1016/j.jsurg.2015.07.007)] [Medline: [26276300](https://pubmed.ncbi.nlm.nih.gov/26276300/)]
88. Lefebvre C, Mesner J, Stopyra J, O'Neill J, Husain I, Geer C, et al. Social media in professional medicine: new resident perceptions and practices. *J Med Internet Res* 2016 Jun 09;18(6):e119 [FREE Full text] [doi: [10.2196/jmir.5612](https://doi.org/10.2196/jmir.5612)] [Medline: [27283846](https://pubmed.ncbi.nlm.nih.gov/27283846/)]
89. Mohiuddin Z, Shahid H, Shuaib W. Social media impact: utility of reflective approach in the practice of surgery. *Indian J Surg* 2015 Dec;77(Suppl 3):893-898 [FREE Full text] [doi: [10.1007/s12262-014-1056-z](https://doi.org/10.1007/s12262-014-1056-z)] [Medline: [27011477](https://pubmed.ncbi.nlm.nih.gov/27011477/)]

90. Neville P. Social media and professionalism: a retrospective content analysis of Fitness to Practise cases heard by the GDC concerning social media complaints. *Br Dent J* 2017 Sep 08;223(5):353-357. [doi: [10.1038/sj.bdj.2017.765](https://doi.org/10.1038/sj.bdj.2017.765)] [Medline: [28883584](https://pubmed.ncbi.nlm.nih.gov/28883584/)]
91. Patel SS, Hawkins CM, Rawson JV, Hoang JK. Professional social networking in radiology: who is there and what are they doing? *Acad Radiol* 2017 May;24(5):574-579. [doi: [10.1016/j.acra.2016.09.026](https://doi.org/10.1016/j.acra.2016.09.026)] [Medline: [28153576](https://pubmed.ncbi.nlm.nih.gov/28153576/)]
92. Pereira I, Cunningham AM, Moreau K, Sherbino J, Jalali A. Thou shalt not tweet unprofessionally: an appreciative inquiry into the professional use of social media. *Postgrad Med J* 2015 Oct;91(1080):561-564 [FREE Full text] [doi: [10.1136/postgradmedj-2015-133353](https://doi.org/10.1136/postgradmedj-2015-133353)] [Medline: [26294333](https://pubmed.ncbi.nlm.nih.gov/26294333/)]
93. Scragg B, Shaikh S, Shires G, Stein Hodgins J, Mercer C, Robinson L, et al. An exploration of mammographers' attitudes towards the use of social media for providing breast screening information to clients. *Radiography (Lond)* 2017 Aug;23(3):249-255. [doi: [10.1016/j.radi.2017.04.004](https://doi.org/10.1016/j.radi.2017.04.004)] [Medline: [28687294](https://pubmed.ncbi.nlm.nih.gov/28687294/)]
94. Surani Z, Hirani R, Elias A, Quisenberry L, Varon J, Surani S, et al. Social media usage among health care providers. *BMC Res Notes* 2017 Nov 29;10(1):654 [FREE Full text] [doi: [10.1186/s13104-017-2993-y](https://doi.org/10.1186/s13104-017-2993-y)] [Medline: [29187244](https://pubmed.ncbi.nlm.nih.gov/29187244/)]
95. Wagner JP, Cochran AL, Jones C, Gusani NJ, Varghese TK, Attai DJ. Professional use of social media among surgeons: results of a multi-institutional study. *J Surg Educ* 2018;75(3):804-810. [doi: [10.1016/j.jsurg.2017.09.008](https://doi.org/10.1016/j.jsurg.2017.09.008)] [Medline: [28964746](https://pubmed.ncbi.nlm.nih.gov/28964746/)]
96. Weijs C, Majowicz S, Coe JB, Desmarais S, Jones-Bitton A. The personal use of Facebook by public health professionals in Canada: implications for public health practice. *J Commun Healthcare* 2017 Jan 12;10(1):8-15. [doi: [10.1080/17538068.2016.1274846](https://doi.org/10.1080/17538068.2016.1274846)]
97. Justinia T, Alyami A, Al-Qahtani S, Bashanfar M, El-Khatib M, Yahya A, et al. Social media and the orthopaedic surgeon: a mixed methods study. *Acta Inform Med* 2019 Mar;27(1):23-28 [FREE Full text] [doi: [10.5455/aim.2019.27.23-28](https://doi.org/10.5455/aim.2019.27.23-28)] [Medline: [31213739](https://pubmed.ncbi.nlm.nih.gov/31213739/)]
98. Lee YJ, Hwang J, Lee SI, Woo S, Hahn SW, Koh S. Impact of experience of psychiatrists and psychiatry residents regarding electronic communication and social networking on internet use patterns: a questionnaire survey for developing e-professionalism in South Korea. *BMC Med Educ* 2019 Nov 08;19(1):411 [FREE Full text] [doi: [10.1186/s12909-019-1771-z](https://doi.org/10.1186/s12909-019-1771-z)] [Medline: [31703677](https://pubmed.ncbi.nlm.nih.gov/31703677/)]
99. Loo ME, Wong B, Lee YM. Evaluating the appropriateness of Facebook posts – What do faculty and residents consider? *Asia Pacific Scholar* 2020 Sep 1;5(3):71-82. [doi: [10.29060/taps.2020-5-3/oa2226](https://doi.org/10.29060/taps.2020-5-3/oa2226)]
100. Low JM, Tan MY, Joseph R. Doctors and social media: knowledge gaps and unsafe practices. *Singapore Med J* 2020 Apr 21;1. [doi: [10.11622/smedj.2020067](https://doi.org/10.11622/smedj.2020067)] [Medline: [32312027](https://pubmed.ncbi.nlm.nih.gov/32312027/)]
101. Kerr H, Booth R, Jackson K. Exploring the characteristics and behaviors of nurses who have attained microcelebrity status on Instagram: content analysis. *J Med Internet Res* 2020 May 26;22(5):e16540 [FREE Full text] [doi: [10.2196/16540](https://doi.org/10.2196/16540)] [Medline: [32452809](https://pubmed.ncbi.nlm.nih.gov/32452809/)]
102. Renew JR, Ladlie B, Gorlin A, Long T. The impact of social media on anesthesia resident recruitment. *J Educ Perioper Med* 2019;21(1):E632 [FREE Full text] [Medline: [31406704](https://pubmed.ncbi.nlm.nih.gov/31406704/)]
103. Robertson M, Shoss MK, Broom MA. Social media: social intelligence training module. *MedEdPORTAL* 2016 Aug 26;12:10442 [FREE Full text] [doi: [10.15766/mep_2374-8265.10442](https://doi.org/10.15766/mep_2374-8265.10442)] [Medline: [31008220](https://pubmed.ncbi.nlm.nih.gov/31008220/)]
104. Ruan B, Yilmaz Y, Lu D, Lee M, Chan TM. Defining the digital self: a qualitative study to explore the digital component of professional identity in the health professions. *J Med Internet Res* 2020 Sep 29;22(9):e21416 [FREE Full text] [doi: [10.2196/21416](https://doi.org/10.2196/21416)] [Medline: [32990636](https://pubmed.ncbi.nlm.nih.gov/32990636/)]
105. Duymuş TM, Karadeniz H, Şükür E, Atıç R, Zehir S, Azboy İ. Social media and internet usage of orthopaedic surgeons. *J Clin Orthop Trauma* 2017;8(1):25-30 [FREE Full text] [doi: [10.1016/j.jcot.2016.10.007](https://doi.org/10.1016/j.jcot.2016.10.007)] [Medline: [28360492](https://pubmed.ncbi.nlm.nih.gov/28360492/)]
106. Long X, Qi L, Ou Z, Zu X, Cao Z, Zeng X, et al. Evolving use of social media among Chinese urologists: opportunity or challenge? *PLoS One* 2017;12(7):e0181895 [FREE Full text] [doi: [10.1371/journal.pone.0181895](https://doi.org/10.1371/journal.pone.0181895)] [Medline: [28753632](https://pubmed.ncbi.nlm.nih.gov/28753632/)]
107. Wang Z, Wang S, Zhang Y, Jiang X. Social media usage and online professionalism among registered nurses: a cross-sectional survey. *Int J Nurs Stud* 2019 Oct;98:19-26. [doi: [10.1016/j.ijnurstu.2019.06.001](https://doi.org/10.1016/j.ijnurstu.2019.06.001)] [Medline: [31255853](https://pubmed.ncbi.nlm.nih.gov/31255853/)]
108. Hazzam J, Lahrech A. Health care professionals' social media behavior and the underlying factors of social media adoption and use: quantitative study. *J Med Internet Res* 2018 Nov 07;20(11):e12035 [FREE Full text] [doi: [10.2196/12035](https://doi.org/10.2196/12035)] [Medline: [30404773](https://pubmed.ncbi.nlm.nih.gov/30404773/)]
109. Henry RK, Pieren JA. The use of social media in dental hygiene programs: a survey of program directors. *J Dent Hyg* 2014 Aug;88(4):243-249. [Medline: [25134957](https://pubmed.ncbi.nlm.nih.gov/25134957/)]
110. Langenfeld SJ, Vargo DJ, Schenarts PJ. Balancing privacy and professionalism: a survey of general surgery program directors on social media and surgical education. *J Surg Educ* 2016;73(6):e28-e32. [doi: [10.1016/j.jsurg.2016.07.010](https://doi.org/10.1016/j.jsurg.2016.07.010)] [Medline: [27524278](https://pubmed.ncbi.nlm.nih.gov/27524278/)]
111. Marnocha S, Marnocha MR, Pilliow T. Unprofessional content posted online among nursing students. *Nurse Educ* 2015;40(3):119-123. [doi: [10.1097/NNE.000000000000123](https://doi.org/10.1097/NNE.000000000000123)] [Medline: [25501656](https://pubmed.ncbi.nlm.nih.gov/25501656/)]
112. Al Qarni AM, Al Shehri SZ, Wahab MMA. Perceptions and attitudes of family medicine residency program directors regarding ranking applicants for residency programs using their social media accounts: a national study in Saudi Arabia. *J Family Community Med* 2019;26(2):133-140 [FREE Full text] [doi: [10.4103/jfcm.JFCM_176_18](https://doi.org/10.4103/jfcm.JFCM_176_18)] [Medline: [31143087](https://pubmed.ncbi.nlm.nih.gov/31143087/)]

113. Staud SN, Kearney RC. Social media use behaviors and state dental licensing boards. *J Dent Hyg* 2019 Jun;93(3):37-43. [Medline: [31182567](#)]
114. Brisson GE, Fisher MJ, LaBelle MW, Kozmic SE. Defining a mismatch: differences in usage of social networking sites between medical students and the faculty who teach them. *Teach Learn Med* 2015;27(2):208-214. [doi: [10.1080/10401334.2015.1011648](#)] [Medline: [25893945](#)]
115. Duke VJA, Anstey A, Carter S, Gosse N, Hutchens KM, Marsh JA. Social media in nurse education: utilization and e-professionalism. *Nurse Educ Today* 2017 Oct;57:8-13. [doi: [10.1016/j.nedt.2017.06.009](#)] [Medline: [28683342](#)]
116. Garg M, Pearson DA, Bond MC, Runyon M, Pillow MT, Hopson L, et al. Survey of individual and institutional risk associated with the use of social media. *West J Emerg Med* 2016 May;17(3):344-349 [FREE Full text] [doi: [10.5811/westjem.2016.2.28451](#)] [Medline: [27330669](#)]
117. Jafarey A, Shekhani S, Azam M, Gill R, Shirazi B, Hassan M, et al. Physicians in cyberspace: finding boundaries. *Asian Bioethics Rev* 2016;8(4):272-289. [doi: [10.1353/asb.2016.0023](#)]
118. Kitsis EA, Milan FB, Cohen HW, Myers D, Herron P, McEvoy M, et al. Who's misbehaving? Perceptions of unprofessional social media use by medical students and faculty. *BMC Med Educ* 2016 Feb 18;16:67 [FREE Full text] [doi: [10.1186/s12909-016-0572-x](#)] [Medline: [26887561](#)]
119. Soares W, Shenvi C, Waller N, Johnson R, Hodgson CS. Perceptions of unprofessional social media behavior among emergency medicine physicians. *J Grad Med Educ* 2017 Feb;9(1):85-89 [FREE Full text] [doi: [10.4300/JGME-D-16-00203.1](#)] [Medline: [28261400](#)]
120. Greysen SR, Johnson D, Kind T, Chretien KC, Gross CP, Young A, et al. Online professionalism investigations by state medical boards: first, do no harm. *Ann Intern Med* 2013 Jan 15;158(2):124-130. [doi: [10.7326/0003-4819-158-2-201301150-00008](#)] [Medline: [23318312](#)]
121. Ventola CL. Social media and health care professionals: benefits, risks, and best practices. *P T* 2014 Jul;39(7):491-520 [FREE Full text] [Medline: [25083128](#)]
122. Panahi S, Watson J, Partridge H. Social media and physicians: exploring the benefits and challenges. *Health Informatics J* 2016 Jun;22(2):99-112 [FREE Full text] [doi: [10.1177/1460458214540907](#)] [Medline: [25038200](#)]
123. Markham MJ, Gentile D, Graham DL. Social media for networking, professional development, and patient engagement. *Am Soc Clin Oncol Educ Book* 2017;37:782-787 [FREE Full text] [doi: [10.1200/EDBK_180077](#)] [Medline: [28561727](#)]
124. Wink DM. Social networking sites. *Nurse Educ* 2010;35(2):49-51. [doi: [10.1097/NNE.0b013e3181ced776](#)] [Medline: [20173583](#)]
125. Recommendations for: social media usage and maintaining privacy, confidentiality and professionalism. National Council of State Boards of Nursing. URL: https://www.ncsbn.org/NSNA_Social_Media_Recommendations.pdf [accessed 2020-10-22]
126. Mazman SG, Usluel YK. Modeling educational usage of Facebook. *Comput Education* 2010 Sep;55(2):444-453. [doi: [10.1016/j.compedu.2010.02.008](#)]
127. Bosch TE. Using online social networking for teaching and learning: Facebook use at the University of Cape Town. *Communicatio* 2009 Nov;35(2):185-200. [doi: [10.1080/02500160903250648](#)]
128. Mason R. Learning technologies for adult continuing education. *Stud Continuing Education* 2006 Jul;28(2):121-133. [doi: [10.1080/01580370600751039](#)]
129. Liu Q, Peng W, Zhang F, Hu R, Li Y, Yan W. The effectiveness of blended learning in health professions: systematic review and meta-analysis. *J Med Internet Res* 2016 Jan 04;18(1):e2 [FREE Full text] [doi: [10.2196/jmir.4807](#)] [Medline: [26729058](#)]
130. Cruess RL, Cruess SR, Boudreau JD, Snell L, Steinert Y. A schematic representation of the professional identity formation and socialization of medical students and residents: a guide for medical educators. *Acad Med* 2015 Jun;90(6):718-725. [doi: [10.1097/ACM.0000000000000700](#)] [Medline: [25785682](#)]
131. Ryan G. International perspectives on social media guidance for nurses: a content analysis. *Nurs Manag (Harrow)* 2016 Dec 01;23(8):28-35. [doi: [10.7748/nm.2016.e1555](#)] [Medline: [27905234](#)]
132. Cheston CC, Flickinger TE, Chisolm MS. Social media use in medical education: a systematic review. *Acad Med* 2013 Jun;88(6):893-901. [doi: [10.1097/ACM.0b013e31828ffc23](#)] [Medline: [23619071](#)]
133. Maloney S, Moss A, Ilic D. Social media in health professional education: a student perspective on user levels and prospective applications. *Adv Health Sci Educ Theory Pract* 2014 Dec;19(5):687-697. [doi: [10.1007/s10459-014-9495-7](#)] [Medline: [24566977](#)]
134. Bahner DP, Adkins E, Patel N, Donley C, Nagel R, Kman NE. How we use social media to supplement a novel curriculum in medical education. *Med Teach* 2012;34(6):439-444. [doi: [10.3109/0142159X.2012.668245](#)] [Medline: [22449268](#)]
135. Pander T, Pinilla S, Dimitriadis K, Fischer MR. The use of Facebook in medical education--a literature review. *GMS Z Med Ausbild* 2014;31(3):Doc33. [doi: [10.3205/zma000925](#)] [Medline: [25228935](#)]
136. Prensky M. Digital natives, digital immigrants part 1. *On Horizon* 2001 Sep;9(5):1-6. [doi: [10.1108/10748120110424816](#)]
137. Peck JL. Social media in nursing education: responsible integration for meaningful use. *J Nurs Educ* 2014 Mar;53(3):164-169. [doi: [10.3928/01484834-20140219-03](#)] [Medline: [24530130](#)]
138. Chauhan B, George R, Coffin J. Social media and you: what every physician needs to know. *J Med Pract Manage* 2012;28(3):206-209. [Medline: [23373164](#)]

139. Cabrera D. Mayo Clinic includes social media scholarship activities in academic advancement. Medium. 2016. URL: <https://tinyurl.com/cm6whmcz> [accessed 2021-11-06]
140. Gorrindo T, Groves JE. Web searching for information about physicians. JAMA 2008 Jul 09;300(2):213-215. [doi: [10.1001/jama.2008.44](https://doi.org/10.1001/jama.2008.44)] [Medline: [18612120](https://pubmed.ncbi.nlm.nih.gov/18612120/)]
141. Thompson LA, Black E, Duff WP, Paradise Black N, Saliba H, Dawson K. Protected health information on social networking sites: ethical and legal considerations. J Med Internet Res 2011 Jan 19;13(1):e8 [FREE Full text] [doi: [10.2196/jmir.1590](https://doi.org/10.2196/jmir.1590)] [Medline: [21247862](https://pubmed.ncbi.nlm.nih.gov/21247862/)]
142. Jent JF, Eaton CK, Merrick MT, Englebert NE, Dandes SK, Chapman AV, et al. The decision to access patient information from a social media site: what would you do? J Adolesc Health 2011 Oct;49(4):414-420 [FREE Full text] [doi: [10.1016/j.jadohealth.2011.02.004](https://doi.org/10.1016/j.jadohealth.2011.02.004)] [Medline: [21939873](https://pubmed.ncbi.nlm.nih.gov/21939873/)]
143. Moubarak G, Guiot A, Benhamou Y, Benhamou A, Hariri S. Facebook activity of residents and fellows and its impact on the doctor-patient relationship. J Med Ethics 2011 Feb;37(2):101-104. [doi: [10.1136/jme.2010.036293](https://doi.org/10.1136/jme.2010.036293)] [Medline: [21160080](https://pubmed.ncbi.nlm.nih.gov/21160080/)]
144. Brown J, Ryan C, Harris A. How doctors view and use social media: a national survey. J Med Internet Res 2014 Dec 02;16(12):e267 [FREE Full text] [doi: [10.2196/jmir.3589](https://doi.org/10.2196/jmir.3589)] [Medline: [25470407](https://pubmed.ncbi.nlm.nih.gov/25470407/)]
145. George DR, Green MJ, Navarro AM, Stazyk KK, Clark MA. Medical student views on the use of Facebook profile screening by residency admissions committees. Postgrad Med J 2014 May;90(1063):251-253. [doi: [10.1136/postgradmedj-2013-132336](https://doi.org/10.1136/postgradmedj-2013-132336)] [Medline: [24578513](https://pubmed.ncbi.nlm.nih.gov/24578513/)]
146. Nagler A, Andolsek K, Rudd M, Sloane R, Musick D, Basnight L. The professionalism disconnect: do entering residents identify yet participate in unprofessional behaviors? BMC Med Educ 2014 Mar 27;14:60 [FREE Full text] [doi: [10.1186/1472-6920-14-60](https://doi.org/10.1186/1472-6920-14-60)] [Medline: [24674275](https://pubmed.ncbi.nlm.nih.gov/24674275/)]
147. Mostaghimi A, Crotty BH. Professionalism in the digital age. Ann Intern Med 2011 Apr 19;154(8):560-562. [doi: [10.7326/0003-4819-154-8-201104190-00008](https://doi.org/10.7326/0003-4819-154-8-201104190-00008)] [Medline: [21502653](https://pubmed.ncbi.nlm.nih.gov/21502653/)]
148. Mawdsley A, Schafheutle EI. Using Facebook to support learning and exam preparation in a final-year undergraduate pharmacy clinical therapeutics module. Curr Pharm Teaching Learning 2015 Nov;7(6):869-875. [doi: [10.1016/j.cptl.2015.08.010](https://doi.org/10.1016/j.cptl.2015.08.010)]
149. Cain J, Scott DR, Tiemeier AM, Akers P, Metzger AH. Social media use by pharmacy faculty: student friending, e-professionalism, and professional use. Curr Pharm Teaching Learning 2013 Jan;5(1):2-8. [doi: [10.1016/j.cptl.2012.09.002](https://doi.org/10.1016/j.cptl.2012.09.002)]
150. Bosslet GT, Torke AM, Hickman SE, Terry CL, Helft PR. The patient-doctor relationship and online social networks: results of a national survey. J Gen Intern Med 2011 Oct;26(10):1168-1174 [FREE Full text] [doi: [10.1007/s11606-011-1761-2](https://doi.org/10.1007/s11606-011-1761-2)] [Medline: [21706268](https://pubmed.ncbi.nlm.nih.gov/21706268/)]
151. Kind T, Genrich G, Sodhi A, Chretien KC. Social media policies at US medical schools. Med Educ Online 2010 Sep 15;15:5324 [FREE Full text] [doi: [10.3402/meo.v15i0.5324](https://doi.org/10.3402/meo.v15i0.5324)] [Medline: [20859533](https://pubmed.ncbi.nlm.nih.gov/20859533/)]
152. Tran K, Morra D, Lo V, Quan SD, Abrams H, Wu RC. Medical students and personal smartphones in the clinical environment: the impact on confidentiality of personal health information and professionalism. J Med Internet Res 2014 May 22;16(5):e132 [FREE Full text] [doi: [10.2196/jmir.3138](https://doi.org/10.2196/jmir.3138)] [Medline: [24855046](https://pubmed.ncbi.nlm.nih.gov/24855046/)]
153. Chretien KC, Kind T. Social media and clinical care: ethical, professional, and social implications. Circulation 2013 Apr 02;127(13):1413-1421. [doi: [10.1161/CIRCULATIONAHA.112.128017](https://doi.org/10.1161/CIRCULATIONAHA.112.128017)] [Medline: [23547180](https://pubmed.ncbi.nlm.nih.gov/23547180/)]
154. Finn G, Garner J, Sawdon M. 'You're judged all the time!' Students' views on professionalism: a multicentre study. Med Educ 2010 Aug;44(8):814-825. [doi: [10.1111/j.1365-2923.2010.03743.x](https://doi.org/10.1111/j.1365-2923.2010.03743.x)] [Medline: [20633221](https://pubmed.ncbi.nlm.nih.gov/20633221/)]
155. Chretien KC, Goldman EF, Beckman L, Kind T. It's your own risk: medical students' perspectives on online professionalism. Acad Med 2010 Oct;85(10 Suppl):S68-S71. [doi: [10.1097/ACM.0b013e3181ed4778](https://doi.org/10.1097/ACM.0b013e3181ed4778)] [Medline: [20881708](https://pubmed.ncbi.nlm.nih.gov/20881708/)]
156. Jain A, Petty EM, Jaber RM, Tackett S, Purkiss J, Fitzgerald J, et al. What is appropriate to post on social media? Ratings from students, faculty members and the public. Med Educ 2014 Feb;48(2):157-169. [doi: [10.1111/medu.12282](https://doi.org/10.1111/medu.12282)] [Medline: [24528398](https://pubmed.ncbi.nlm.nih.gov/24528398/)]
157. White J, Kirwan P, Lai K, Walton J, Ross S. 'Have you seen what is on Facebook?' The use of social networking software by healthcare professions students. BMJ Open 2013;3(7):E003013 [FREE Full text] [doi: [10.1136/bmjopen-2013-003013](https://doi.org/10.1136/bmjopen-2013-003013)] [Medline: [23883886](https://pubmed.ncbi.nlm.nih.gov/23883886/)]
158. Chretien KC, Greysen SR, Chretien J, Kind T. Online posting of unprofessional content by medical students. JAMA 2009 Sep 23;302(12):1309-1315. [doi: [10.1001/jama.2009.1387](https://doi.org/10.1001/jama.2009.1387)] [Medline: [19773566](https://pubmed.ncbi.nlm.nih.gov/19773566/)]
159. Hardouin S, Cheng TW, Mitchell EL, Raulli SJ, Jones DW, Siracuse JJ, et al. RETRACTED: Prevalence of unprofessional social media content among young vascular surgeons. J Vasc Surg 2020 Aug;72(2):667-671. [doi: [10.1016/j.jvs.2019.10.069](https://doi.org/10.1016/j.jvs.2019.10.069)] [Medline: [31882313](https://pubmed.ncbi.nlm.nih.gov/31882313/)]
160. Laughney C. What you need to know about the infamous #MedBikini study. Medium. URL: <https://medium.com/beingwell/what-you-need-to-know-about-the-infamous-medbikini-study-1d814e1ebe44> [accessed 2021-04-18]
161. Annear S. #MedBikini: here's why health care professionals are posting photos of themselves in bathing suits. The Boston Globe. URL: <https://www.bostonglobe.com/2020/07/24/metro/medbikini-heres-why-healthcare-professionals-are-posting-photos-themselves-bathing-suits-social-media/> [accessed 2021-04-18]

162. Hardouin S, Cheng TW, Mitchell EL, Raulli SJ, Jones DW, Siracuse JJ, et al. Retraction notice. *J Vasc Surg* 2020 Oct;72(4):1514. [doi: [10.1016/j.jvs.2020.08.018](https://doi.org/10.1016/j.jvs.2020.08.018)] [Medline: [32972597](https://pubmed.ncbi.nlm.nih.gov/32972597/)]
163. Pronk SA, Gorter SL, van Luijk SJ, Barnhoorn PC, Binkhorst B, van Mook WNKA. Perception of social media behaviour among medical students, residents and medical specialists. *Perspect Med Educ* 2021 Aug;10(4):215-221 [FREE Full text] [doi: [10.1007/s40037-021-00660-1](https://doi.org/10.1007/s40037-021-00660-1)] [Medline: [33826108](https://pubmed.ncbi.nlm.nih.gov/33826108/)]
164. Meira TM, Prestes J, Gasparello GG, Antelo OM, Pithon MM, Tanaka OM. The effects of images posted to social media by orthodontists on public perception of professional credibility and willingness to become a client. *Prog Orthod* 2021 Mar 08;22(1):7 [FREE Full text] [doi: [10.1186/s40510-021-00353-9](https://doi.org/10.1186/s40510-021-00353-9)] [Medline: [33682012](https://pubmed.ncbi.nlm.nih.gov/33682012/)]
165. Greysen SR, Chretien KC, Kind T, Young A, Gross CP. Physician violations of online professionalism and disciplinary actions: a national survey of state medical boards. *JAMA* 2012 Mar 21;307(11):1141-1142. [doi: [10.1001/jama.2012.330](https://doi.org/10.1001/jama.2012.330)] [Medline: [22436951](https://pubmed.ncbi.nlm.nih.gov/22436951/)]
166. Spector N, Kappel DM. Guidelines for using electronic and social media: the regulatory perspective. *Online J Issues Nurs* 2012 Sep 30;17(3):1 [FREE Full text] [Medline: [23036057](https://pubmed.ncbi.nlm.nih.gov/23036057/)]
167. Wissinger CL, Stiegler Z. Using the extended parallel process model to frame e-professionalism instruction in healthcare education. *Teach Learn Med* 2019;31(3):335-341. [doi: [10.1080/10401334.2018.1528155](https://doi.org/10.1080/10401334.2018.1528155)] [Medline: [31157561](https://pubmed.ncbi.nlm.nih.gov/31157561/)]
168. Al-Khalifa KS, Al-Swuailem AS, AlSheikh R, Muazen YY, Al-Khunein YA, Halawany H, et al. The use of social media for professional purposes among dentists in Saudi Arabia. *BMC Oral Health* 2021 Jan 12;21(1):26 [FREE Full text] [doi: [10.1186/s12903-021-01390-w](https://doi.org/10.1186/s12903-021-01390-w)] [Medline: [33435911](https://pubmed.ncbi.nlm.nih.gov/33435911/)]
169. Gay S. School of Medicine: social media guidance for medical students. University of Nottingham. 2019. URL: <https://www.nottingham.ac.uk/medicine/documents/medicine-policies/social-media-guidance.pdf> [accessed 2020-10-22]
170. Medical student social media and online activity policy. Indiana University School of Medicine. 2021. URL: <https://policies.medicine.iu.edu/policies/edu-adm-0007/index.html#history> [accessed 2021-11-04]
171. MMS physicians' guide to social media. The Massachusetts Medical Society. 2015. URL: [http://www.massmed.org/Governance-and-Leadership/Committees,-Task-Forces-and-Sections/MMS-Physicians--Guide-to-Social-Media-\(pdf\)](http://www.massmed.org/Governance-and-Leadership/Committees,-Task-Forces-and-Sections/MMS-Physicians--Guide-to-Social-Media-(pdf)) [accessed 2021-11-04]
172. Social media: practical guidance and best practice. British Medical Association. 2018. URL: <https://www.bma.org.uk/media/1852/bma-social-media-practical-guidance-2018.pdf> [accessed 2020-10-22]
173. Social media for family physicians: guidelines and resources for success. American Academy of Family Physicians. 2013. URL: https://www.aafp.org/dam/AAFP/documents/about_site/SocialMediaFamPhys.pdf [accessed 2020-10-22]
174. Social media and medical professionalism: a guide to online professionalism for medical practitioners and medical students. Australian Medical Association. 2020 Feb. URL: [https://ama.com.au/sites/default/files/Social Media and the Medical Profession FINAL.pdf](https://ama.com.au/sites/default/files/Social%20Media%20and%20the%20Medical%20Profession%20FINAL.pdf) [accessed 2020-10-22]
175. WMA statement on the professional and ethical use of social media. World Medical Association. 2011 Oct. URL: <https://www.wma.net/policies-post/wma-statement-on-the-professional-and-ethical-use-of-social-media/> [accessed 2020-10-22]
176. Kind T. Professional guidelines for social media use: a starting point. *AMA J Ethics* 2015 May 01;17(5):441-447 [FREE Full text] [doi: [10.1001/journalofethics.2015.17.5.nlit1-1505](https://doi.org/10.1001/journalofethics.2015.17.5.nlit1-1505)] [Medline: [25986088](https://pubmed.ncbi.nlm.nih.gov/25986088/)]
177. Shore R, Halsey J, Shah K, Crigger B, Douglas SP, AMA Council on Ethical and Judicial Affairs. Report of the AMA Council on Ethical and Judicial Affairs: professionalism in the use of social media. *J Clin Ethics* 2011;22(2):165-172. [Medline: [21837888](https://pubmed.ncbi.nlm.nih.gov/21837888/)]
178. Farnan JM, Snyder Sulmasy L, Worster BK, Chaudhry HJ, Rhyne JA, Arora VM, American College of Physicians Ethics, Professionalism and Human Rights Committee, American College of Physicians Council of Associates, Federation of State Medical Boards Special Committee on Ethics and Professionalism. Online medical professionalism: patient and public relationships: policy statement from the American College of Physicians and the Federation of State Medical Boards. *Ann Intern Med* 2013 Apr 16;158(8):620-627 [FREE Full text] [doi: [10.7326/0003-4819-158-8-201304160-00100](https://doi.org/10.7326/0003-4819-158-8-201304160-00100)] [Medline: [23579867](https://pubmed.ncbi.nlm.nih.gov/23579867/)]
179. Hennessy CM, Smith CF, Greener S, Ferns G. Social media guidelines: a review for health professionals and faculty members. *Clin Teach* 2019 Oct;16(5):442-447. [doi: [10.1111/tct.13033](https://doi.org/10.1111/tct.13033)] [Medline: [31144449](https://pubmed.ncbi.nlm.nih.gov/31144449/)]
180. Cain J, Scott DR, Akers P. Pharmacy students' Facebook activity and opinions regarding accountability and e-professionalism. *Am J Pharm Educ* 2009 Oct 01;73(6):104 [FREE Full text] [doi: [10.5688/aj7306104](https://doi.org/10.5688/aj7306104)] [Medline: [19885073](https://pubmed.ncbi.nlm.nih.gov/19885073/)]
181. Williams J, Feild C, James K. The effects of a social media policy on pharmacy students' facebook security settings. *Am J Pharm Educ* 2011 Nov 10;75(9):177 [FREE Full text] [doi: [10.5688/ajpe759177](https://doi.org/10.5688/ajpe759177)] [Medline: [22171105](https://pubmed.ncbi.nlm.nih.gov/22171105/)]
182. Hall M, Hanna L, Huey G. Use and views on social networking sites of pharmacy students in the United kingdom. *Am J Pharm Educ* 2013 Feb 12;77(1):9 [FREE Full text] [doi: [10.5688/ajpe7719](https://doi.org/10.5688/ajpe7719)] [Medline: [23459621](https://pubmed.ncbi.nlm.nih.gov/23459621/)]
183. Chretien KC, Kind T. Climbing social media in medicine's hierarchy of needs. *Acad Med* 2014 Oct;89(10):1318-1320 [FREE Full text] [doi: [10.1097/ACM.0000000000000430](https://doi.org/10.1097/ACM.0000000000000430)] [Medline: [25076202](https://pubmed.ncbi.nlm.nih.gov/25076202/)]
184. Economides JM, Choi YK, Fan KL, Kanuri AP, Song DH. Are we witnessing a paradigm shift?: A systematic review of social media in residency. *Plast Reconstr Surg Glob Open* 2019 Aug;7(8):e2288 [FREE Full text] [doi: [10.1097/GOX.0000000000002288](https://doi.org/10.1097/GOX.0000000000002288)] [Medline: [31592016](https://pubmed.ncbi.nlm.nih.gov/31592016/)]

185. Parsi K, Elster N. Why can't we be friends? A case-based analysis of ethical issues with social media in health care. *AMA J Ethics* 2015 Nov 01;17(11):1009-1018 [FREE Full text] [doi: [10.1001/journalofethics.2015.17.11.peer1-1511](https://doi.org/10.1001/journalofethics.2015.17.11.peer1-1511)] [Medline: [26595241](https://pubmed.ncbi.nlm.nih.gov/26595241/)]
186. Roy D, Taylor J, Cheston CC, Flickinger TE, Chisolm MS. Social media: portrait of an emerging tool in medical education. *Acad Psychiatry* 2016 Feb;40(1):136-140. [doi: [10.1007/s40596-014-0278-5](https://doi.org/10.1007/s40596-014-0278-5)] [Medline: [25800704](https://pubmed.ncbi.nlm.nih.gov/25800704/)]
187. Alsobayel H. Use of social media for professional development by health care professionals: a cross-sectional web-based survey. *JMIR Med Educ* 2016 Sep 12;2(2):e15 [FREE Full text] [doi: [10.2196/mededu.6232](https://doi.org/10.2196/mededu.6232)] [Medline: [27731855](https://pubmed.ncbi.nlm.nih.gov/27731855/)]
188. Fenwick T. Social media and medical professionalism: rethinking the debate and the way forward. *Acad Med* 2014 Oct;89(10):1331-1334 [FREE Full text] [doi: [10.1097/ACM.0000000000000436](https://doi.org/10.1097/ACM.0000000000000436)] [Medline: [25076200](https://pubmed.ncbi.nlm.nih.gov/25076200/)]
189. Harrison B, Gill J, Jalali A. Social media etiquette for the modern medical student: a narrative review. *Int J Med Students* 2014 Dec 24;2(2):64-67. [doi: [10.5195/ijms.2014.86](https://doi.org/10.5195/ijms.2014.86)]
190. de Melo Simplício AH. Social media and dentistry: ethical and legal aspects. *Dental Press J Orthod* 2019;24(6):80-89 [FREE Full text] [doi: [10.1590/2177-6709.24.6.080-089.sar](https://doi.org/10.1590/2177-6709.24.6.080-089.sar)] [Medline: [31994651](https://pubmed.ncbi.nlm.nih.gov/31994651/)]

Abbreviations

EM: emergency medicine

FtP: Fitness to Practice

GDC: General Dental Council

HCP: health care professional

HIPAA: Health Insurance Portability and Accountability Act

IRR: interrater reliability

MeSH: Medical Subject Headings

PD: program director

PRISMA-ScR: Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews

SM: social media

SNS: social networking site

Edited by R Kukafka; submitted 14.11.20; peer-reviewed by WSY Chan, Y Yilmaz; comments to author 14.01.21; revised version received 19.04.21; accepted 23.09.21; published 17.11.21

Please cite as:

Vukušić Rukavina T, Viskić J, Machala Poplašen L, Relić D, Marelić M, Jokic D, Sedak K

Dangers and Benefits of Social Media on E-Professionalism of Health Care Professionals: Scoping Review

J Med Internet Res 2021;23(11):e25770

URL: <https://www.jmir.org/2021/11/e25770>

doi: [10.2196/25770](https://doi.org/10.2196/25770)

PMID: [34662284](https://pubmed.ncbi.nlm.nih.gov/34662284/)

©Tea Vukušić Rukavina, Joško Viskiće, Lovela Machala Poplašen, Danko Relić, Marko Marelić, Drazen Jokic, Kristijan Sedak. Originally published in the *Journal of Medical Internet Research* (<https://www.jmir.org>), 17.11.2021. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in the *Journal of Medical Internet Research*, is properly cited. The complete bibliographic information, a link to the original publication on <https://www.jmir.org/>, as well as this copyright and license information must be included.