

Review

Effects of Message Framing on Human Papillomavirus Vaccination: Systematic Review

Jie Gong¹, BD; Dandan Gu¹, MD; Suyun Dong¹, BD; Wangqin Shen², PhD; Haiou Yan¹, BD; Juan Xie¹, BD

¹Department of Nursing, Affiliated Hospital of Nantong University, Nursing and Rehabilitation School of Nantong University, Nantong, China

²School of Nursing and Rehabilitation, Nantong University, Nantong, China

Corresponding Author:

Juan Xie, BD

Department of Nursing

Affiliated Hospital of Nantong University

Nursing and Rehabilitation School of Nantong University

No. 20 West Temple Road

Nantong, 226001

China

Phone: 86 13912288333

Email: xjx@ntu.edu.cn

Abstract

Background: With the advancement of cervical cancer elimination strategies, promoting human papillomavirus (HPV) vaccination is essential to achieving this goal. The issue of how to structure and develop message content to promote HPV vaccination is a debatable issue.

Objective: The efficacy of gain-loss framing in vaccination contexts is disputed. Our study aimed to elucidate the consequences of message framing on attitudes, intentions, and behavioral tendencies toward HPV vaccination, with the objective of refining message framing strategies and their elements.

Methods: This systematic review adhered strictly to the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analysis) guideline reporting standards to comprehensively retrieve, extract, and integrate data. We searched databases, including PubMed, Embase, Scopus, and Web of Science, for literature published from database construction to August 15, 2023. Literature screening, data extraction, and quality evaluation were performed by 2 researchers. Intervention studies published in English, conducted with populations with children eligible for HPV vaccination, and involving message framing were included. Attitudes, intentions, and behaviors served as outcome evaluation criteria.

Results: A total of 19 intervention studies were included. Gain-loss framing had no clear effect on vaccination attitudes nor intentions. Loss framing showed a weak advantage at improving HPV vaccination attitudes or intentions, but the evidence was not strong enough to draw definitive conclusions. The impact of gain-loss framing on HPV vaccination behaviors could not be determined due to the limited number of studies and the qualitative nature of the analysis.

Conclusions: Combining gain-loss framing with other message framing approaches may be an effective way to enhance the effect of message framing. More high-quality message framing content and exploring alternative moderator or mediator variables are required to support the conclusion.

Trial Registration: CRD42023451612; https://www.crd.york.ac.uk/PROSPERO/display_record.php?RecordID=451612

(*J Med Internet Res* 2024;26:e52738) doi: [10.2196/52738](https://doi.org/10.2196/52738)

KEYWORDS

message framing; gain-loss framing; human papillomavirus; vaccination; attitude; intention; behavior; systematic review; PRISMA

Introduction

Almost 100% of cervical cancers are associated with persistent high-risk human papillomavirus (HPV) infection [1], and HPV 16 and 18, the 2 oncogenic genotypes, are the cause of more

than 70% of all cervical cancers around the world [2]. In addition, 90% of warts, 88% of anal cancers, 50% of penile cancers, and 43% of vulvar cancers are attributed to HPV infection [3]. HPV vaccination prevents more than 90% of cancers and precancerous lesions caused by HPV and minimizes

the morbidity or mortality associated with HPV-related diseases, while the incidence of adverse events arising from HPV vaccination is relatively modest [4]. The rate of HPV vaccination is reportedly 15% worldwide and is significantly different across nations: 71.5% in the United States, 89.5% in Britain, 8.8% in Singapore, and 2.4%-9.1% in Hong Kong, China [5,6]. Therefore, increasing the rate of HPV vaccination to prevent and control infectious diseases caused by HPV is a global issue that is worth paying attention to.

“Message framing” refers to the distinctive “framing effects” of messages [7]. The essence of “framing” is to select and emphasize messages, and the specific structure and emphasis of messages create different categories of message framing that allow people to view problems through a variety of perspectives and ultimately influence behavioral preferences [8,9]. The most classic type of framing is gain-loss framing, with the gain framing emphasizing the positive outcomes that will result in someone taking action (or negative outcomes that will be avoided) and loss framing emphasizing the negative consequences that will result in not doing something (or positive consequences that will be lost) [10-13]. Message framing plays an essential role in the dissemination of health information and persuading recipients to make behavioral modifications, with the core purpose being to orient them to modify attitudes, intentions, or behaviors toward specific health hot spots [14,15]. According to the theory of reasoned action, attitudes and intentions predict behavior, while attitudes, intentions, and behaviors measure the effectiveness of health messages [16-18].

Controversial effects of gain-loss framing on disease prevention behaviors related to vaccination have been observed. Previous reviews have shown that gain framing was more effective at persuasion for disease prevention scenarios, while loss framing worked better in terms of disease detection [19]. However, Lee and Aaker [20] proposed, based on 6 experiments, that gain framing is more appealing when the message content and settings focus on promoting and facilitating certain behaviors, whereas loss framing is more effective at preventing a phenomenon to occur. However, O’Keefe and Nan [21] performed a meta-analysis to address the influences of message framing on vaccination that revealed no difference between gain and loss framing. Therefore, the aim of our study was to systematically review the effects of interventions based on gain-loss framing for attitudes, intentions, or behaviors related to HPV vaccination and to provide directions and recommendations for designing effective message content.

Methods

Search Strategy

This systematic review is reported following the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) guidelines [22]. The study protocol was registered in PROSPERO (number CRD42063451612). According to the registered protocol, we initially planned to use RevMan 5.4 software for data synthesis and meta-analysis. However, due to the heterogeneity of the included studies and the limited availability of comparable data, we were unable to perform a quantitative analysis. Therefore, we conducted a

qualitative analysis to synthesize the findings. This deviation from the protocol is reported here to ensure transparency.

Computerized retrieval was conducted across 4 databases—PubMed, Embase, Scopus, and Web of Science—with the search period spanning from the inception of each database to August 15, 2023. A combination of MESH terms and keywords was adopted and adjusted to the respective features of the databases. We included 3 essential components in the search strategy and connected them with “AND”: (1) ‘message framing’ or ‘message fram*’ or ‘information framing’ or ‘information framework’ or ‘framing effect*’ or ‘gain fram*’ or ‘loss fram*’ or ‘positive fram*’ or ‘negative fram*’; (2) ‘Human papillomavirus viruses’ or ‘human papillomavirus virus’ or ‘human papillomavirus’ or ‘HPV human papillomavirus’; (3) ‘vaccination’ or ‘vaccin*’ or ‘active immunization’ or ‘mass vaccination’ or ‘vaccination refusal’ or ‘anti-vaccination movement.’ In addition, the references of included studies were searched to obtain supplementary materials.

Study Selection

The recommended age for HPV vaccination is between 9 years and 14 years for both boys and girls, and the decision to administer the vaccination in cases involving minors is typically made by their legal guardians [23,24]. The inclusion criteria consisted of studies that (1) included participants and any of their children eligible for the HPV vaccination, with no specific gender or age restrictions; (2) involved a gain-loss framing of intervention or combined with other message stimulation modalities; (3) compared gain framing with loss framing in groups, compared gain-loss framing against other message framing or against no message framing; (4) measured the effect of gain-loss framing on vaccination and the differences between them with attitudes, intentions, or behaviors as outcome evaluation modalities; (5) were intervention studies (including randomized controlled trials [RCTs] and quasiexperimental studies) published in English. Duplicate publications and publications with missing data were excluded.

We imported the literature into EndNote 21 to remove duplicates, then 2 researchers independently screened the documents and cross-checked them by reading the titles, abstracts, and full texts. Any disagreements were resolved by discussion or consultation with a third researcher.

Data Extraction and Analysis

Data extraction was performed by 2 researchers, and any disagreements that arose were adjudicated by a third researcher. The following content was extracted: (1) basic information of the included studies, such as the first author, year of publication, country, subgroup, theoretical model, and methods or means of message dissemination; (2) baseline characteristics of the population, including the sample size, gender, and age; (3) outcome indicators and main findings. Due to the statistically significant heterogeneity of the publications, quantitative synthesis and a meta-analysis could not be accomplished; therefore, this study focused on the qualitative synthesis. Data extraction was performed using Microsoft Excel 2022.

Quality Assessment


Two researchers independently evaluated the risk of bias for included studies and cross-checked the results, requesting a third researcher to negotiate a solution if they could not reach mutual agreement. The risk of bias was evaluated using the Cochrane Collaboration Risk of Bias (RoB) 2 [25]. For quasiexperimental studies, the selective bias item was rated as high risk because randomization was not conducted [26].

Results

Literature Search

The preliminary screening obtained 4905 relevant studies. After duplicates were removed, the titles and abstracts of 3418 studies were screened, and the full text was screened for 49 of those studies. Finally, 19 studies were included [27-45], 2 of which were quasiexperimental studies that met the inclusion criteria [33,40]. The flowchart of the screening process is shown in Figure 1 [22].

Figure 1. PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) flow diagram.



Characteristics of the Included Studies

The included studies were published between 2007 and 2023; 14 publications were from the United States [27-29,31,32,34-37,39,41-44], 2 were from China [38,45], and the other 3 were from Canada [33], Ireland [30], and Singapore [40]. The number of participants ranged from 72 to 739, with 5124 participants in total; the average age ranged from 18 years to 42 years; and 69.1% (3541/5124) of the participants were female.

Participants were categorized into gain-framing or loss-framing groups in 8 studies [27,30-32,35,37,40,44], and the remaining 11 publications added various message stimulation modalities or control groups [28,29,33,34,36,38,39,41-43,45]. Of the 19

studies, 9 delivered messages online in the form of videos or web pages, for example [32-35,39-42,45], and the rest implemented offline interventions via traditional printed materials like booklets and advertisements [27-31,36-38,43,44]. All the studies were based on prospect theory [27-45], and some of the studies applied the health belief model [28,34,36] or theory of planned behavior [30,34]. Participant outcomes were assessed in 13 studies [27-29,32,34-36,38-40,42,43,45], and 6 papers focused on participants' attitudes, intentions, or behaviors toward their children's HPV vaccinations [30,31,33,37,41,44]. Intentions toward HPV vaccination were discussed in 13 studies [27-29,31,32,37-42,44,45], 5 studies described attitudes on HPV vaccination [30,33,35,36,43], and 1 study evaluated HPV vaccination behaviors directly [34]. Table 1 summarizes the basic information of the included literature.

Table 1. Characteristics of eligible studies about human papillomavirus (HPV) vaccination in the systematic review.

| First author, year | Country | Sample, n (M ^a or F ^b) | Sample age (years), mean (SD) | Vaccine recipient | Vaccine recipient age (years), mean (SD) | Group | Theory or model | Format (channel) | Results collection time |
|----------------------|-----------|---|-------------------------------|-------------------|--|---|---|-------------------------------|----------------------------|
| Gerend, 2007 [27] | US | 121 (F) | 19.03 (1.09) | Self | — ^c | Gain or loss | PT ^d | Health booklet (offline) | Post intervention |
| Gerend, 2008 [28] | US | 237 (F) | 18.6 (1.1) | Self | — | Gain or loss and 1 shot or 6 shots | PT, HBM ^e | Booklet (offline) | Postintervention |
| Gerend, 2009 [29] | US | 126 (M) | 19.9 (1.9) | Self | — | Gain or loss and gray or red | PT | Binder (offline) | Pre- and postintervention |
| Fahy, 2010 [30] | Ireland | 72 (F) | 41.56 (5.81) | Daughter | 8-16 ^f | Gain or loss | PT, TPB ^g | Study booklet (offline) | Post intervention |
| Lechuga, 2011 [31] | US | 150 (F) | 33.72 (7.95) | Daughter | 10.94 (4.01) | Gain or loss | PT | Laminated brochures (offline) | Pre- and postintervention |
| Nan, 2011 [32] | US | 229 (M: 129; F: 100) | 20.18 (1.47) | Self | — | Gain or loss | PT | Study website (online) | Postintervention |
| Gainforth, 2012 [33] | Canada | 367 (M, F) | 42.55 (4.73) | Daughter or son | 11.32 (2.61) | Gain, loss, or mixed | PT, PMT ^h , HSM ⁱ | Messages (online) | Postintervention |
| Gerend, 2012 [34] | US | 739 (F) | 21 (1.8) | Self | — | Gain, loss, or no framed information | PT, HBM, TPB | Video (offline + online) | 10 months postintervention |
| Nan, 2012 [35] | US | 383 (M: 171, F: 212) | 20.05 (1.45) | Self | — | Gain or loss | PT | Web page (online) | Postintervention |
| Park, 2012 [36] | US | 108 (M: 27, F: 81) | 20.5 (1.08) | Self | — | Gain or loss and high risk or low risk | PT, HBM | Vaccine advertising (offline) | Postintervention |
| Nan, 2016 [37] | US | 193 (M: 52, F: 141) | 36.2 (9.19) | Daughter or son | 9-17 ^f | Gain or loss | PT | Booklet (offline) | Postintervention |
| Wen, 2016 [38] | China | 156 (M: 56, F: 100) | 19.83 (0.91) | Self | — | Gain or loss and present or future | PT, CLT ^j , TDT ^k | Text-based message (offline) | Postintervention |
| Lee, 2017 [39] | US | 142 (M: 30, F: 112) | 22.44 (1.22) | Self | — | Gain or loss and SNSs ^l or traditional media | PT, HBM | Web page (online) | Postintervention |
| Kim, 2018 [40] | Singapore | 226 (F) | 20.39 (1.57) | Self | — | Gain or loss | PT, RFT ^m | Web page (online) | Postintervention |
| Liu, 2018 [41] | US | 431 (F) | 30.16 (6.38) | Daughter or son | N/A ⁿ | Gain, loss, or narrative | PT | Newsletters (online) | Postintervention |
| Liu, 2018 [42] | US | 455 (M, F) | 20.42 (3.06) | Self | — | Gain or loss and English or Chinese | PT, CTR ^o , CCT ^p | Video (online) | Postintervention |
| Kim, 2020 [43] | US | 347 (M: 132, F: 215) | 22.2 (2.62) | Self | — | Gain or loss and future-thinking, past-thinking, or no-thinking | PT, EFM ^q , EFT ^r | Health message (offline) | Postintervention |
| Richards, 2021 [44] | US | 184 (M: 50, F: 134) | 36.13 (9.07) | Daughter or son | 9-17 ^f | Gain or loss | PT, PRT ^s | Pamphlet (offline) | Postintervention |
| Huang, 2023 [45] | China | 458 (M) | 26.36 (2.88) | Self | — | Gain or loss and self, other, or self-other | PT | Posters (online) | Postintervention |


- ^aM: male.
- ^bF: female.
- ^cNot applicable because the vaccine recipient sample is the same as the overall study sample.
- ^dPT: prospect theory.
- ^eHBM: health belief model.
- ^fRange.
- ^gTPB: theory of planned behavior.
- ^hPMT: protection motivation theory.
- ⁱHSM: heuristic-systematic model.
- ^jCLT: construal level theory.
- ^kTDT: temporal discounting theory.
- ^lSNSs: social networking sites.
- ^mRFT: regulatory focus theory.
- ⁿN/A: not available.
- ^oCTR: cultural theory of risk.
- ^pCCT: cultural cognition thesis.
- ^qEFM: emotions-as-frame model.
- ^rEFT: episodic future thinking.
- ^sPRT: psychological reactance theory.

Quality Assessment of the Included Studies

Among the 19 RCTs included, based on the RoB 2 assessment results, 2 studies were judged to have a high risk of bias, while the remaining 17 may have a risk of bias. Although 17 studies used randomization methods, none of them specified the

implementation details for the randomization [27-29,31,32,34-39,41-45]. The random sampling methods in 2 studies were not clarified [33,40], while 2 studies reported specific allocation concealment measures [30,32]. Figure 2 summarizes the results of the risk of bias assessments for the included studies.

Figure 2. Risk of bias summary [27-45].



Main Effects of Message Framing

Participant attitudes, intentions, or behaviors toward HPV vaccination were reported in the included literature. Of the 18 studies that evaluated attitudes or intentions toward vaccination, all of them assessed outcomes right after the intervention [27-33,35-45]. A single study measured physical behaviors for HPV vaccination 10 months postintervention [34]. The components of the intervention were related to the benefits of HPV vaccination and the losses of not getting the HPV vaccine. However, the diversity in the measuring instruments and statistical variation across the 19 studies resulted in significant heterogeneity, which prevented quantitative data synthesis. Table 2 summarizes the main findings of the included literature.

Of the 19 studies, 18 reported main or interaction effects of gain-loss framing on vaccination intentions [27-33,35-45]: 8 were focused on the impact of gain-loss framing-based interventions for HPV vaccination intentions [28,29,31,33,36,37,42,43], and 2 of the studies found a significant main effect of gain-loss framing on HPV vaccination intentions, which increased in both the gain-framing and loss-framing groups, as participants' vaccination intentions rose from baseline [28,31]. The gain-loss framing was shown to have no major effect on vaccination intentions in 5 studies [29,33,36,42,43], and mothers' intentions to have their daughters

vaccinated were not affected by the gain-loss framing [30]. The differences between gain-framing and loss-framing on HPV vaccination intentions were compared in 12 trials [27-29,31,32,35-39,41,44], of which 8 studies found that the loss framing produced higher vaccination intentions than the gain framing [27-29,32,35-37,39], 3 studies showed no statistically significant difference between the 2 groups after comparison [31,38,41], and 1 RCT revealed loss framing significantly reduces the intention to vaccinate [44].

The influence of message framing on attitudes toward HPV vaccination were explored by 5 studies. [30,33,35,36,43]. Gain-loss framing had no significant impact on attitudes toward HPV vaccination directly [30,33,43]. In contrast, Park [36] found that gain-loss framing had a major effect on HPV vaccination attitudes. Furthermore, a comparison of the effect of 2 message frames on vaccination attitudes revealed that loss framing produced better attitudes about vaccination than gain framing [35].

In 1 study that measured HPV vaccination rates, 6% of participants received one or more doses of an HPV vaccine 10 months after the intervention, and the comparison of the difference in vaccination rates between message frames showed that the rates of HPV vaccination were almost the same with the different message frames [34].

Table 2. Main findings of outcome variables and relevant moderator or mediator variables.

| First author, year | Outcome variables | Moderator or mediator variables | Main findings |
|----------------------|--|---|--|
| Gerend, 2007 [27] | Intention: a 6-point scale with 5 items | Sexual behavior, motivational orientation | <ul style="list-style-type: none"> The loss-framed message leads to higher vaccination intentions than the gain-framed message for women engaging in risky sexual behaviors or with high avoidance motivation. |
| Gerend, 2008 [28] | Intention: a 6-point scale with 5 items | Behavioral frequency (1 shot or 6 shots); perceived severity, benefits, barriers, susceptibility, and self-efficacy | <ul style="list-style-type: none"> Message framing has a significant main effect on HPV^a vaccination intentions. Participants exposed to the loss-framed message had higher vaccination intentions than those exposed to the gain-framed message. Message framing interacted with behavioral frequency, and the loss-framed message led to greater vaccination intentions than gain-framed message in the case of 1 vaccine shot. Perceived barriers and severity have no mediating effect; perceived susceptibility and self-efficacy can predict vaccination intentions, while perceived benefits cannot. |
| Gerend, 2009 [29] | Intention: a 6-point scale with 5 items | Color priming (gray or red) | <ul style="list-style-type: none"> Message framing does not have a major impact on vaccination intentions; of the framed messages labeled with red rectangular boxes, those who read the loss-framed message had higher vaccination intentions than those who read the gain-framed message. |
| Fahy, 2010 [30] | Intention: a 7-point scale with 3 items; attitude: 3 bipolar semantic differential scales | Attitude, normative beliefs, PBC ^b | <ul style="list-style-type: none"> No main effect of message framing on vaccination attitudes. Mothers' high intentions to have their daughters vaccinated is not influenced by message framing effects. Attitude, normative beliefs, and PBC explain 69.5% of the variation in intentions. |
| Lechuga, 2011 [31] | Intention: a 7-point scale with 5 items | Ethnic group: Hispanic, non-Hispanic White, African American | <ul style="list-style-type: none"> Vaccination intention is higher with gain framing or loss framing than at baseline. For the African Americans and Hispanics, the loss-framed message generates higher vaccination intentions; for non-Hispanic Whites, there was no difference between the 2 frames. |
| Nan, 2011 [32] | Intention: a 7-point scale with 3 items | Motivational orientation | <ul style="list-style-type: none"> The loss-framed message leads to higher vaccination intentions than the gain-framed message in avoidance-oriented participants. |
| Gainforth, 2012 [33] | Attitude: a 7-point scale with 5 semantic differential items; intention: a 7-point scale including 6 items | Sex of the parent and child | <ul style="list-style-type: none"> Parents' intentions to vaccinate their children against HPV is not significant. There was no effect based on gender, message frame, and parents' attitudes. |
| Gerend, 2012 [34] | Behavior: HPV vaccination rates | Perceived susceptibility, severity, benefits; safety concerns; cost; attitudes; norms; self-efficacy | <ul style="list-style-type: none"> HPV vaccination rates are almost the same across different message frames. Perceived susceptibility, perceived safety, and vaccine cost can predict vaccine uptake, while perceived severity and benefits cannot. |
| Nan, 2012 [35] | Attitude: a 7-point scale with 3 semantic differential items; intention: a 7-point scale with 3 items | Time orientation | <ul style="list-style-type: none"> The loss-framed message leads to greater vaccination attitudes and intentions than the gain-framed message. Participants with a future-mind had more favorable intentions and attitudes to be vaccinated. For participants with a present-mind, a loss-framed message leads to greater vaccination attitudes than a gain-framed message, while the 2 frames perform equally in future-minded participants. |
| Park, 2012 [36] | Attitude: a 7-point scale with 9 semantic differential items; intention: a 7-point scale with 4 items | Perceived risk | <ul style="list-style-type: none"> Message framing has a main effect on HPV vaccination attitudes. Participants exposed to the loss-framed message had higher vaccination intentions. Participants with high risk perceptions have a strong intention to be vaccinated. |

| First author, year | Outcome variables | Moderator or mediator variables | Main findings |
|---------------------|---|---|--|
| Nan, 2016 [37] | Intention: 3 scoring items | Perceived susceptibility | <ul style="list-style-type: none"> Message framing cannot predict vaccination intentions. The loss-framed message produced more vaccination intentions than the gain-framed message when perceived susceptibility was low, whereas the gain-framed message produced more vaccination intentions than the loss-framed message when perceived susceptibility was high. |
| Wen, 2016 [38] | Intention: a scale with 4 items | Temporal distance; prior knowledge | <ul style="list-style-type: none"> The interaction effects between message framing and temporal distance were not significant. There is no difference between loss-framed messages, gain-framed messages, future-framed messages, and present-framed messages in terms of behavioral intention. Prior knowledge has main effects on behavioral intention. |
| Lee, 2017 [39] | Intention: a 7-point scale with 4 items | Media channel | <ul style="list-style-type: none"> The loss-framed message produced more vaccination intentions than the gain-framed message. Participants showed a higher level of behavioral intention to get HPV immunization after viewing the loss-framed message post on SNSs^c. |
| Kim, 2018 [40] | Intention: a 5-point scale with 3 items | Transportation, self-referent, emotions, free vaccine, paid vaccine | <ul style="list-style-type: none"> There was an indirect impact of message framing on vaccination intentions through transportation (free vaccine). Self-referent emotions mediate message framing and vaccination intentions. |
| Liu, 2018 [41] | Intention: a 7-point scale with 3 items | Time orientation | <ul style="list-style-type: none"> The loss-framed message produces high vaccination intention, but the difference is not significant. The interaction effect between loss-framed messages and time orientation cannot predict vaccination intention. |
| Liu, 2018 [42] | Intention: a 7-point scale with 3 items | Cultural worldview (English or Chinese) | <ul style="list-style-type: none"> Message framing does not have a major impact on vaccination intentions. An individualistic worldview was positively associated with Chinese participants' willingness to be vaccinated and negatively associated with US participants' willingness to be vaccinated. |
| Kim, 2020 [43] | Intention: a 7-point scale with 3 items; attitude: a 7-point scale with 5 semantic differential items | Anticipated regret, EFT ^d (future-thinking, past-thinking, or no-thinking) | <ul style="list-style-type: none"> The direct effect of message framing on attitudes and intentions toward HPV vaccination is not significant. Anticipated regret has an indirect effect in message framing and HPV vaccination attitudes and intentions. EFT and message framing interact on attitudes toward HPV vaccination. Future thinking produces more favorable attitudes than past thinking in the gain-framed message. |
| Richards, 2021 [44] | Intention: a 5-point scale with 3 items | Perceived efficacy | <ul style="list-style-type: none"> For parents with low perceived efficacy, the loss frame (compared with the gain frame) significantly reduced the intention to vaccinate. |
| Huang, 2023 [45] | Intention: a 7-point scale with 7 items | Reference point (self, other, or self-other) | <ul style="list-style-type: none"> Message framing has no moderating effect between reference points and behavioral intentions. |

^aHPV: human papillomavirus.

^bPBC: perceived behavioral control.

^cSNSs: social networking sites.

^dEFT: episodic future thinking.

Moderator or Mediator Variables of Message Framing

Each of the included studies explored moderating or mediating factors that affect the efficacy of message framing. A study by Fahy and Desmond [30] observed the mediating role between the theory of planned behavior and message framing and discovered that attitudes, normative beliefs, and perceived behavioral control explained 69.5% of the variation in vaccination intentions. The mediating effects of personal perceptions between message framing and intentions or

behaviors were examined by 5 studies [28,34,36,37,44]. Gerend et al [28] demonstrated that there was no mediating effect between perceived barriers or perceived severity and message framing; although perceived susceptibility and self-efficacy were able to predict vaccination intentions, perceived benefit did not. Perceived susceptibility, perceived safety, and vaccine cost can predict vaccination rates, whereas perceived severity and benefit do not [34]. Participants with a high risk perception had a strong intention to be vaccinated [36]. Nan et al [37] discovered that loss framing produced more vaccination

intentions than gain framing when perceived susceptibility was low, while when perceived susceptibility was high, gain framing produced more vaccination intentions than loss framing. For parents with low perceived efficacy, loss framing significantly reduced intentions to vaccinate [44]. Kim et al [40] reported that message framing had an indirect effect on vaccination intentions mediated by transportation, self-inferred emotions, and anticipated regret. In addition, there was no impact of gender on vaccination attitudes [33], and prior knowledge had a major effect on behavioral intentions [38].

Nan [35] and Gerend et al [28] discovered that loss framing was associated with higher intentions to vaccinate than gain framing among participants with high avoidance motivation, which also applied to women engaging in risky sexual behaviors [27]. Nan [35] investigated the interaction between message framing and temporal orientation and found a marked interaction between them. The 2 frames worked equivalently in future-minded participants, and participants with a future-minded perspective possessed more intentions and attitudes toward vaccination. For present-minded participants, loss framing resulted in more vaccination attitudes than gain framing. By contrast, another study identified an interaction between loss framing and temporal orientation, which did not predict intentions to vaccinate [41]. Lechuga et al [31] compared the effects of message framing on different racial populations and found that, for African Americans and Hispanics, loss framing produced higher vaccination intentions, whereas for non-Hispanic Whites, there was no difference between the 2 types of message framing. Liu et al [42] identified no remarkable interaction between cultural worldviews and message framing; however, after categorizing by population, a positive interaction was found between individualistic worldviews and vaccination intentions of Chinese recipients and a negative interaction between individualistic worldviews and vaccination intentions of American recipients.

The interaction between message framing and behavioral frequency was explored by Gerend et al [28]. They found that loss framing contributed to higher vaccination intentions than gain framing in cases of 1-shot vaccination; however, there was no difference between the 2 message frames for the 6 doses required. Another study used colored primers to test the effect of message frames labeled red or gray on participants' HPV vaccination intentions. The finding that people who read loss-framed messages with red rectangular labels had higher vaccination intentions than those who read gain-framed messages (with noncolored labels) suggests that the combination of loss framing and a red label may have had a stronger influence on vaccination intentions than gain framing alone [29]. After conducting an intervention with different transmission media, Lee and Cho [39] found that participants expressed higher levels of behavioral intention for HPV vaccination when viewing loss-framed messages posted on social networking media. Kim et al [40] found an interaction between episodic future thinking and message framing, with future-thinking messages producing more favorable attitudes than past-thinking messages in gain-framed messages and no differences between future and past messages in the loss-framed situation on vaccination attitudes. In contrast, Wen and Shen

[38] discovered that message framing and temporal distance interacted insignificantly, and there were no significant differences between loss-framed, gain-framed, future-framed, and present-framed messages on vaccination intentions. Huang and Li [45] added information specific to different vaccination targets in message frames and showed that no moderating effect was found between different reference points of message frames and vaccination intentions.

Discussion

Principal Findings

The construction of message framing can effectively affect the public's health attitudes and increase their intentions to practice healthy activities [46]. Therefore, we conducted a systematic review of 19 studies on the persuasive effects of message framing on HPV vaccination and summarized the effects of framing-based message stimulation approaches on participants' attitudes, intentions, or behaviors toward HPV vaccination. Gain-loss framing had no clear effect on vaccination attitudes or intentions. Loss framing showed a weak advantage in improving HPV vaccination attitudes or intentions, but the evidence was not strong enough to draw definitive conclusions. The gain-loss framing could combine various message stimulus contents or modalities to affect HPV vaccination attitudes, intentions, or behaviors distinctively. The impact of gain-loss framing on HPV vaccination behaviors could not be determined due to the limited number of studies and the qualitative nature of the analysis.

Previous reviews have established the advantage of loss framing for improving vaccination attitudes and intentions [47]. However, they did not specifically address the unique context of HPV vaccination. Additionally, we included recent studies published after the last major meta-analysis, ensuring that our review reflects the most up-to-date evidence. Although the direct effect of framing on attitudes and intentions could not be quantitatively assessed due to the limitations of our analysis, our review provides nuanced insights and highlights potential gaps in the existing knowledge. By synthesizing the available qualitative data, we contribute to a more complete understanding of the role of framing in vaccination promotion.

Our study showed that loss framing was more effective than gain framing at improving HPV vaccination attitudes and intentions. However, the distinction in persuasion effects between gain framing and loss framing is not as simple as we assumed. Earlier research on gain-loss framing did not uniformly and clearly present which one was more effective. Rothman and Salovey [48] conducted a literature review of a large number of studies, combining the content of previous studies, and proposed that the effectiveness of message framing must be focused on the specific scenarios of the study design. The direction and strength that specific framing imposes on intentions to adopt healthy behaviors may have diverse or conflicting results across studies depending on the scene setting, researcher manipulation, measurements, and individual traits like educational level and age of the participants. Some studies have suggested no significant difference between gain framing, which emphasizes the benefits of vaccination, and loss framing,

which focuses on the potential risks of not vaccinating, in terms of motivating attitudes or intentions to vaccinate [31,38,41], and others argued that loss framing was more persuasive [27-29,32,35-37,39]. The conflicting findings explained part of our results, although the studies supporting the dominance of loss framing represented more than one-half of the literature, with 11 of the 19 included publications (57.9%) supporting this finding. However, any statistical differences remain uncertain due to the absence of quantitative data integration.

In this systematic review, there was no direct effect of gain-loss framing on vaccination attitudes nor intentions, which supported the results of previous studies [14,49]. All literature included in this systematic review explored moderating or mediating variables between gain-loss framing and vaccination attitudes, intentions, or behaviors. With loss framing, messages combining individualistic worldviews, vaccination frequency, and transmission via social media or labeling message stimulus elements in red could enhance vaccination intentions of participants [28,29,39,42]. Meanwhile, loss framing messages produced higher vaccination intentions for high avoidance motivators, women engaged in risky sexual behaviors, African Americans and Hispanics, present-minded subjects, and low perceived susceptibility participants [27,31,32,35,37]. In addition, attitudes, normative beliefs, perceived behavioral control, perceived susceptibility, self-efficacy, perceived safety, perceived high risk, transportation, self-inferred emotions, and anticipated regret mediated vaccination intentions with gain-loss framing. Earlier opinions have pointed out that a single framing to achieve the expected persuasive effect or to explain altered attitudes and behavioral intentions is not convincing enough. In reality, the architecture of segment information is complex and multifaceted, comprising various message frames that embody diverse design ideas. Conducting research on multiple message frames, therefore, represents a crucial direction for the advancement of message framing theory and practice [50]. Additional high-quality RCTs are needed to verify the accuracy of this result due to the amount of literature that discusses the same variables.

Notably, only 1 study discussed the impact of gain-loss framing on vaccination behavior. Therefore, we were not able to draw conclusions related to the effects of gain-loss framing on vaccination behavior, which provides inspiration for future investigations. Attitudes or intentions are predictors of behavior, and the examination of them is clinically relevant; nevertheless, the ultimate purpose of structuring messages is to instruct the recipients to behave in a particular way [51]. We ought to go beyond the predictors; changing vaccination behaviors and

increasing HPV vaccination rates are the objective of implementing interventions.

Limitations

There are several limitations in this systematic review. First, the absence of ongoing studies and only including documents published in English could not guarantee the inclusion of all eligible literature for the systematic review. Second, RoB 2 was selected as the risk of bias evaluation tool, which was influenced by major subjective factors. In addition, assessment tools for outcome indicators and statistical methods varied among the included literature, with a high degree of heterogeneity that diminishes the accuracy of final conclusions. Only 1 study measured behavioral change postintervention, and the other 18 studies assessed outcomes immediately after treatment, without sufficient time for individuals to assimilate and deliberate messages. In addition, the study provided an overview of the influence of attitudes, intentions, or behaviors toward HPV vaccination, but it was unable to clarify the specific causal relations of the 3 dependent variables. Instead, it had to follow former studies that regarded vaccination intentions as the strongest psychological motivation for behavioral occurrences. Due to these limitations, the results should be treated carefully.

Conclusion

This systematic review suggests that loss-framing messages show promise for boosting vaccination attitudes and intentions more effectively than gain-loss framing. The latter did not consistently demonstrate statistically significant advantages. The influence of gain-loss framing on vaccination perspectives varies significantly among diverse ethnic populations, underscoring the importance of cultural considerations in messaging strategies. Integrating gain-loss framing with alternative communication approaches or delivery platforms produces a spectrum of outcomes on vaccine attitudes, intentions, and behaviors, highlighting the potential for tailored interventions. To enhance the efficacy of message-based interventions for vaccination promotion, a broader perspective is imperative. This includes targeting audiences across all age groups, educational backgrounds, socioeconomic strata, and the digital divide while also considering individual media preferences and online health literacy levels. Longitudinal studies are necessary to ascertain the sustained impact of message framing on vaccination behaviors, thereby enriching our understanding of framing effects over time. Future research should prioritize behavioral interventions accompanied by objective outcome measurements, fortifying the evidence base for the strategic application of message framing in public health campaigns.

Acknowledgments

JG acknowledges financial support from the Nantong Health Commission, Jiangsu Province (grant MS2023003).

Authors' Contributions

JG and DG conceived and designed the study. JG and DG collected and analyzed the data. JG, DG, and WS performed the quality assessment and wrote the manuscript. HY and JX revised the manuscript and are responsible for the overall content. All authors reviewed and approved the submission of the final version.

Conflicts of Interest

None declared.

Multimedia Appendix 1

PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) checklist.

[\[PDF File \(Adobe PDF File\), 108 KB-Multimedia Appendix 1\]](#)

References

1. Ferrall L, Lin KY, Roden RBS, Hung C, Wu T. Cervical cancer immunotherapy: facts and hopes. *Clin Cancer Res*. Oct 15, 2021;27(18):4953-4973. [[FREE Full text](#)] [doi: [10.1158/1078-0432.CCR-20-2833](https://doi.org/10.1158/1078-0432.CCR-20-2833)] [Medline: [33888488](#)]
2. Padavu S, Aichpure P, Krishna Kumar B, Kumar A, Ratho R, Sonkusare S, et al. An insight into clinical and laboratory detections for screening and diagnosis of cervical cancer. *Expert Rev Mol Diagn*. Jan 2023;23(1):29-40. [doi: [10.1080/14737159.2023.2173580](https://doi.org/10.1080/14737159.2023.2173580)] [Medline: [36697264](#)]
3. Pinkiewicz M, Dorobisz K, Zatoński T. Human papillomavirus-associated head and neck cancers. Where are we now? A systematic review. *Cancer Manag Res*. 2022;14:3313-3324. [[FREE Full text](#)] [doi: [10.2147/CMAR.S379173](https://doi.org/10.2147/CMAR.S379173)] [Medline: [36465708](#)]
4. Cheng L, Wang Y, Du J. Human papillomavirus vaccines: an updated review. *Vaccines (Basel)*. Jul 16, 2020;8(3):1. [[FREE Full text](#)] [doi: [10.3390/vaccines8030391](https://doi.org/10.3390/vaccines8030391)] [Medline: [32708759](#)]
5. Esagoff A, Cohen SA, Chang G, Equils O, Van Orman S. Human papillomavirus and Chinese international students in the United States: attitudes, knowledge, vaccination trends, healthcare behaviors, and sexual activity. *Hum Vaccin Immunother*. Dec 31, 2022;18(1):1882283. [[FREE Full text](#)] [doi: [10.1080/21645515.2021.1882283](https://doi.org/10.1080/21645515.2021.1882283)] [Medline: [33705223](#)]
6. Arbyn M, Weiderpass E, Bruni L, de Sanjosé S, Saraiya M, Ferlay J, et al. Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis. *Lancet Glob Health*. Mar 2020;8(2):e191-e203. [[FREE Full text](#)] [doi: [10.1016/S2214-109X\(19\)30482-6](https://doi.org/10.1016/S2214-109X(19)30482-6)] [Medline: [31812369](#)]
7. Buccafusco C, Hemel DJ. Framing vaccine mandates: messenger and message effects. *J Law Biosci*. 2022;9(1):lsac016. [[FREE Full text](#)] [doi: [10.1093/jlb/lsac016](https://doi.org/10.1093/jlb/lsac016)] [Medline: [35769940](#)]
8. Gursoy D, Ekinci Y, Can AS, Murray JC. Effectiveness of message framing in changing COVID-19 vaccination intentions: Moderating role of travel desire. *Tour Manag*. Jul 2022;90:104468. [[FREE Full text](#)] [doi: [10.1016/j.tourman.2021.104468](https://doi.org/10.1016/j.tourman.2021.104468)] [Medline: [34898791](#)]
9. Fridman I, Fagerlin A, Scherr KA, Scherer LD, Huffstetler H, Ubel PA. Gain-loss framing and patients' decisions: a linguistic examination of information framing in physician-patient conversations. *J Behav Med*. Mar 2021;44(1):38-52. [doi: [10.1007/s10865-020-00171-0](https://doi.org/10.1007/s10865-020-00171-0)] [Medline: [32725580](#)]
10. Litovsky Y, Loewenstein G, Horn S, Olivola CY. Loss aversion, the endowment effect, and gain-loss framing shape preferences for noninstrumental information. *Proc Natl Acad Sci U S A*. Aug 23, 2022;119(34):e2202700119. [[FREE Full text](#)] [doi: [10.1073/pnas.2202700119](https://doi.org/10.1073/pnas.2202700119)] [Medline: [35972966](#)]
11. Steffen J, Cheng J. The influence of gain-loss framing and its interaction with political ideology on social distancing and mask wearing compliance during the COVID-19 pandemic. *Curr Psychol*. 2023;42(10):8028-8038. [[FREE Full text](#)] [doi: [10.1007/s12144-021-02148-x](https://doi.org/10.1007/s12144-021-02148-x)] [Medline: [34341651](#)]
12. Gao R, Guo H, Liu Y, Pang Y, Zhang X, Lian X, et al. The effects of message framing on self-management behavior among people with type 2 diabetes: A randomized controlled trial. *Int J Nurs Stud*. Jul 2023;142:104491. [doi: [10.1016/j.ijnurstu.2023.104491](https://doi.org/10.1016/j.ijnurstu.2023.104491)] [Medline: [37059032](#)]
13. Wang K, Wong EL, Cheung AW, Dong D, Yeoh E. Loss-framing of information and pre-vaccination consultation improve COVID-19 vaccine acceptance: A survey experiment. *Front Public Health*. 2023;11:1063444. [[FREE Full text](#)] [doi: [10.3389/fpubh.2023.1063444](https://doi.org/10.3389/fpubh.2023.1063444)] [Medline: [36761145](#)]
14. Prakash A, Jeyakumar Nathan R, Kini S, Victor V. Message framing and COVID-19 vaccine acceptance among millennials in South India. *PLoS One*. 2022;17(7):e0269487. [[FREE Full text](#)] [doi: [10.1371/journal.pone.0269487](https://doi.org/10.1371/journal.pone.0269487)] [Medline: [35802760](#)]
15. Lucas T, Thompson HS, Blessman J, Dawadi A, Drolet CE, Hirko KA, et al. Effects of culturally targeted message framing on colorectal cancer screening among African Americans. *Health Psychol*. May 2021;40(5):305-315. [[FREE Full text](#)] [doi: [10.1037/hea0001073](https://doi.org/10.1037/hea0001073)] [Medline: [34152784](#)]
16. Akther T, Nur T. A model of factors influencing COVID-19 vaccine acceptance: A synthesis of the theory of reasoned action, conspiracy theory belief, awareness, perceived usefulness, and perceived ease of use. *PLoS One*. Jan 12, 2022;17(1):e0261869. [[FREE Full text](#)] [doi: [10.1371/journal.pone.0261869](https://doi.org/10.1371/journal.pone.0261869)] [Medline: [35020764](#)]
17. Ezati Rad R, Kahnouji K, Mohseni S, Shahabi N, Noruziyan F, Farshidi H, et al. Predicting the COVID-19 vaccine receive intention based on the theory of reasoned action in the south of Iran. *BMC Public Health*. Mar 04, 2022;22(1):229. [[FREE Full text](#)] [doi: [10.1186/s12889-022-12517-1](https://doi.org/10.1186/s12889-022-12517-1)] [Medline: [35120486](#)]
18. Orr MG, Thrush R, Plaut DC. The theory of reasoned action as parallel constraint satisfaction: towards a dynamic computational model of health behavior. *PLoS One*. 2013;8(5):e62490. [[FREE Full text](#)] [doi: [10.1371/journal.pone.0062490](https://doi.org/10.1371/journal.pone.0062490)] [Medline: [23671603](#)]

19. Ainiwaer A, Zhang S, Ainiwaer X, Ma F. Effects of message framing on cancer prevention and detection behaviors, intentions, and attitudes: systematic review and meta-analysis. *J Med Internet Res*. Oct 16, 2021;23(9):e27634. [FREE Full text] [doi: [10.2196/27634](https://doi.org/10.2196/27634)] [Medline: [34528887](https://pubmed.ncbi.nlm.nih.gov/34528887/)]
20. Lee AY, Aaker JL. Bringing the frame into focus: the influence of regulatory fit on processing fluency and persuasion. *J Pers Soc Psychol*. Mar 2004;86(2):205-218. [doi: [10.1037/0022-3514.86.2.205](https://doi.org/10.1037/0022-3514.86.2.205)] [Medline: [14769079](https://pubmed.ncbi.nlm.nih.gov/14769079/)]
21. O'Keefe DJ, Nan X. The relative persuasiveness of gain- and loss-framed messages for promoting vaccination: a meta-analytic review. *Health Commun*. 2012;27(8):776-783. [doi: [10.1080/10410236.2011.640974](https://doi.org/10.1080/10410236.2011.640974)] [Medline: [22292904](https://pubmed.ncbi.nlm.nih.gov/22292904/)]
22. Moher D, Liberati A, Tetzlaff J, Altman DG, PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med*. Jul 21, 2009;6(7):e1000097. [FREE Full text] [doi: [10.1371/journal.pmed.1000097](https://doi.org/10.1371/journal.pmed.1000097)] [Medline: [19621072](https://pubmed.ncbi.nlm.nih.gov/19621072/)]
23. Bai Y, Ip P, Chan K, Ngan H, Yip P. HPV vaccination intentions of female students in Chinese universities: a systematic literature review and meta-analysis. *Int J Environ Res Public Health*. Aug 17, 2022;19(16):1. [FREE Full text] [doi: [10.3390/ijerph191610207](https://doi.org/10.3390/ijerph191610207)] [Medline: [36011838](https://pubmed.ncbi.nlm.nih.gov/36011838/)]
24. Markowitz LE, Dunne EF, Saraiya M, Chesson HW, Curtis CR, Gee J, et al. Centers for Disease Control and Prevention (CDC). Human papillomavirus vaccination: recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR Recomm Rep*. Aug 29, 2014;63(RR-05):1-30. [FREE Full text] [Medline: [25167164](https://pubmed.ncbi.nlm.nih.gov/25167164/)]
25. Sterne JAC, Savović J, Page MJ, Elbers RG, Blencowe NS, Boutron I, et al. RoB 2: a revised tool for assessing risk of bias in randomised trials. *BMJ*. Aug 28, 2019;366:l4898. [FREE Full text] [doi: [10.1136/bmj.l4898](https://doi.org/10.1136/bmj.l4898)] [Medline: [31462531](https://pubmed.ncbi.nlm.nih.gov/31462531/)]
26. Ryan R, Hill S, Prictor M, McKenzie J. Cochrane Consumers and Communication group Study Quality Guide. Cochrane. Melbourne, Australia. La Trobe University; 2013. URL: <https://tinyurl.com/ps469mxf> [accessed 2024-10-31]
27. Gerend MA, Shepherd JE. Using message framing to promote acceptance of the human papillomavirus vaccine. *Health Psychol*. Dec 2007;26(6):745-752. [doi: [10.1037/0278-6133.26.6.745](https://doi.org/10.1037/0278-6133.26.6.745)] [Medline: [18020847](https://pubmed.ncbi.nlm.nih.gov/18020847/)]
28. Gerend MA, Shepherd JE, Monday KA. Behavioral frequency moderates the effects of message framing on HPV vaccine acceptability. *Ann Behav Med*. May 12, 2008;35(2):221-229. [doi: [10.1007/s12160-008-9024-0](https://doi.org/10.1007/s12160-008-9024-0)] [Medline: [18347893](https://pubmed.ncbi.nlm.nih.gov/18347893/)]
29. Gerend MA, Sias T. Message framing and color priming: How subtle threat cues affect persuasion. *Journal of Experimental Social Psychology*. Jul 2009;45(4):999-1002. [doi: [10.1016/j.jesp.2009.04.002](https://doi.org/10.1016/j.jesp.2009.04.002)]
30. Fahy A, Desmond DM. Irish mothers' intentions to have daughters receive the HPV vaccine. *Ir J Med Sci*. Oct 29, 2010;179(3):427-430. [doi: [10.1007/s11845-010-0501-7](https://doi.org/10.1007/s11845-010-0501-7)] [Medline: [20585896](https://pubmed.ncbi.nlm.nih.gov/20585896/)]
31. Lechuga J, Swain GR, Weinhardt LS. Impact of framing on intentions to vaccinate daughters against HPV: a cross-cultural perspective. *Ann Behav Med*. Oct 30, 2011;42(2):221-226. [FREE Full text] [doi: [10.1007/s12160-011-9273-1](https://doi.org/10.1007/s12160-011-9273-1)] [Medline: [21533624](https://pubmed.ncbi.nlm.nih.gov/21533624/)]
32. Nan X. Communicating to young adults about HPV vaccination: consideration of message framing, motivation, and gender. *Health Commun*. Jan 2012;27(1):10-18. [doi: [10.1080/10410236.2011.567447](https://doi.org/10.1080/10410236.2011.567447)] [Medline: [22276999](https://pubmed.ncbi.nlm.nih.gov/22276999/)]
33. Gainforth HL, Cao W, Latimer-Cheung AE. Message framing and parents' intentions to have their children vaccinated against HPV. *Public Health Nurs*. Dec 2012;29(6):542-552. [doi: [10.1111/j.1525-1446.2012.01038.x](https://doi.org/10.1111/j.1525-1446.2012.01038.x)] [Medline: [23078425](https://pubmed.ncbi.nlm.nih.gov/23078425/)]
34. Gerend MA, Shepherd JE. Predicting human papillomavirus vaccine uptake in young adult women: comparing the health belief model and theory of planned behavior. *Ann Behav Med*. Oct 1, 2012;44(2):171-180. [FREE Full text] [doi: [10.1007/s12160-012-9366-5](https://doi.org/10.1007/s12160-012-9366-5)] [Medline: [22547155](https://pubmed.ncbi.nlm.nih.gov/22547155/)]
35. Nan X. Relative persuasiveness of gain- versus loss-framed human papillomavirus vaccination messages for the present- and future-minded. *Human Communication Research*. 2012;38(1):72-94. [doi: [10.1111/j.1468-2958.2011.01419.x](https://doi.org/10.1111/j.1468-2958.2011.01419.x)]
36. Park S. The effects of message framing and risk perceptions for HPV vaccine campaigns: focus on the role of regulatory fit. *Health Mark Q*. Oct 2012;29(4):283-302. [doi: [10.1080/07359683.2012.732847](https://doi.org/10.1080/07359683.2012.732847)] [Medline: [23210670](https://pubmed.ncbi.nlm.nih.gov/23210670/)]
37. Nan X, Madden K, Richards A, Holt C, Wang MQ, Tracy K. Message framing, perceived susceptibility, and intentions to vaccinate children against HPV among African American parents. *Health Commun*. Jul 2016;31(7):798-805. [FREE Full text] [doi: [10.1080/10410236.2015.1005280](https://doi.org/10.1080/10410236.2015.1005280)] [Medline: [26646190](https://pubmed.ncbi.nlm.nih.gov/26646190/)]
38. Wen N, Shen F. Communicating to young Chinese about human papillomavirus vaccination: examining the impact of message framing and temporal distance. *Asian Journal of Communication*. Mar 23, 2016;26(4):387-404. [doi: [10.1080/01292986.2016.1162821](https://doi.org/10.1080/01292986.2016.1162821)]
39. Lee MJ, Cho J. Promoting HPV vaccination online: message design and media choice. *Health Promot Pract*. Oct 27, 2017;18(5):645-653. [doi: [10.1177/1524839916688229](https://doi.org/10.1177/1524839916688229)] [Medline: [28129691](https://pubmed.ncbi.nlm.nih.gov/28129691/)]
40. Kim HK, Lee TK, Kong WY. The interplay between framing and regulatory focus in processing narratives about HPV vaccination in Singapore. *Health Commun*. Mar 10, 2020;35(2):222-232. [doi: [10.1080/10410236.2018.1553022](https://doi.org/10.1080/10410236.2018.1553022)] [Medline: [30526080](https://pubmed.ncbi.nlm.nih.gov/30526080/)]
41. Liu S, Yang JZ, Chu H. Now or future? Analyzing the effects of message frame and format in motivating Chinese females to get HPV vaccines for their children. *Patient Educ Couns*. Jan 2019;102(1):61-67. [doi: [10.1016/j.pec.2018.09.005](https://doi.org/10.1016/j.pec.2018.09.005)] [Medline: [30219633](https://pubmed.ncbi.nlm.nih.gov/30219633/)]
42. Liu S, Yang JZ, Chu H, Sun S, Li H. Different culture or different mind? perception and acceptance of HPV vaccine in China and in the U.S. *J Health Commun*. Oct 22, 2018;23(12):1008-1016. [doi: [10.1080/10810730.2018.1536729](https://doi.org/10.1080/10810730.2018.1536729)] [Medline: [30346889](https://pubmed.ncbi.nlm.nih.gov/30346889/)]

43. Kim HM, Kim E, Murphy S. Testing the effectiveness of message framing and episodic future thinking in promoting HPV vaccination via anticipated regret. *Health Commun.* May 08, 2022;37(5):525-534. [doi: [10.1080/10410236.2020.1855744](https://doi.org/10.1080/10410236.2020.1855744)] [Medline: [33289424](https://pubmed.ncbi.nlm.nih.gov/33289424/)]
44. Richards AS, Qin Y, Daily K, Nan X. African American parents' perceived vaccine efficacy moderates the effect of message framing on psychological reactance to HPV vaccine advocacy. *J Health Commun.* Aug 03, 2021;26(8):534-544. [FREE Full text] [doi: [10.1080/10810730.2021.1966688](https://doi.org/10.1080/10810730.2021.1966688)] [Medline: [34427548](https://pubmed.ncbi.nlm.nih.gov/34427548/)]
45. Huang G, Li K. Get vaccinated for loved ones: effects of self-other appeal and message framing in promoting HPV vaccination among heterosexual young men. *Health Commun.* Mar 16, 2023;38(2):381-393. [doi: [10.1080/10410236.2021.1953728](https://doi.org/10.1080/10410236.2021.1953728)] [Medline: [34266337](https://pubmed.ncbi.nlm.nih.gov/34266337/)]
46. Park J, Kim SH, Kim JG. Effects of message framing and health literacy on intention to perform diabetes self-care: A randomized controlled trial. *Diabetes Res Clin Pract.* Mar 2020;161:108043. [doi: [10.1016/j.diabres.2020.108043](https://doi.org/10.1016/j.diabres.2020.108043)] [Medline: [32006642](https://pubmed.ncbi.nlm.nih.gov/32006642/)]
47. Pența MA, Băban A. Message framing in vaccine communication: a systematic review of published literature. *Health Commun.* Mar 06, 2018;33(3):299-314. [doi: [10.1080/10410236.2016.1266574](https://doi.org/10.1080/10410236.2016.1266574)] [Medline: [28059557](https://pubmed.ncbi.nlm.nih.gov/28059557/)]
48. Rothman AJ, Salovey P. Shaping perceptions to motivate healthy behavior: the role of message framing. *Psychol Bull.* Jan 1997;121(1):3-19. [doi: [10.1037/0033-2909.121.1.3](https://doi.org/10.1037/0033-2909.121.1.3)] [Medline: [9000890](https://pubmed.ncbi.nlm.nih.gov/9000890/)]
49. Wang J, Gu Y, Xin H, Wang X. Influence of appeal type and message framing on residents' intent to engage in pro-environmental behavior. *Int J Environ Res Public Health.* Dec 22, 2022;19(23):1. [FREE Full text] [doi: [10.3390/ijerph192315431](https://doi.org/10.3390/ijerph192315431)] [Medline: [36497506](https://pubmed.ncbi.nlm.nih.gov/36497506/)]
50. Lee AM, Hojjatinia S, Courtney JB, Brunke-Reese D, Hojjatinia S, Lagoa CM, et al. Motivational message framing effects on physical activity dynamics in a digital messaging intervention: secondary analysis. *JMIR Form Res.* May 21, 2023;7:e41414. [FREE Full text] [doi: [10.2196/41414](https://doi.org/10.2196/41414)] [Medline: [37083710](https://pubmed.ncbi.nlm.nih.gov/37083710/)]
51. Waters EA, Ackermann N, Wheeler CS. Specifying future behavior when assessing risk perceptions: implications for measurement and theory. *Med Decis Making.* Dec 2019;39(8):986-997. [FREE Full text] [doi: [10.1177/0272989X19879704](https://doi.org/10.1177/0272989X19879704)] [Medline: [31646937](https://pubmed.ncbi.nlm.nih.gov/31646937/)]

Abbreviations

HPV: human papillomavirus

PRISMA: Preferred Reporting Items for Systematic Reviews and Meta-Analyses

RCT: randomized controlled trial

RoB: risk of bias

Edited by T de Azevedo Cardoso; submitted 13.09.23; peer-reviewed by R Gao, H Guo, SS Shaik, R Mpofo; comments to author 04.06.24; revised version received 26.07.24; accepted 21.10.24; published 07.11.24

Please cite as:

Gong J, Gu D, Dong S, Shen W, Yan H, Xie J

Effects of Message Framing on Human Papillomavirus Vaccination: Systematic Review

J Med Internet Res 2024;26:e52738

URL: <https://www.jmir.org/2024/1/e52738>

doi: [10.2196/52738](https://doi.org/10.2196/52738)

PMID:

©Jie Gong, Dandan Gu, Suyun Dong, Wangqin Shen, Haiou Yan, Juan Xie. Originally published in the Journal of Medical Internet Research (<https://www.jmir.org>), 07.11.2024. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in the Journal of Medical Internet Research (ISSN 1438-8871), is properly cited. The complete bibliographic information, a link to the original publication on <https://www.jmir.org/>, as well as this copyright and license information must be included.