

Corrigenda and Addenda

# Correction: Three-Day Monitoring of Adhesive Single-Lead Electrocardiogram Patch for Premature Ventricular Complex: Prospective Study for Diagnosis Validation and Evaluation of Burden Fluctuation

Hyo-Jeong Ahn<sup>1</sup>, MD; Eue-Keun Choi<sup>1,2</sup>, MD, PhD; So-Ryoung Lee<sup>1,2</sup>, MD, PhD; Soonil Kwon<sup>1</sup>, MD; Hee-Seok Song<sup>3</sup>, MSc; Young-Shin Lee<sup>3</sup>, MSc; Seil Oh<sup>1,2</sup>, MD, PhD

<sup>1</sup>Department of Internal Medicine, Seoul National University Hospital, Seoul, Republic of Korea

<sup>2</sup>Department of Internal Medicine, Seoul National University College of Medicine, Seoul, Republic of Korea

<sup>3</sup>Seers Technology Co, Ltd, Seongnam-si, Gyeonggi-do, Republic of Korea

**Corresponding Author:**

Eue-Keun Choi, MD, PhD

Department of Internal Medicine

Seoul National University Hospital

101 Daehak-ro

Seoul, 03080

Republic of Korea

Phone: 82 220720688

Email: [choiek417@gmail.com](mailto:choiek417@gmail.com)

**Related Article:**

Correction of: <https://www.jmir.org/2024/1/e46098>

(*J Med Internet Res* 2024;26:e59984) doi: [10.2196/59984](https://doi.org/10.2196/59984)

In “Three-Day Monitoring of Adhesive Single-Lead Electrocardiogram Patch for Premature Ventricular Complex: Prospective Study for Diagnosis Validation and Evaluation of Burden Fluctuation” (*J Med Internet Res* 2024;26:e46098) the authors noted one error.

In the “Ethics Approval” section, the institutional review board (IRB) number was originally published as:

*E-2001-111-1096.*

This has been changed to:

*H-2103-010-1201.*

The correction will appear in the online version of the paper on the JMIR Publications website on May 9, 2024, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted to those repositories.

*This is a non-peer-reviewed article. Submitted 28.04.24; accepted 03.05.24; published 09.05.24.*

***Please cite as:***

*Ahn HJ, Choi EK, Lee SR, Kwon S, Song HS, Lee YS, Oh S*

*Correction: Three-Day Monitoring of Adhesive Single-Lead Electrocardiogram Patch for Premature Ventricular Complex: Prospective Study for Diagnosis Validation and Evaluation of Burden Fluctuation*

*J Med Internet Res* 2024;26:e59984

URL: <https://www.jmir.org/2024/1/e59984>

doi: [10.2196/59984](https://doi.org/10.2196/59984)

PMID:

©Hyo-Jeong Ahn, Eue-Keun Choi, So-Ryoung Lee, Soonil Kwon, Hee-Seok Song, Young-Shin Lee, Seil Oh. Originally published in the Journal of Medical Internet Research (<https://www.jmir.org>), 09.05.2024. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted

use, distribution, and reproduction in any medium, provided the original work, first published in the Journal of Medical Internet Research, is properly cited. The complete bibliographic information, a link to the original publication on <https://www.jmir.org/>, as well as this copyright and license information must be included.