

Corrigenda and Addenda

Correction: Developing and Testing the Usability of a Novel Child Abuse Clinical Decision Support System: Mixed Methods Study

Amy Thomas¹, MD; Andrea Asnes¹, MSW, MD; Kyle Libby², BA, MS; Allen Hsiao¹, MD, FAAP, FAMIA; Gunjan Tiyyagura¹, MHS, MD

¹Department of Pediatrics, Yale University School of Medicine, New Haven, CT, United States

²3M | M*Modal, 3M Health Information Systems, 3M Company, Maplewood, MN, United States

Corresponding Author:

Gunjan Tiyyagura, MHS, MD

Department of Pediatrics

Yale University School of Medicine

Pediatric Emergency Medicine, PO Box 208064

New Haven, CT, 06520

United States

Phone: 1 203 464 6343

Fax: 1 203 737 7447

Email: gunjan.tiyyagura@yale.edu

Related Article:

Correction of: <https://www.jmir.org/2024/1/e51058>

(*J Med Internet Res* 2024;26:e60444) doi: [10.2196/60444](https://doi.org/10.2196/60444)

In “Developing and Testing the Usability of a Novel Child Abuse Clinical Decision Support System: Mixed Methods Study” (*J Med Internet Res* 2024;26:e51058), the authors noted one error.

The “Background” section of the abstract was originally published as:

Despite the impact of physical abuse on children, it is often underdiagnosed, especially among children evaluated in general emergency departments (EDs) and those belonging to racial or ethnic minority groups. Electronic clinical decision support (CDS) can improve the recognition of child physical abuse.

It will now be changed to:

Despite the impact of physical abuse on children, it is often underdiagnosed, especially among children evaluated in emergency departments (EDs). Electronic clinical decision support (CDS) can improve the recognition of child physical abuse.

The correction will appear in the online version of the paper on the JMIR Publications website on May 27, 2024 together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted to those repositories.

This is a non-peer-reviewed article. Submitted 11.05.24; accepted 16.05.24; published 27.05.24.

Please cite as:

Thomas A, Asnes A, Libby K, Hsiao A, Tiyyagura G

Correction: Developing and Testing the Usability of a Novel Child Abuse Clinical Decision Support System: Mixed Methods Study

J Med Internet Res 2024;26:e60444

URL: <https://www.jmir.org/2024/1/e60444>

doi: [10.2196/60444](https://doi.org/10.2196/60444)

PMID:

©Amy Thomas, Andrea Asnes, Kyle Libby, Allen Hsiao, Gunjan Tiyyagura. Originally published in the Journal of Medical Internet Research (<https://www.jmir.org>), 27.05.2024. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in the Journal of Medical Internet Research, is properly

cited. The complete bibliographic information, a link to the original publication on <https://www.jmir.org/>, as well as this copyright and license information must be included.