CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red *.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF _AND_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

* Required

Your name *

First Last

Olwyn Mooney

Primary Affiliation (short), City, Country *

University of Toronto, Toronto, Canada

Clinical Research & Innovation, SilverCloud Health

Your e-mail address *

abc@gmail.com

mooneyol@tcd.ie

Title of your manuscript *

Provide the (draft) title of your manuscript.

Assessing the Efficacy and Acceptability of a Web-Based Intervention for Resilience Among College Students: Pilot Randomized Controlled Trial

Name of your App/Software/Intervention *

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

Space for Resilience

Evaluated Version (if any)

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

Your answer

Language(s) *

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English

URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

<https://ie.silvercloudhealth.com/SCSR>

URL of an image/screenshot (optional)

Your answer

Accessibility *

Can an enduser access the intervention presently?

- ☐ access is free and open
- ☒ access only for special usergroups, not open
- ☐ access is open to everyone, but requires payment/subscription/in-app purchases
- ☐ app/intervention no longer accessible
- ☐ Other:

Primary Medical Indication/Disease/Condition *

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Resilience

Primary Outcomes measured in trial *

comma-separated list of primary outcomes reported in the trial

Resilience, well-being.

Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

Resilience, depression and anxiety, self-esteem, stress.

Recommended "Dose" *

What do the instructions for users say on how often the app should be used?

- ☐ Approximately Daily
- ☐ Approximately Weekly
- ☐ Approximately Monthly
- ☐ Approximately Yearly
- ☐ "as needed"
- ☒ Other: "We recommend students spend at least an hour a week for 6 to 8 weeks to ge

Approx. Percentage of Users (starters) still using the app as recommended after 3 months *

- ☒ unknown / not evaluated
- ☐ 0-10%
- ☐ 11-20%
- ☐ 21-30%
- ☐ 31-40%
- ☐ 41-50%
- ☐ 51-60%
- ☐ 61-70%
- ☐ 71%-80%
- ☐ 81-90%
- ☐ 91-100%
- ☐ Other:

Overall, was the app/intervention effective? *

- ☐ yes: all primary outcomes were significantly better in intervention group vs control
- ☐ partly: SOME primary outcomes were significantly better in intervention group vs control
- ☐ no statistically significant difference between control and intervention
- ☐ potentially harmful: control was significantly better than intervention in one or more outcomes
- ☒ inconclusive: more research is needed
- ☐ Other:

Article Preparation Status/Stage *

At which stage in your article preparation are you currently (at the time you fill in this form)

- ☐ not submitted yet - in early draft status
- ☐ not submitted yet - in late draft status, just before submission
- ☒ submitted to a journal but not reviewed yet
- ☐ submitted to a journal and after receiving initial reviewer comments
- ☐ submitted to a journal and accepted, but not published yet
- ☐ published
- ☐ Other:

Journal *

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- ☐ not submitted yet / unclear where I will submit this
- ☐ Journal of Medical Internet Research (JMIR)
- ☐ JMIR mHealth and UHealth
- ☐ JMIR Serious Games
- ☒ JMIR Mental Health
- ☐ JMIR Public Health
- ☐ JMIR Formative Research
- ☐ Other JMIR sister journal
- ☐ Other:

Is this a full powered effectiveness trial or a pilot/feasibility trial? *

- ☒ Pilot/feasibility
- ☐ Fully powered

Manuscript tracking number *

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- ☐ no ms number (yet) / not (yet) submitted to / published in JMIR
- ☒ Other: JMH ms#20167

TITLE AND ABSTRACT

1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a? *

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

- ☒ yes
- ☐ Other:

1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-i? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. "Assessing the Efficacy and Acceptability of a Web-Based Intervention for Resilience Among College Students: Pilot Randomized Controlled Trial".

1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. The effects of the intervention provided with and without human support were of equal interest in this study.

1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")
 Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-iii? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. "Assessing the Efficacy and Acceptability of a Web-Based Intervention for Resilience Among College Students: Pilot Randomized Controlled Trial".

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-i? *

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is described in the objective section of the abstract. "This study investigated the feasibility of a new web-based resilience programme based on positive psychology, provided with human or automated support, in a sample of college students."

1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. The intervention is described as being "provided with human or automated support".

1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. "A three-armed closed pilot randomized controlled trial design was used/Outcomes were self-assessed through online questionnaires."

1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. "A total of 36 participants began the programme and completed 46.46% of it on average".

1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. "Findings do not reflect the true efficacy of the intervention given the pilot nature of the study. Preliminary evidence for the equal benefit of human and automated support needs to be supported by further research with a larger sample".

INTRODUCTION**2a) In INTRODUCTION: Scientific background and explanation of rationale**

2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 2a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Web-based resilience interventions are framed as a means of preventing the development of mental health problems in college students and addressing barriers around accessing mental health care. The provision of automated support in these interventions is presented as a potential cost-effective alternative to human support.

2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 2a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Empirical evidence supporting the efficacy of resilience, positive psychology and web-based interventions for mental health and well-being, in addition to the benefits of providing support to users of web-based interventions, is presented. Important implications in terms of mental health promotion and prevention are described.

2b) In INTRODUCTION: Specific objectives or hypotheses**Does your paper address CONSORT subitem 2b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. "This study sought to investigate the preliminary efficacy and acceptability of a new web-based intervention for resilience and well-being, based on positive psychology, in a sample of college students. The study also aimed to determine the effects of different types of support (human and automated) in the intervention."

METHODS**3a) Description of trial design (such as parallel, factorial) including allocation ratio**

Does your paper address CONSORT subitem 3a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the research design section of the method. "A three-armed, parallel-groups, pilot randomized controlled trial (RCT) design was used. Using an allocation ratio of 1:1:1, participants were randomized to the intervention with human support, intervention with automated support or waiting list control group."

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons**Does your paper address CONSORT subitem 3b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the data analysis section of the method. "Preliminary efficacy was evaluated using mixed factorial ANOVAs/This represents a revision to study protocol which outlined the use of linear mixed models in the analysis plan [34]. However, diagnostic tests on the data revealed inadequate power and model fit to sufficiently address the research questions under investigation. Mixed factorial ANOVAs were therefore deemed more suitable. There was a modest departure from the assumption of homogeneity of variance, however the F-test has shown to be robust against moderate departures and variance heterogeneity is frequently observed in real-world data [60]."

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. Changes were not made to the intervention during the trial.

4a) Eligibility criteria for participants**Does your paper address CONSORT subitem 4a? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the eligibility criteria section of the method. "Inclusion criteria were being over the age of 18 and a registered student at TCD. Exclusion criteria were currently attending counselling or psychotherapy, having an organic mental health condition or being at risk of suicide."

4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. While computer literacy was not included as an eligibility criterion, it was assessed at baseline and related findings are presented in the baseline characteristics section of the results and in Table 2. "In terms of computer literacy, most participants were either confident or very confident in using computers and the internet (73/82, 89%)."

4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is described in the study setting and measures sections of the method. "The study was conducted in Trinity College Dublin (TCD), Dublin, Ireland, in collaboration with the TCD Student Counselling Service and SilverCloud Health. The study was advertised to all registered students via email, posters and social media. Students considering participating in the study were invited to visit an online platform through a URL (<https://ie.silvercloudhealth.com/SCSR>) where they were prompted to create an account using their full name, email address and mobile phone number/All outcomes were self-assessed through online questionnaires."

4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the study setting section of the method. "Information about the study was presented and consent was obtained via digital signature."

4b) Settings and locations where the data were collected**Does your paper address CONSORT subitem 4b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the study setting and measures sections of the method. "The study was conducted in Trinity College Dublin (TCD), Dublin, Ireland, in collaboration with the TCD Student Counselling Service and SilverCloud Health/All outcomes were self-assessed through online questionnaires."

4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4b-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the measures section of the results. "All outcomes were self-assessed through online questionnaires."

4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the conflicts of interest section. "Participants were informed of institutional affiliations during the informed consent procedure."

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the conflicts of interest section. "AE, OM, AS, CTL, SF and DR were employed by SilverCloud Health during the completion of the study. AE and DR are members of the TCD E-mental Health Research Group/The study was funded by SilverCloud Health and the TCD Student Counselling Service."

5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. This is the first formative evaluation of the intervention.

5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. The intervention was piloted for the first time in this study. No major revisions or updates were made prior to or during the trial.

5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the intervention and support sections of the method. "Space for Resilience is a 7-module programme aimed at promoting resilience and well-being through the enhancement of several well-evidenced resilience factors [36]/Participants in the human support group were assigned to a supporter from the TCD Student Counselling Service. Supporters were counsellors or trainee counsellors familiar with using the SilverCloud Health platform and received training in the Space for Resilience programme/Automated reviews were pre-developed by highly experienced clinicians with in-depth knowledge of providing support for web-based interventions."

5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A.

5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is provided in the study setting section of the method. "Students considering participating in the study were invited to visit an online platform through a URL (<https://ie.silvercloudhealth.com/SCSR>) where they were prompted to create an account using their full name, email address and mobile phone number."

5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-vii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the study setting section of the method. "Students considering participating in the study were invited to visit an online platform through a URL (<https://ie.silvercloudhealth.com/SCSR>) where they were prompted to create an account using their full name, email address and mobile phone number."

5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 5-viii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is fully outlined in the intervention and support sections of the method.

5-ix) Describe use parameters

Describe use parameters (e.g., intended “doses” and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the intervention section of the method. "The programme was offered over an 8-week intervention period and was accessible 24/7. It was recommended that participants spend at least an hour a week on the programme."

5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as “type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered”. It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is fully outlined in the support section of the method.

5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 5-xi? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Prompts/reminders around research procedures are outlined in the procedure section of the method. "To minimise drop-out, participants received a phone call from a member of the research team approximately one week following randomization to remind them of group assignment and research procedures. After the 8-week period, participants received an email asking them to complete post-intervention measures."

5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 5-xii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is fully outlined in the support section of the method.

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

Does your paper address CONSORT subitem 6a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is fully outlined in the measures section of the method and in Table 1.

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

N/A. The questionnaires used have been well-validated in prior research and used in other web-based intervention studies. Information regarding the validity of the questionnaires used is fully outlined in the measures section of the method.

6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

Yes. This is outlined in the measures section of the method. "Engagement and usage data for active intervention groups were collected automatically on the online platform. This included number of logins to the programme, length of time spent using the programme, number of tools and activities used, and percentage of programme content viewed. A session was defined as any instance where a participant logged in to the platform. Number of sessions was therefore determined by the total number of participant logins."

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

Yes. This is outlined in the measures section of the method. Qualitative data was obtained on the Sociodemographic and Clinical History Questionnaire and Satisfaction with Treatment questionnaire (SAT).

6b) Any changes to trial outcomes after the trial commenced, with reasons

Does your paper address CONSORT subitem 6b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. There were no changes to trial outcomes after the trial commenced.

7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the sample size section of the method. "Previous data on effect sizes for web-based resilience interventions in college students do not exist [3]. However, findings from two meta-analyses on resilience and positive psychology interventions demonstrated small effect sizes for resilience and psychological well-being, respectively [9,12].

Recommendations for estimating sample size for pilot trials indicate a sample size of 25 per arm when effect sizes are expected to be small [35]. Based on a three-armed pilot trial design and small anticipated effect size for resilience and well-being, a sample size of 75 (25 participants per arm) was determined."

7b) When applicable, explanation of any interim analyses and stopping guidelines**Does your paper address CONSORT subitem 7b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. Interim analyses were not conducted and ethical considerations including stopping guidelines are outlined in greater detail in the study protocol, as stated in the ethical considerations section of the method. "Ethical considerations are fully outlined in the study protocol [34]."

8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the research design section of the method. "The randomization schedule was generated by an individual independent of the study using Random Allocation Software [32]."

8b) Type of randomisation; details of any restriction (such as blocking and block size)

Does your paper address CONSORT subitem 8b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the research design section of the method. "Randomization was performed in blocks of 12 with three groups."

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned**Does your paper address CONSORT subitem 9? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the research design section of the method. "The randomization schedule was generated by an individual independent of the study using Random Allocation Software [32]."

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions**Does your paper address CONSORT subitem 10? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the research design section of the method. "The randomization schedule was generated by an individual independent of the study using Random Allocation Software [32]/Given the nature of the trial, participants and researchers were not blinded to group allocation."

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 11a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the research design section of the method. "Given the nature of the trial, participants and researchers were not blinded to group allocation."

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. The outcomes of both active intervention groups are of equal interest in this study.

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

Does your paper address CONSORT subitem 11b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is described in the intervention and support sections of the method. Participants in the active intervention groups were offered access to the same programme but received different types of support (human or automated).

12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

Does your paper address CONSORT subitem 12a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is fully outlined in the data analysis section of the method.

12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 12a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the data analysis section of the method. "For ITT analysis, missing data were calculated using the expectation-maximisation algorithm, a maximum likelihood method used in similar trials [59]. "

12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses**Does your paper address CONSORT subitem 12b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the data analysis section of the method. "Per protocol analysis considered all participants who completed baseline and post-intervention outcome measures and, in the case of active intervention groups, accessed the programme at least once/To explore the effects of intervention preference and allocation, exploratory sub-group analyses were conducted. Participants in the active intervention groups were divided into two groups: those who were allocated to their preferred intervention group and those who were not. Pearson chi-square tests, ANOVAs and independent t-tests were used to examine differences in outcomes, engagement and usage and satisfaction with the intervention."

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

X26-i) Comment on ethics committee approval

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the ethical considerations section of the method. "The study received full ethical approval from the TCD School of Psychology Research Ethics Committee on January 29, 2019 (approval ID: SPREC112018-12)."

x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the study setting section of the method. "Information about the study was presented and consent was obtained via digital signature."

X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in greater detail in the study protocol, as stated in the ethical considerations section of the method. "Ethical considerations are fully outlined in the study protocol [34]."

RESULTS**13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome**

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

Does your paper address CONSORT subitem 13a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is presented in Figure 1.

13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is presented in Figure 1.

13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Descriptive statistics for programme engagement and usage are presented in Table 4.

14a) Dates defining the periods of recruitment and follow-up

Does your paper address CONSORT subitem 14a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the study setting section of the method. "Recruitment started in February 2019 and the trial ran for four consecutive months, until June 2019 when data collection was completed."

14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. Secular events such as changes in internet resources did not fall into the study period.

14b) Why the trial ended or was stopped (early)**Does your paper address CONSORT subitem 14b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. The trial was not stopped early.

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

Does your paper address CONSORT subitem 15? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is presented in Table 2.

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 15-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Demographics including age, gender, education level and computer literacy are presented in the baseline characteristics section of the results and in Table 2.

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

16-i) Report multiple “denominators” and provide definitions

Report multiple “denominators” and provide definitions: Report N’s (and effect sizes) “across a range of study participation [and use] thresholds” [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants “used” the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define “use” of the intervention.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 16-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is presented in Figure 1.

16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only “users”, with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Primary analysis was intention-to-treat.

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

Does your paper address CONSORT subitem 17a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is presented in Table 3.

17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is presented in the engagement and usage section of the results and in Table 4.

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

Does your paper address CONSORT subitem 17b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Effect sizes are presented in Table 3.

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory**Does your paper address CONSORT subitem 18? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Results for per protocol analysis and exploratory analyses examining intervention preference are presented in the per protocol analysis and intervention preference and allocation sections of the results.

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Per protocol analysis was conducted, as outlined in the data analysis section of the method. "Per protocol analysis considered all participants who completed baseline and post-intervention outcome measures and, in the case of active intervention groups, accessed the programme at least once." Results for this analysis are presented in the per protocol analysis section of the results and in Table 3.

19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

Does your paper address CONSORT subitem 19? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. An unexpected improvement in the waiting list control group was observed, as reported in the preliminary efficacy section of the results and presented in Table 3. No harms were reported.

19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A. No privacy breaches or technical problems were reported.

19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is included in the satisfaction with the intervention and intervention preference and allocation sections of the results.

DISCUSSION**22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence**

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 22-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Study questions and answers suggested by the data are fully outlined in the discussion.

22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Unanswered questions and suggestions for future research are made in the main body, limitations and implications and future research sections of the discussion.

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 20-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Limitations are outlined limitations section of the discussion.

21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is considered in the main body, limitations and future research and implications sections of the discussion.

21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is outlined in the implications and future research section of the discussion. "As telephone calls and emails to participants from the research team constituted reminders about research procedures, their omission is not anticipated to affect outcomes or usage in routine application."

OTHER INFORMATION**23) Registration number and name of trial registry**

Does your paper address CONSORT subitem 23? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is reported under trial registration. "International Standard Randomized Controlled Trial Number (ISRCTN) 11866034; <http://www.isrctn.com/ISRCTN11866034>".

24) Where the full trial protocol can be accessed, if available**Does your paper address CONSORT subitem 24? ***

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. The study protocol is cited in the research design section of the method and the reference is provided. "... the study protocol has been published [34]/34. Enrique A, Mooney O, Salamanca-Sanabria A, Lee CT, Farrell S, Richards D. Assessing the efficacy and acceptability of an internet-delivered intervention for resilience among college students: a pilot randomised control trial protocol. Internet Interv 2019 Jun;17:100254. PMID:31304095 doi:10.1016/j.invent.2019.100254".

25) Sources of funding and other support (such as supply of drugs), role of funders**Does your paper address CONSORT subitem 25? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is reported under conflicts of interest. "The study was funded by SilverCloud Health and the TCD Student Counselling Service."

X27) Conflicts of Interest (not a CONSORT item)**X27-i) State the relation of the study team towards the system being evaluated**

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is reported under conflicts of interest. "AE, OM, AS, CTL, SF and DR were employed by SilverCloud Health during the completion of the study. AE and DR are members of the TCD E-mental Health Research Group."

About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? *

- ☐ yes, major changes
- ☒ yes, minor changes
- ☐ no

What were the most important changes you made as a result of using this checklist?

Your answer

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *

Several hours

As a result of using this checklist, do you think your manuscript has improved? *

- ☒ yes
- ☐ no
- ☐ Other:

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- ☐ yes
- ☐ no
- ☐ Other:

Any other comments or questions on CONSORT EHEALTH

Your answer

STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit !

Click submit so we have your answers in our database!

Submit

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#)

Google Forms