CONSORT-EHEALTH (V 1.6.1) – Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red *.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF _AND_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

* Required

Your name *

First Last

Mary Ng

Primary Affiliation (short), City, Country *

University of Toronto, Toronto, Canada

Geriatric Education and Research Institute, Sin

Your e-mail address *

abc@gmail.com

ng.mary.pe@geri.com.sg

Title of your manuscript *

Provide the (draft) title of your manuscript.

Evaluation of the implementation and effectiveness of a community-based brain-computer interface cognitive group training in healthy community-dwelling older adults

Name of your App/Software/Intervention *

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

Memorie App and community based computer

Evaluated Version (if any)

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

Your answer

Language(s) *

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English, Mandarin

URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

Your answer

URL of an image/screenshot (optional)

Your answer

Accessibility *

Can an enduser access the intervention presently?

- ☐ access is free and open
- ☐ access only for special usergroups, not open
- ☐ access is open to everyone, but requires payment/subscription/in-app purchases
- ☒ app/intervention no longer accessible
- ☐ Other:

Primary Medical Indication/Disease/Condition *

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Healthy older adults

Primary Outcomes measured in trial *

comma-separated list of primary outcomes reported in the trial

Effectiveness of computerized cognitive training

Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

Evaluation on implementation of community-based computerized cognitive training

Recommended "Dose" *

What do the instructions for users say on how often the app should be used?

- ☐ Approximately Daily
- ☒ Approximately Weekly
- ☐ Approximately Monthly
- ☐ Approximately Yearly
- ☐ "as needed"
- ☐ Other:

Approx. Percentage of Users (starters) still using the app as recommended after 3 months *

☒ unknown / not evaluated

☐ 0-10%

☐ 11-20%

☐ 21-30%

☐ 31-40%

☐ 41-50%

☐ 51-60%

☐ 61-70%

☐ 71%-80%

☐ 81-90%

☐ 91-100%

☐ Other:

Overall, was the app/intervention effective? *

☐ yes: all primary outcomes were significantly better in intervention group vs control

☒ partly: SOME primary outcomes were significantly better in intervention group vs control

☐ no statistically significant difference between control and intervention

☐ potentially harmful: control was significantly better than intervention in one or more outcomes

☐ inconclusive: more research is needed

☐ Other:

Article Preparation Status/Stage *

At which stage in your article preparation are you currently (at the time you fill in this form)

- ☐ not submitted yet - in early draft status
- ☐ not submitted yet - in late draft status, just before submission
- ☐ submitted to a journal but not reviewed yet
- ☒ submitted to a journal and after receiving initial reviewer comments
- ☐ submitted to a journal and accepted, but not published yet
- ☐ published
- ☐ Other:

Journal *

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- ☐ not submitted yet / unclear where I will submit this
- ☐ Journal of Medical Internet Research (JMIR)
- ☐ JMIR mHealth and UHealth
- ☐ JMIR Serious Games
- ☐ JMIR Mental Health
- ☐ JMIR Public Health
- ☒ JMIR Formative Research
- ☐ Other JMIR sister journal
- ☐ Other:

Is this a full powered effectiveness trial or a pilot/feasibility trial? *

- ☐ Pilot/feasibility
- ☒ Fully powered

Manuscript tracking number *

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

☐ no ms number (yet) / not (yet) submitted to / published in JMIR

☒ Other: 25462

TITLE AND ABSTRACT**1a) TITLE: Identification as a randomized trial in the title****1a) Does your paper address CONSORT item 1a? ***

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

☒ yes

☐ Other:

1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-i? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

community-based brain-computer interface cognitive group training

1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")
 Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-iii? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Older adults

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-i? *

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants used a mobile application to play games targeting attention, memory, decision making, visuospatial abilities, and cognitive flexibility."

1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Healthy community-dwelling adults aged 55 and above participated in a ten-week CCT program with two-hour instructor-led group classes twice a week. Participants used a mobile application to play games targeting attention, memory, decision making, visuospatial abilities, and cognitive flexibility. Implementation was assessed at the participant-, provider-, and community-level (e.g., reach, implementation, and facilitators & barriers)."

1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A single-blind randomized controlled trial with baseline and follow-up assessments was conducted at two community centers in Singapore. Healthy community-dwelling adults aged 55 and above participated in a ten-week CCT program with two-hour instructor-led group classes twice a week."

1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Implementation measures revealed high reach (n=125, 81%) and moderate adherence but poor penetration of sedentary older adults (n=43, 34%). The effectiveness data was based on Intention-to-treat (ITT) and Per-protocol (PP) analysis. In the ITT analysis, single task GVI increased (b = 2.32, P = .02, 95% CI [0.30, 4.35]) and RBANS List Recognition subtest deteriorated (b = -0.57, P = .01, 95% CI [-1.00, -0.14]) in both groups. In the PP analysis, time taken to complete CTT-2 (b = -13.5, P = .01, 95% CI [-23.95, -3.14]; Cohen's d effect size = 0.285) was faster in the intervention group. Single task gait speed was also marginally significantly maintained in the intervention group (b = 5.38, P = .063, 95% CI [-0.30, 11.36]) but declined in the control group (Cohen's d effect size = 0.414). PP analyses also showed marginally significant interaction terms for RBANS List Recall subtest (b = -0.36, p = .078, 95% CI [-0.75, 0.04]) and Visuospatial domain (b = 0.46, p = .075, 95% CI [-0.05, 0.96]). The intervention group improved in RBANS Visuospatial domain (Cohen's d <0.1) while the control group deteriorated (Cohen's d = 0.230)."

1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

CCT can be implemented in community settings to improve attention, executive function, and visuospatial abilities while maintaining gait speed amongst healthy older adults. Findings help to identify suitable healthy ageing programs that can be implemented on a larger scale within communities.

INTRODUCTION

2a) In INTRODUCTION: Scientific background and explanation of rationale**2a-i) Problem and the type of system/solution**

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 2a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Cognitive functions decline with age but can be maintained or improved through training." "Technological advancements have encouraged the rise of computerized cognitive training (CCT). A meta-analysis concluded that CCT was modestly effective at improving cognitive performance in healthy older adults. However, efficacy varied across cognitive domains and was largely determined by the study designs." "Other than an online study in healthy older adults, most studies have evaluated the efficacy of CCT on cognition and real-world function in healthy adults in research settings, but there have been few implementation studies in real world settings. "

2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 2a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Cognitive functions decline with age but can be maintained or improved through training." "Technological advancements have encouraged the rise of computerized cognitive training (CCT). A meta-analysis concluded that CCT was modestly effective at improving cognitive performance in healthy older adults. However, efficacy varied across cognitive domains and was largely determined by the study designs." "Other than an online study in healthy older adults, most studies have evaluated the efficacy of CCT on cognition and real-world function in healthy adults in research settings, but there have been few implementation studies in real world settings. "

2b) In INTRODUCTION: Specific objectives or hypotheses

Does your paper address CONSORT subitem 2b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Therefore, in this study we aim to evaluate (1) the implementation of this community-based CCT at the participant-, provider-, and community-level and (2) its effectiveness on cognition, gait, and balance in healthy older adults. "

METHODS

3a) Description of trial design (such as parallel, factorial) including allocation ratio

Does your paper address CONSORT subitem 3a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Study is a randomized controlled trial in 2 community centres in Singapore with baseline and follow-up assessments. "Within each community centre, participants were randomized into the intervention or waitlist control group. "

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

Does your paper address CONSORT subitem 3b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. Some participants did not adhere to the randomization sequence and recruitment criteria for sedentary older adults was dropped as "penetration into the sedentary older population was low, only 34% exercised less than once per week" "When this eligibility criterion was relaxed, there was sufficient demand at each community center to allow the formation of classes with 9 – 15 participants each. "

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No issues with app or intervention

4a) Eligibility criteria for participants

Does your paper address CONSORT subitem 4a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Eligible participants were those who were aged 55 years and above with sedentary (exercised less than once a week) lifestyle and did not fall into exclusion criteria. "The exclusion criteria were: (1) unable to understand English or Mandarin, (2) cognitive impairment (i.e., modified Mini Mental State Examination score (MMSE) $\leq$ 23), (3) diagnosis of neuropsychiatric disorder(s), (4) ongoing use of psychotropic medications, (5) depression (i.e., Geriatric Depression Scale (GDS) $>$ 9), (6) severe walking or balance impairments (e.g., wheelchair-dependent), (7) self-reported vertigo, (8) visual acuity $<$ 20/80, (9) color-blind, (10) participation in cognitive training program(s) within the past year, or (11) plans for a balance training program during the study period."

4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Trained instructors guided participants through game-based training targeting attention, memory, decision making, visuospatial abilities, and cognitive flexibility using a mobile application (Memorie). CCT was gamified to enable sustained interest and to facilitate adaptive training, where participants progressed to more cognitively demanding levels."

4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 4a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were recruited at 2 community centres face-to-face.

4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Informed consent was taken before enrolment into study.

4b) Settings and locations where the data were collected

Does your paper address CONSORT subitem 4b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Assessments were carried out at two community centres in Singapore by assessors blinded to group allocation.

4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4b-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Assessments were carried out at two community centres in Singapore by assessors blinded to group allocation.

4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The program "NeeuroFit" and the "Memorie" app and "Senzeband", an EEG headset are developed and owned by "Neeuro Pte Ltd."

5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 5-vii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

To access the app, participants paid a subsidized fee of SGD\$20 for the intervention program in instructor led classes who would give the access codes to them.

5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 5-viii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The 10-week CCT program (NeeuroFIT) consisted of two-hour instructor-led group classes conducted twice a week in English or bilingually (i.e., English and Mandarin)."

5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Sessions were held over two-hour conducted twice a week.

5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Classes were instructor-led to assist with usage of app, tablet and headset as well as to assist with progression to next level games for increased challenges.

5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 5-xi? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Community centre managers reminded participants of commencement of classes.

5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 5-xii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no co-interventions.

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

Does your paper address CONSORT subitem 6a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Assessments were conducted in English or Mandarin by trained study team members blinded to group allocation. Participants completed the Color Trails Test 2 (CTT-2) prior to the Repeatable Battery for the Assessment of Neuropsychological Status (RBANS) to prevent fatigue induced by RBANS from influencing CTT-2 performance. The order of other assessments was not fixed. Form A and B of CTT-2 and RBANS were used for baseline and follow-up assessment respectively to minimize learning effects. Standardized test instructions were translated from English to Mandarin for Mandarin-speaking participants." "Berg Balance Scale (BBS) assesses balance via performance on 14 functional tasks [22]. Performance for each task was scored independently using a 0 – 4 scale, with higher scores reflecting better balance. Individual task scores were summed to derive a composite score for analyses.

Gait assessments were conducted using the 6m GAITRite® walkway [22]. Participants started 1 meter behind the walkway and walked to a chair placed 1 meter past the end of the walkway. Under the single task condition, participants walked at their habitual walking speed. Under the dual task condition, participants walked while performing serial sevens subtraction. Participants were not instructed to prioritize either the cognitive or walking task. After attempting the dual task, participants completed serial sevens subtraction while seated. Participants completed one practice trial and three actual trials for each condition." "Assessments were completed within two weeks of the CCT."

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

There were no online questionnaires in this study

6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

Classes were conducted face-to-face in instructor led group classes. Back end, developers were able to access game data and log-ins. "Gaming data further supports observed visuospatial gains: The top three games the intervention group spent the most gaming hours on tapped on visuospatial abilities"

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

"Facilitators and barriers to CCT participation were obtained from participants' feedback and observations by the study team"

6b) Any changes to trial outcomes after the trial commenced, with reasons

Does your paper address CONSORT subitem 6b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Intention to treat and Per protocol analysis was performed as there were drop outs and some participants did not adhere to randomised grouping.

7b) When applicable, explanation of any interim analyses and stopping guidelines**Does your paper address CONSORT subitem 7b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, see below.

8b) Type of randomisation; details of any restriction (such as blocking and block size)**Does your paper address CONSORT subitem 8b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned**Does your paper address CONSORT subitem 9? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Randomization sequence for the first community center was generated using Microsoft Excel by a CCT provider staff with no participant contact. Randomization sequence for the second community center was generated via a web-based randomization service by a biostatistician without participant contact."

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

Does your paper address CONSORT subitem 10? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

CCT provider staff and a biostatistician without participant contact

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 11a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants and assessors

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were blinded to grouping

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

Does your paper address CONSORT subitem 11b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

Does your paper address CONSORT subitem 12a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Two sets of parallel analyses were conducted. Intention-to-treat (ITT) analyzes were based on the randomization sequence, regardless of actual CCT class attendance. Per-protocol (PP) analyzes grouped participants based on the CCT classes they attended, regardless of the randomization sequence. Baseline group differences were examined using Pearson's chi-square tests for categorical data, independent samples t-test for parametric data, and Mann-Whitney U test for non-parametric data. Change in outcome variables were explored using mixed models with missing data handling." "Parametric outcome variables were estimated using Maximum Likelihood (ML) with robust standard errors while non-parametric data were assumed to be right censored and were estimated using ML. A two-sided P-value of .05 was deemed statistically significant; no adjustments were made despite multiple comparisons for RBANS due to the explorative nature of these analyses. Statistical analyses were completed using R Version 3.4.4 and MPlus Version 7.11."

12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 12a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Change in outcome variables were explored using mixed models with missing data handling. Missing data were assumed to be missing at random. This assumption was made when dummy variables were created for whether a variable is missing (1 as missing; and 0 as observed) and t-tests and chi-square were performed between these dummy variables and other variables. The missingness on these variables were found to be related to the values of other variables.

12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses**Does your paper address CONSORT subitem 12b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

X26-i) Comment on ethics committee approval

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study was conducted in accordance with the Declaration of Helsinki and received ethics approval from the National Healthcare Group's Domain Specific Review Board. Written informed consent was obtained from all participants prior to study enrolment. "

x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Written informed consent was obtained from all participants prior to study enrolment." including eligibility criteria.

X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Eligibility criteria is listed.

RESULTS

13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

Does your paper address CONSORT subitem 13a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See Figure 1 in the paper.

13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See Figure 1 in the paper.

13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

14a) Dates defining the periods of recruitment and follow-up**Does your paper address CONSORT subitem 14a? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Healthy community-dwelling older adults ≥ 55 years old participated in the CCT between September 2017 and November 2018." Assessments were conducted within 2 weeks before and after end of CCT program.

14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

14b) Why the trial ended or was stopped (early)**Does your paper address CONSORT subitem 14b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

Does your paper address CONSORT subitem 15? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Table 1 (Per Protocol) and Appendix 2 (ITT)

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 15-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups**16-i) Report multiple "denominators" and provide definitions**

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 16-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A total of 125 of 155 individuals screened agreed to participate and completed baseline assessment indicating reach as 81% (Figure 1). Moderate adherence was observed. First, 28 (22%) participants did not adhere to the randomization sequence (e.g., due to conflicting schedules). Of these, 18 (64%) attended CCT classes for the intervention group despite being randomized to the control group. The remaining 10 switched from intervention group to the control group. Second, there were 31 (25%) dropouts with no observed group differences in both ITT ($P = .38$) (Multimedia Appendix 2) and PP analyses ($P = .20$, Table 1)"

16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Some participants did not adhere to the randomization sequence (Figure 1). As such, two sets of parallel analyses were conducted. Intention-to-treat (ITT) analyzes were based on the randomization sequence, regardless of actual CCT class attendance. Per-protocol (PP) analyzes grouped participants based on the CCT classes they attended, regardless of the randomization sequence"

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)**Does your paper address CONSORT subitem 17a? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This can be found in Table 2 and Appendix 4 and 5

17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended**Does your paper address CONSORT subitem 17b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This can be found in Table 2 and Appendix 4 and 5

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory**Does your paper address CONSORT subitem 18? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

Does your paper address CONSORT subitem 19? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"CCT classes, the mobile application, and electroencephalography headset were well-received. Trainers' in-class guidance and encouragement motivated participants to continue with classes and increasingly cognitively demanding games. A few expressed interests in more advanced level CCT. Barriers to program participation included busy schedules, loss of interest in CCT, and loss to follow-up. A few cited fatigue from prolonged screen use, noisy class environment, difficulty in selected games, and belief that CCT was ineffective. Two control group participants from the first community center dropped out from follow-up assessment and CCT as they did not receive reminders regarding CCT commencement. "

DISCUSSION

22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 22-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"In this single-blind RCT in 94 healthy community-dwelling adults, there were improvements in attention, executive function, and visuospatial abilities. CCT also promoted maintenance of single task gait speed. We showed that it was feasible to implement community-based CCT in community centers to promote cognitive improvements and maintenance of gait speed in healthy older adults. Implementation measures revealed high reach and moderate adherence but poor penetration of sedentary older adults. Most community center users were physically and socially active. Participants paid for and attended 80% classes. Attendance was higher in the intervention group than the control group. However, 25% dropped out and 22% did not adhere to randomization mainly. Implementation was facilitated by CCT trainers' in-class guidance and encouragement, participants' proximity to and strong community ties at implementation sites, resource availability, strong community partnerships, staff buy-in, and prior program implementation experience. "

22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"With the study being conducted in a real-world setting, the challenges and necessary adjustments and adaptations made is a common with such implementations, but it allows for lessons to be learnt and documented for improvement. CCT can be implemented with relatively good uptake and adherence in community centers, but at a subsidized fee as with other community center programs. Implementers should consider participants' proximity to implementation sites, strength of community ties, resource availability, staff buy-in, and prior program implementation expertise when shortlisting implementation sites. Future studies can explore the effectiveness of community based CCT for older adults who are sedentary or at risk of cognitive impairment. "

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 20-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"CCT was implemented with high fidelity to planned class schedule and curriculum. In-class guidance and timely technical support mitigated technological barriers faced by older adults and likely boosted receptiveness to CCT. Attendance was comparable to other local studies with community-based interventions [25-27]. However, dropout rate was higher (25%) even though participants paid a subsidized fee to attend. The target population (i.e., sedentary healthy older adults) could not be recruited at community centers. Instead, the inclusion criterion was relaxed to include older adults regardless of their exercise frequency. This, together with their high educational attainment and participation in various community center programs, likely limited CCT's effectiveness. We encountered difficulty recruiting enough sedentary older adults. In addition, the dropout rates were highest in the older adult group. This may suggest that the implementation in its current form is not suitable for the population at the community centers. Online implementation option of group training should be considered in the future, especially in the context of COVID-19 pandemic. "

21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Nevertheless, the study remains informative given that the sample might be more representative of CCT attendees, especially in community-based or commercial settings. It also provides useful information on suitable healthy ageing programs that can be implemented on a larger scale within communities. "

21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"With the study being conducted in a real-world setting, the challenges and necessary adjustments and adaptations made is a common with such implementations, but it allows for lessons to be learnt and documented for improvement. CCT can be implemented with relatively good uptake and adherence in community centers, but at a subsidized fee as with other community center programs. Implementers should consider participants' proximity to implementation sites, strength of community ties, resource availability, staff buy-in, and prior program implementation expertise when shortlisting implementation sites. "

OTHER INFORMATION**23) Registration number and name of trial registry**

Does your paper address CONSORT subitem 23? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes

24) Where the full trial protocol can be accessed, if available**Does your paper address CONSORT subitem 24? ***

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

ClinicalTrials.gov Identifier NCT04439591,
<https://clinicaltrials.gov/ct2/show/NCT04439591>

25) Sources of funding and other support (such as supply of drugs), role of funders**Does your paper address CONSORT subitem 25? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"At the provider-level, the program provider secured a grant to cover some program costs (e.g., instructor training and salary) while co-funding the remaining costs (e.g., hardware, software). This allowed CCT to be offered at a subsidized rate of SGD\$20, ensuring that it remained affordable to participants who were acquainted with subsidized fees for various community center programs. "

X27) Conflicts of Interest (not a CONSORT item)

X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The authors declare that they have no competing interests.

About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? *

- ☐ yes, major changes
- ☐ yes, minor changes
- ☒ no

What were the most important changes you made as a result of using this checklist?

N/A

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *

1 hour

As a result of using this checklist, do you think your manuscript has improved? *

- ☐ yes
- ☐ no
- ☒ Other: Remains the same

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- ☐ yes
- ☒ no
- ☐ Other:

Clear selection

Any other comments or questions on CONSORT EHEALTH

Your answer

STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit !

Click submit so we have your answers in our database!

Submit

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#)

Google Forms