CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red *.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF _AND_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and

Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: [10.2196/jmir.1923](https://doi.org/10.2196/jmir.1923)

PMID: [22209829](https://pubmed.ncbi.nlm.nih.gov/22209829/)

* Required

Your name *

First Last

Emily Ross

Primary Affiliation (short), City, Country *

University of Toronto, Toronto, Canada

Simon Fraser University, Burnaby, Canada

Your e-mail address *

abc@gmail.com

esross@sfu.ca

Title of your manuscript *

Provide the (draft) title of your manuscript.

The Use of Text Messaging to Improve the Hospital-to-Community Transition in Patients With Acute Coronary Syndrome (Txt2prevent): Results From a Pilot Randomized Controlled Trial

Name of your App/Software/Intervention *

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

Txt2Prevent (text messaging intervention)

Evaluated Version (if any)

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

V1

Language(s) *

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English

URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

Your answer

URL of an image/screenshot (optional)

Your answer

Accessibility *

Can an enduser access the intervention presently?

- ☐ access is free and open
- ☐ access only for special usergroups, not open
- ☐ access is open to everyone, but requires payment/subscription/in-app purchases
- ☒ app/intervention no longer accessible
- ☐ Other:

Primary Medical Indication/Disease/Condition *

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Acute coronary syndrome

Primary Outcomes measured in trial *

comma-separated list of primary outcomes reported in the trial

Self-management domains (measured by the I

Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

Medication adherence, quality of life, cardiac self-efficacy, healthcare resource use, feasibility, acceptability

Recommended "Dose" *

What do the instructions for users say on how often the app should be used?

- ☒ Approximately Daily
- ☐ Approximately Weekly
- ☐ Approximately Monthly
- ☐ Approximately Yearly
- ☐ "as needed"
- ☐ Other:

Approx. Percentage of Users (starters) still using the app as recommended after 3 months *

- ☒ unknown / not evaluated
- ☐ 0-10%
- ☐ 11-20%
- ☐ 21-30%
- ☐ 31-40%
- ☐ 41-50%
- ☐ 51-60%
- ☐ 61-70%
- ☐ 71%-80%
- ☐ 81-90%
- ☐ 91-100%
- ☐ Other:

Overall, was the app/intervention effective? *

- ☐ yes: all primary outcomes were significantly better in intervention group vs control
- ☐ partly: SOME primary outcomes were significantly better in intervention group vs control
- ☒ no statistically significant difference between control and intervention
- ☐ potentially harmful: control was significantly better than intervention in one or more outcomes
- ☐ inconclusive: more research is needed
- ☐ Other:

Article Preparation Status/Stage *

At which stage in your article preparation are you currently (at the time you fill in this form)

- ☐ not submitted yet - in early draft status
- ☒ not submitted yet - in late draft status, just before submission
- ☐ submitted to a journal but not reviewed yet
- ☐ submitted to a journal and after receiving initial reviewer comments
- ☐ submitted to a journal and accepted, but not published yet
- ☐ published
- ☐ Other:

Journal *

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- ☐ not submitted yet / unclear where I will submit this
- ☐ Journal of Medical Internet Research (JMIR)
- ☒ JMIR mHealth and UHealth
- ☐ JMIR Serious Games
- ☐ JMIR Mental Health
- ☐ JMIR Public Health
- ☐ JMIR Formative Research
- ☐ Other JMIR sister journal
- ☐ Other:

Is this a full powered effectiveness trial or a pilot/feasibility trial? *

- ☒ Pilot/feasibility
- ☐ Fully powered

Manuscript tracking number *

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- ☒ no ms number (yet) / not (yet) submitted to / published in JMIR
- ☐ Other:

TITLE AND ABSTRACT

1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a? *

I.e. does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

☒ yes

☐ Other:

1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-i? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Text Messaging"

1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - there were no co-interventions

1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")
Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1a-iii? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients With Acute Coronary Syndrome"

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-i? *

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Txt2Prevent program included automated one-way text messages about follow-up care, self-management and healthy living."

1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"automated one-way text messages"

1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"blinding of outcome assessors"; "We recruited 76 patients with ACS from St. Paul's Hospital"; "Data was collected during the index admission and at 60-days after randomization"; "Acceptability was assessed with two survey questions and semi-structured interviews"

1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We recruited 76 patients with ACS... and randomized them to one of two groups";
 "Over 90% of participants reported they were satisfied with the program"

1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"although exploratory, there were no differences between the two groups in adjusted analyses except for one self-efficacy domain. As the intervention appeared acceptable, there is potential in using text messages in this context. The design of the intervention may need to be reconsidered to have more impact on outcome measures."

INTRODUCTION

2a) In INTRODUCTION: Scientific background and explanation of rationale

2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 2a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"While reducing readmissions is a complex issue, patients with ACS may experience several challenges after discharge that negatively impact their clinical outcomes and psycho-social well-being. One-third of patients with ACS do not adhere to the behavioral advice regarding diet, physical activity and smoking cessation [5]; 44% do not have early physician follow-up [6]; and around a quarter of cardiac medication prescriptions are not filled within the first week of discharge [7]. Patients also report feeling overwhelmed or uncertain [8], being fearful of another cardiac event [9], and experiencing depression [10]. Therefore, providing continuing support after hospital discharge may affect several key factors of post-ACS management, including lifestyle changes, medication adherence, and psychosocial well-being."; "Text messages also have the benefits of being able to store messages that can be re-accessed, have a wide geographic reach, are convenient due to the asynchronous nature of communication and have low delivery costs."

2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 2a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Previous text messaging studies in patients with or at risk for CVD have reported improvements in self-management behaviors (e.g., medication adherence [15] and increases in leisure physical activity and walking [16]) and cardiac risk factors (e.g., lowering low-density lipoprotein cholesterol and systolic blood pressure [17,18]). These studies show the promise of using text messaging to aid in the care of patients with CVD. However, they do not specifically target the wide-ranging self-management activities that are required in the immediate period after discharge."

2b) In INTRODUCTION: Specific objectives or hypotheses**Does your paper address CONSORT subitem 2b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study's primary objective was to assess the effect of the Txt2Prevent intervention on self-management domains compared to usual care. The other objectives were to compare quality of life, self-efficacy, medication adherence and healthcare resource use between the two groups as well as to assess the feasibility of the study protocol and acceptability of the Txt2Prevent intervention."

METHODS**3a) Description of trial design (such as parallel, factorial) including allocation ratio**

Does your paper address CONSORT subitem 3a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"assessor-blinded, randomized controlled trial with parallel group design";
 "randomized participants in a 1:1 ratio"

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

Does your paper address CONSORT subitem 3b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - we did not make important changes to the methods after trial commencement

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We had a technical problem with our delivery system eleven months into recruitment where messages were not delivered for ten days for ten (29%) participants. It is suspected an operating system update caused the error as a sever reboot fixed the error. All affected participants were started where they left off and completed the full course of text messages."

4a) Eligibility criteria for participants

Does your paper address CONSORT subitem 4a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients were eligible to participate if they had ACS (unstable angina or any type of myocardial infarction) as their primary admitting diagnosis, had daily access to a phone with text-messaging capabilities, were able to provide informed consent, and were able to read and understand English. Exclusion criteria comprised having coronary artery bypass graft surgery as treatment for the ACS admission, having a pre-scheduled surgery within the study period, an expectation that the individual would not survive the duration of the study due to non-CVD reasons, being discharged to a care center, or living outside the province of British Columbia."

4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"had daily access to a phone with text-messaging capabilities". Our protocol paper says: "have daily access to a phone with text messaging capabilities and the ability to read new text messages"

4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients with a diagnosis of ACS, as identified by clinical staff, were recruited from St. Paul's Hospital"; "Baseline questionnaires, which included demographic information as well as measures of self-management, health-related quality of life, and cardiac self-efficacy, were administered in-person in the hospital when possible or within seven days after discharge."; "method of questionnaire completion (e.g., mail, phone)"; "semi-structured phone interviews"

4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our protocol paper covers this in more detail, e.g.: "Those who are eligible and interested will provide written, informed consent. The consent process will occur in person at the hospital."; "The research assistant will also explain and give the participant a 1-page sheet outlining the study process and study contact information while the participant is still in the hospital or over the phone (including sending a copy through email or mail)."

4b) Settings and locations where the data were collected**Does your paper address CONSORT subitem 4b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients with a diagnosis of ACS, as identified by clinical staff, were recruited from St. Paul's Hospital, a tertiary care hospital, in Vancouver, Canada between June 2015 and December 2016. "

4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4b-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Baseline questionnaires, which included demographic information as well as measures of self-management, health-related quality of life, and cardiac self-efficacy, were administered in-person in the hospital when possible or within seven days after discharge." ; "Any self-reported hospitalizations were verified with hospital records."; "Follow-up up questionnaires were administered 60 days after randomization primarily via mail, except for the healthcare resource use questions, which were completed over the phone for most participants due to its complex branching."; "semi-structured phone interviews"

4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is not described in the manuscript. Study documents had logos of the involved hospital where patients were being recruited from and the affiliated universities.

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered**5-i) Mention names, credential, affiliations of the developers, sponsors, and owners**

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We acknowledge Mr. Daniel Sheinin who was involved in the software development"; "The study received funding from the Canadian Institutes of Health Research (CIHR) through a Catalyst Grant for eHealth Innovations (application number 316822)". From our protocol paper: "An advisory committee (consisting of cardiologists, a general practitioner, a community pharmacist, a cardiac nurse specialist, patient-users, a programmer, a benefits evaluation specialist from a federally funded, nonprofit digital health organization, and academic researchers) developed the messages"

5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our protocol paper covers this in more detail: "An advisory committee developed the messages"; "After the advisory committee approved the messages, 2 focus groups (totalling 7 participants with coronary artery disease; 5 women and 2 men) were held with participants of a cardiac rehabilitation program to assess the appropriateness and acceptability of the messages."; "the patient members of the clinical advisory committee pilot-tested the text messages by receiving them for 60 days."

5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - the content of the messages was static during the trial. No further changes were made after the initial development outlined above.

5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

From our protocol paper: "An advisory committee (consisting of cardiologists, a general practitioner, a community pharmacist, a cardiac nurse specialist, patient-users, a programmer, a benefits evaluation specialist from a federally funded, nonprofit digital health organization, and academic researchers) developed the messages based on 6 guiding principles. Messages had to be (1) based on clinical evidence, (2) consistent with the hospital's current discharge instructions, (3) general enough to apply to a range of patients with the target condition, (4) within a 160-character limit to be compatible with older mobile phones, (5) at a grade 8 reading level, and (6) co-created with patients to be acceptable." The clinicians reviewed the information for accuracy and quality.

5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Example text messages are included in Table 1. There was no source code. The only algorithms were based on smoking-status, which impacted the delivery of two text-messages. If any individuals are interested in more text messages than the examples listed in the manuscript, they are welcome to contact the research team.

5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our intervention was an in-house developed text-messaging program, so there is no public-facing URL of the application.

5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-vii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"automated, one-way messages over 60 days...Messages were delivered at a time of day specified by the participant." Participants did not have to pay to receive the messages. Participants received a \$20 gift card after completing the follow-up questionnaires (outlined in our protocol paper).

5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe **mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework** [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], "whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-viii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is outlined in more detail in our protocol paper: "We will input what time of day to send the message and indicate whether they should be in the smoking (...) or non smoking stream."

"The text message delivery will be automated"

"The text message is a one-way communication"

"An advisory committee (...) developed the messages based on six guiding principles" (details listed in the manuscript).

"The intervention incorporates social marketing principles...Instead of conforming to a single one of the many 'branded' theories of behavior change, the intervention reflects a set of cross cutting theoretical domains."

The usual care group will not receive text messages. During hospitalization, these participants will typically receive an education session""

5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The user chose the time of day to receive the message: "Messages were delivered at a time of day specified by the participant." The users could choose to interact with the messages as they desired. In our protocol paper, we outlined the automated delivery schedule: "The intervention group will receive a total of 48 health-related text messages: 1 per day for the first 36 days, then 1 every other day for days 37 to 60 "

5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"received 48 automated, one-way messages"; The usual care group did not receive any text messages or have any contact from research staff during the study period. "; "A research assistant not involved in recruitment or outcome assessment accessed a secure randomization database to obtain allocations for each patient and informed participants of their group assignment." Human involvement was only required if the participant wished to stop receiving message or if the participant was re-admitted to the hospital. From our protocol paper: "After the initial sign-up, study staff involvement will only be required if the participant is readmitted to the hospital."

5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-xi? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The intervention only includes text messages, which are essentially prompts in and of themselves. There are no other triggers for them to look at their mobile phone to check the text messages.

5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 5-xii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There are no co interventions. The only training is that participants are given "a one page sheet outlining the study process" (outlined in our protocol paper).

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

Does your paper address CONSORT subitem 6a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The primary outcome was... self-management domains as measured by the Health Education Impact Questionnaire"; "The secondary outcomes were health-related quality of life, cardiac self-efficacy, medication adherence and healthcare resource use. Health-related quality of life was measured with the EQ-5D-5L.... also captured using the EQ-5D-5L visual analogue scale...Cardiac self-efficacy was measured with a modified Sullivan Cardiac Self-Efficacy scale...Medication adherence was measured with the Morisky Medication Adherence Scale...Healthcare resource use over the 60-day follow-up period (e.g., visits to health care practitioners, visits to hospitals, cardiac rehabilitation program participation) was self-reported through a questionnaire developed by the research team."; "Study feasibility was assessed through descriptive statistics..."; "Acceptability was assessed via two five-level Likert scale survey questions...also assessed via two questions in semi-structured phone interviews"

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

Online questionnaires were only used in cases where we could not reach the participant.

An approved online version of the EQ 5D 5L was used (approval from the EuroQol Group), while the other outcome measures were adapted to an online survey format and tested for user friendliness

6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

From our protocol paper: "We will be able to confirm if the text message is delivered but not whether the text messages were opened and read; "The URL links [provided in the messages] are converted to a bit.ly link to make them shorter and to allow us to monitor how many times the links were accessed."

We also asked participants in the semi-structured interviews about how they engaged with the messages. These findings will be reported on separately.

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

"Acceptability was also assessed via two questions in semi-structured phone interviews—specifically whether they would recommend the program to other heart patients and whether they read the text messages. Participants with a range of demographic characteristics who were randomized to the Txt2prevent group were invited to participate in the semi-structured interviews after the 60-day study period. Detailed findings from the interviews, which covered participants' experiences with the program and gathered feedback on program attributes, will be presented in a separate paper."

6b) Any changes to trial outcomes after the trial commenced, with reasons

Does your paper address CONSORT subitem 6b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - we did not make changes to the trial outcomes after the trial commenced

7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Attrition was not taken into account when calculating the sample size "as this was a pilot study, the sample size was based on convenience. We aimed to recruit 76 participants, as we previously estimated this was feasible over six months of recruitment."

7b) When applicable, explanation of any interim analyses and stopping guidelines**Does your paper address CONSORT subitem 7b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - There were no plans for interim analyses or stopping guidelines as this study has a relatively short follow up period (2 months) and is a pilot study.

8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A statistician unassociated with the study generated a random allocation schedule, which randomized participants in a 1:1 ratio using variable block sizes, stratified by sex"

From our protocol paper: "This research assistant will use a web based randomization service developed through an independent research centre."

8b) Type of randomisation; details of any restriction (such as blocking and block size)**Does your paper address CONSORT subitem 8b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A statistician unassociated with the study generated a random allocation schedule, which randomized participants in a 1:1 ratio using variable block sizes, stratified by sex"

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

Does your paper address CONSORT subitem 9? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

An independent research centre set up a password protected web based service.

"A research assistant not involved in recruitment or outcome assessment accessed a secure randomization database to obtain allocations for each patient and informed participants of their group assignment. "

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions**Does your paper address CONSORT subitem 10? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A research assistant not involved in recruitment or outcome assessment accessed a secure randomization database to obtain allocations for each patient and informed participants of their group assignment. "

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 11a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"assessor-blinded"; "A research assistant not involved in recruitment or outcome assessment accessed a secure randomization database to obtain allocations for each patient and informed participants of their group assignment. "

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

From our protocol paper: ""Participants will be aware that the text messaging program is the intervention of interest as it is being compared to usual care.""

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

Does your paper address CONSORT subitem 11b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - the comparison group received usual care

12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

Does your paper address CONSORT subitem 12a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

" For continuous data from the heiQ, EQ-5D-5L, EQ VAS, and cardiac self-efficacy questionnaires, analysis of covariance (ANCOVA) was used to test the effect of group assignment on the follow-up scores when controlling for baseline scores"; "We also calculated Cohen's d effect sizes."; "For count data from the healthcare resource use questionnaire (...), we used negative binomial regression analyses"; "For binary response data from the healthcare resource use questionnaire (...), we used a robust Poisson regression to determine relative risk as our outcomes occurred frequently [32]. For the robust Poisson regression, we adjusted for age and sex as pre-specified, as well as geographic region [6] and income [6]. Chi-square tests were used for categorical variables unless there were low expected counts, in which case Fisher's exact test was used."

12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 12a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Complete cases were analyzed."

Missing values were addressed as per the guidelines provided with the questionnaires.

12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses**Does your paper address CONSORT subitem 12b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We also fitted adjusted models including age and sex as pre-specified covariates as well as previous CVD status for the heiQ, and previous CVD status and marital status for the cardiac self-efficacy, due to their prognostic value [30]. "

"For count data from the healthcare resource use questionnaire (e.g., number of readmissions), we used negative binomial regression analyses as our data had some overdispersion. For these analyses, we adjusted for age and sex, as pre-specified. For binary response data from the healthcare resource use questionnaire (e.g. cardiologist visit within 60 days – yes/no), we used a robust Poisson regression to determine relative risk as our outcomes occurred frequently [32]. For the robust Poisson regression, we adjusted for age and sex as pre-specified, as well as geographic region [6] and income [6]."

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

X26-i) Comment on ethics committee approval

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Ethics and institutional approvals were obtained from Providence Health Care Research Ethics Board and Simon Fraser University's Office of Research Ethics."

x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

From our protocol paper: ""The consent process will occur in-person at the hospital. If the patient is discharged before it is possible for the research assistant to complete the written consent process, the patient may provide their phone number to study staff so they can complete an oral consent process over the phone within seven days of discharge"

X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

At the time of consent, participants are instructed to contact their health professional with any medical questions (this information is also outlined in the consent form), to contact the study team if they are readmitted, and are instructed in the consent form to contact us for appropriate supports if they find any of the questionnaires distressing.

RESULTS**13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome**

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

Does your paper address CONSORT subitem 13a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Given in Figure 1 and Table 4.

13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Given in Figure 1.

13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We do not have the data to provide an attrition diagram. Study attrition is provided in Figure 1.

14a) Dates defining the periods of recruitment and follow-up

Does your paper address CONSORT subitem 14a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients with a diagnosis of ACS, as identified by clinical staff, were recruited from St. Paul's Hospital, a tertiary care hospital, in Vancouver, Canada between June 2015 and December 2016."; "Follow-up questionnaires were administered 60 days after randomization"

14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - there were no critical secular events

14b) Why the trial ended or was stopped (early)

Does your paper address CONSORT subitem 14b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - the trial was not ended or stopped early

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

Does your paper address CONSORT subitem 15? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Provided in Table 2 and Table 3.

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 15-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Provided in Table 2.

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

16-i) Report multiple “denominators” and provide definitions

Report multiple “denominators” and provide definitions: Report N's (and effect sizes) “across a range of study participation [and use] thresholds” [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants “used” the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define “use” of the intervention.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 16-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N's are provided in each table.

16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only “users”, with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Analyses were conducted following the intent-to-treat principle."

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)**Does your paper address CONSORT subitem 17a? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All tables provides 95% confidence intervals where applicable.

17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Table 7 provides process measures that were collected. We do not have use data given the type of intervention.

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended**Does your paper address CONSORT subitem 17b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In Supplemental Table 3, both absolute and relative results are presented.

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory**Does your paper address CONSORT subitem 18? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not do subgroup analyses. In our protocol paper we said: "Group assignment, age, and sex will be a priori covariates. Clinically relevant differences in baseline factors will be included as covariates in the models." Adjusted models are detailed in 12b.

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - we did not do a subgroup analysis of only users.

19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

Does your paper address CONSORT subitem 19? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A - we are not aware of any harms or unintended effects in either group.

19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We had a technical problem with our delivery system eleven months into recruitment where messages were not delivered for ten days for ten (29%) participants. It is suspected an operating system update caused the error as a sever reboot fixed the error. All affected participants were started where they left off and completed the full course of text messages. After this technical problem, we implemented more regular system checks by the staff involved in randomization to ensure all messages were being delivered."

We are unaware of any privacy breaches due to the text messaging intervention.

19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"When asked in semi-structured interviews, seventeen of eighteen participants said they would recommend the program to other cardiac patients. The participant who said they would not recommend the program qualified that it would depend on whether the person took the time to read the messages. All interview participants reported reading every message except two who reported they read the majority of messages but may have missed a couple. Every interviewed participant said they would be willing to use text messaging again for health purposes."

DISCUSSION**22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence**

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 22-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Our pilot study assessed the impact, feasibility, and acceptability of a 60-day text messaging program in supporting patients with ACS following hospital discharge. In exploratory analyses, we did not find statistically significant differences on follow-up scores (controlling for baseline scores where applicable) between the Txt2Prevent group and usual care group in their self-management domains, health-related quality of life, medication adherence, healthcare resource use and self-efficacy in adjusted models except for the 'Total Plus' domain, which was impacted by an influential outlier. The study protocol was generally feasible as seen by high adherence to the study protocol targets for randomization time frames and questionnaire completion rates although recruitment took much longer than estimated. In terms of acceptability, participants reported they generally found the program acceptable and believed it helped them manage their condition."

22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

	1	2	3	4	5	
	☐	☐	☐	☐	☐	
subitem not at all important						essential

Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Future work should investigate the effect of tailoring, multi-factor versus single-factor interventions, two-way versus one-way messaging and the effectiveness of behavior change techniques."

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 20-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Limitations are provided under the Limitations sub-headings.

21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This was not discussed in detail. We did not tailor the intervention for different cultures. We also required participants to have access to a phone, which limits the population we could reach.

21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

At this point, there isn't the support to implement in a routine application setting, so these points were not discussed in detail.

OTHER INFORMATION

23) Registration number and name of trial registry

Does your paper address CONSORT subitem 23? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"registered at ClinicalTrials.gov [NCT02336919]"

24) Where the full trial protocol can be accessed, if available

Does your paper address CONSORT subitem 24? *

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study protocol and intervention development have been previously reported [19]" (<https://www.researchprotocols.org/2017/5/e91/>)

25) Sources of funding and other support (such as supply of drugs), role of funders

Does your paper address CONSORT subitem 25? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study received funding from the Canadian Institutes of Health Research (CIHR) through a Catalyst Grant for eHealth Innovations (Application Number: 316822)"

The funders were not involved in the preparation of the manuscript or in the design of the study

X27) Conflicts of Interest (not a CONSORT item)**X27-i) State the relation of the study team towards the system being evaluated**

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"None declared. "

About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? *

- ☐ yes, major changes
- ☒ yes, minor changes
- ☐ no

What were the most important changes you made as a result of using this checklist?

Clarifying some details.

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *

2.5 hours

As a result of using this checklist, do you think your manuscript has improved? *

☒ yes

☐ no

☐ Other:

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

☐ yes

☒ no

☐ Other:

Clear selection

Any other comments or questions on CONSORT EHEALTH

Your answer

STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit !

Click submit so we have your answers in our database!

Submit

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#).

Google Forms