CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red *.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF _AND_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and

Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

*Vereist

Your name *

First Last

Quirine Eunice Wennie van der Zander

Primary Affiliation (short), City, Country *

University of Toronto, Toronto, Canada

Maastricht University Medical Center, Maastric

Your e-mail address *

abc@gmail.com

q.vanderzander@maastrichtuniversity.nl

Title of your manuscript *

Provide the (draft) title of your manuscript.

"The effects of a personalized smartphone application on bowel preparation quality: A randomized controlled trial"

Name of your App/Software/Intervention *

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

Prepit (Prepare for colonoscopy)

Evaluated Version (if any)

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

Version 2.1.5

Language(s) *

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English, Dutch

URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

<https://apps.apple.com/nl/app/prepit/id1204337501>

URL of an image/screenshot (optional)

Jouw antwoord

Accessibility *

Can an enduser access the intervention presently?

- ☐ access is free and open
- ☒ access only for special usergroups, not open
- ☐ access is open to everyone, but requires payment/subscription/in-app purchases
- ☐ app/intervention no longer accessible
- ☐ Anders:

Primary Medical Indication/Disease/Condition *

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Bowel preparation for colonoscopy

Primary Outcomes measured in trial *

comma-separated list of primary outcomes reported in the trial

"Bowel preparation quality assessed by the Bo

Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

"Adenoma detection rate (ADR), polyp detection rate (PDR), cecal intubation time, withdrawal time, ... and patient satisfaction."

Recommended "Dose" *

What do the instructions for users say on how often the app should be used?

- ☐ Approximately Daily
- ☐ Approximately Weekly
- ☐ Approximately Monthly
- ☐ Approximately Yearly
- ☐ "as needed"
- ☒ Anders: The two days before the colonoscopy procedure.

Approx. Percentage of Users (starters) still using the app as recommended after 3 months *

- ☐ unknown / not evaluated
- ☐ 0-10%
- ☐ 11-20%
- ☐ 21-30%
- ☐ 31-40%
- ☐ 41-50%
- ☐ 51-60%
- ☐ 61-70%
- ☐ 71%-80%
- ☐ 81-90%
- ☐ 91-100%
- ☒ Anders: Not applicable, use only recommended in the two days prior to the c

Overall, was the app/intervention effective? *

- ☒ yes: all primary outcomes were significantly better in intervention group vs control
- ☐ partly: SOME primary outcomes were significantly better in intervention group vs control
- ☐ no statistically significant difference between control and intervention
- ☐ potentially harmful: control was significantly better than intervention in one or more outcomes
- ☐ inconclusive: more research is needed
- ☐ Anders:

Article Preparation Status/Stage *

At which stage in your article preparation are you currently (at the time you fill in this form)

- ☐ not submitted yet - in early draft status
- ☒ not submitted yet - in late draft status, just before submission
- ☐ submitted to a journal but not reviewed yet
- ☐ submitted to a journal and after receiving initial reviewer comments
- ☐ submitted to a journal and accepted, but not published yet
- ☐ published
- ☐ Anders:

Journal *

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- ☐ not submitted yet / unclear where I will submit this
- ☐ Journal of Medical Internet Research (JMIR)
- ☒ JMIR mHealth and UHealth
- ☐ JMIR Serious Games
- ☐ JMIR Mental Health
- ☐ JMIR Public Health
- ☐ JMIR Formative Research
- ☐ Other JMIR sister journal
- ☐ Anders:

Is this a full powered effectiveness trial or a pilot/feasibility trial? *

- ☐ Pilot/feasibility
- ☒ Fully powered

Manuscript tracking number *

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- ☒ no ms number (yet) / not (yet) submitted to / published in JMIR
- ☐ Anders:

TITLE AND ABSTRACT

1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a? *

I.e. does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

☒ yes

☐ Anders:

1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 1a-i? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"personalized smartphone application"

1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential

Selectie wissen

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable, there was no use of non-web-based components or co-interventions.

1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")
Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 1a-iii? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Patients using "bowel preparation" for colonoscopy.

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 1b-i? *

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Both groups received identical face-to-face education from a research physician including instructions about the colonoscopy procedure, diet restrictions, and intake of the laxative. In addition, the control group received written information, whereas the smartphone application group was instructed to use the smartphone application instead of the written information."

1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like “fully automated” vs. “therapist/nurse/care provider/physician-assisted” (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
	☐	☐	☒	☐	☐	
subitem not at all important						essential
Selectie wissen						

Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"from a research physician"

1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use “blinded” or “unblinded” to indicated the level of blinding instead of “open”, as “open” in web-based trials usually refers to “open access” (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
	☐	☐	☐	☒	☐	
subitem not at all important						essential
Selectie wissen

Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"face-to-face education"

"use the smartphone application instead of the written information"

1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential

Selectie wissen

Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"In total 87 patients participated in the smartphone application group and 86 in the control group. The mean total Boston bowel preparation scale was significantly higher in the smartphone application group (8.3 ± 0.9) compared to the control group (7.9 ± 1.2 , $P=.03$). The right colon showed a significantly higher bowel preparation score in the smartphone application group (2.7 ± 0.5 vs 2.5 ± 0.6 , $P=.04$). General patient satisfaction was high for the smartphone application group (4.4 ± 0.7), but showed no significant difference in comparison to the control group (4.3 ± 0.8 , $P=.32$)."

1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential

Selectie wissen

Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The results of the primary outcome were not negative, no negative trial.

INTRODUCTION**2a) In INTRODUCTION: Scientific background and explanation of rationale****2a-i) Problem and the type of system/solution**

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 2a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The efficacy and safety of colonoscopy are related to the quality of the pre-investigational bowel preparation."

"Currently reported rates of inadequate bowel preparation range from 18-35%[1, 7] leaving room for improvement."

"A new method of informing and instructing patients is via a personalized smartphone application."

2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

	1	2	3	4	5	
	☐	☐	☒	☐	☐	
subitem not at all important						essential

Selectie wissen

Does your paper address subitem 2a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"In 2017, 93% of all Dutch adults possessed a smartphone. The highest percentage of smartphone use was found in younger age groups, but 90% of people aged ≥55 years had access to a smartphone[16]. Therefore, there is potential in using this technology to improve bowel preparation quality for colonoscopy."

2b) In INTRODUCTION: Specific objectives or hypotheses

Does your paper address CONSORT subitem 2b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This study aimed to investigate the quality of bowel preparation and patient satisfaction in patients using a newly developed, personalized smartphone application in addition to verbal instructions compared with regular verbal and written instructions."

METHODS**3a) Description of trial design (such as parallel, factorial) including allocation ratio**

Does your paper address CONSORT subitem 3a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"prospective, endoscopist-blinded, randomized controlled trial"

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

Does your paper address CONSORT subitem 3b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable, there were no changes in the methods after trial commencement.

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential

Selectie wissen

Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable, there was no need for bug fixes, downtimes or content changes.

4a) Eligibility criteria for participants

Does your paper address CONSORT subitem 4a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients ≥ 18 years, in the possession of a smartphone, and referred to the outpatient clinic for a colonoscopy screening visit by their general practitioner or by the Dutch colorectal cancer screening program, were eligible to participate."

4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen						

Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"in the possession of a smartphone"

4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen						

Does your paper address subitem 4a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients ... referred to the outpatient clinic for a colonoscopy screening visit"

"Instructions were delivered face-to-face by two research physicians"

4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen

Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"At our institute, patient education occurs during a screening visit at the outpatient clinic 1-4 weeks before colonoscopy."

"All included patients provided written informed consent."

4b) Settings and locations where the data were collected

Does your paper address CONSORT subitem 4b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"conducted at the Maastricht University Medical Center+ (MUMC+), Maastricht, the Netherlands, from August 2018 to November 2019."

4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential

Selectie wissen

Does your paper address subitem 4b-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"a self-assessed paper questionnaire"

4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Jouw antwoord

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All patients were prescribed sodium picosulfate with magnesium citrate (SPMC) in a split-dose regimen of two doses, consisting of 10.0 mg sodium picosulfate, 3.5 g magnesium oxide, and 12.0 g citric acid (Picoprep®, Ferring B.V., Hoofddorp, the Netherlands)."

"Ferring B.V. (Hoofddorp, the Netherlands) financially supported and facilitated the development of the smartphone application (Prepit, Prepare for colonoscopy, Ferring B.V., Hoofddorp, the Netherlands). Ferring B.V. did not contribute to the study protocol, data analysis, or manuscript writing."

5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The development process was in hands of Ferring B.V..

The version numbers of the application evaluated in this study are: 2.0.1, 2.1.0, 2.1.1, 2.1.2, 2.1.3, 2.1.4, and 2.1.5. These were all minor changes adding new countries (Belgium, Canada and Czech Republic), leaving the functionality the same.

5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential

Selectie wissen

Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The version numbers of the application evaluated in this study are: 2.0.1, 2.1.0, 2.1.1, 2.1.2, 2.1.3, 2.1.4, and 2.1.5. These were all minor changes adding new countries (Belgium, Canada and Czech Republic), leaving the functionality the same.

5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Jouw antwoord

5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Figure 1 provides screenshots of the information in the smartphone application.
 "Figure 1. Smartphone application screenshots. (A) Date and time entry, (B) educational tools, (C) date and time specific bowel preparation schedule, (D) examples of low-fiber diet, (E) Picoprep preparation instructions, and (F) examples of clear liquids."

5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen						

Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Since the application used in this study concerns a smartphone application, no URL can be provided despite the appstore URL
<https://apps.apple.com/nl/app/prepit/id1204337501>.

5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential

Selectie wissen

Does your paper address subitem 5-vii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients in the smartphone application group had to install the application on their Android or iOS smartphones which was accessible by a quick response code (Prepit®, Ferring B.V., Hoofddorp, the Netherlands)."

The quick response code was provided to participants for free.

5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential

Selectie wissen

Does your paper address subitem 5-viii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients from both groups received a hyperlink to an online educational video explaining the colonoscopy procedure. Patients in the control group received verbal and written information concerning the diet restrictions, the bowel preparation schedule and the laxative. Patients in the smartphone application group had to install the application on their Android or iOS smartphones which was accessible by a quick response code (Prepit®, Ferring B.V., Hoofddorp, the Netherlands). Instead of the written instructions, patients in the smartphone application group received information and instructions via the smartphone application. The content of the information and instructions provided via the smartphone application was equal to the written instructions of the control group. However, the information was presented in a more visual way, i.e. providing pictograms of low-fiber food products and images of the desired stool consistency after ingestion of the laxative. Furthermore, the smartphone application provided the patients with personalized notifications about the steps of bowel preparation tailored to the exact colonoscopy date and time"

5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential

Selectie wissen

Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All patients were prescribed sodium picosulfate with magnesium citrate (SPMC) in a split-dose regimen of two doses, consisting of 10.0 mg sodium picosulfate, 3.5 g magnesium oxide, and 12.0 g citric acid (Picoprep®, Ferring B.V., Hoofddorp, the Netherlands). Patients scheduled for a colonoscopy in the morning or early afternoon were instructed to take the first SPMC dose the evening before and the second dose the morning of the colonoscopy. For colonoscopies scheduled in the afternoon, patients had to take both SPMC doses the morning of the examination with a 2-5 hour interval between both doses. All patients were also given 10.0 mg of bisacodyl as additive to the first SPMC dose."

5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen						

Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Instructions were delivered face-to-face by two research physicians"

5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen

Does your paper address subitem 5-xi? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"the smartphone application provided the patients with personalized notifications about the steps of bowel preparation tailored to the exact colonoscopy date and time"

5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen						

Does your paper address subitem 5-xii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable, no co-interventions were used.

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

Does your paper address CONSORT subitem 6a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The primary outcome was bowel preparation quality assessed by the Boston bowel preparation scale (BBPS). ... Secondary endpoints were: adenoma detection rate (ADR), polyp detection rate (PDR), cecal intubation time, and withdrawal time. ADR and PDR were calculated by dividing the number of patients with at least 1 adenoma and/or polyp by the total number of colonoscopy patients (based on the histological diagnosis according to the revised Vienna classification)[23, 24]. Withdrawal time included the time-period from starting withdrawal from the cecum to final inspection of the rectum, including time spent on washing, suctioning, and polypectomies. Patient satisfaction concerning the bowel preparation procedure was evaluated using a self-assessed paper questionnaire. ... Patients in the smartphone application group were also asked to rate the user friendliness and design of the smartphone application on a 10-point scale. "

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

Selectie wissen

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

The validated patient satisfaction questionnaire was provided on paper and not online.

"items from the Patient Satisfaction Questionnaire-18 (PSQ-18) were transformed to bowel preparation education purposes"

6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential
Selectie wissen						

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

'Use' of the smartphone application was not monitored. See the "Strenghts and limitations" section in the discussion.

"This study has also certain limitations. First, compliance to the steps of the bowel preparation schedule was not controlled in either group. While it is known that approximately 30% of patients with poor bowel preparation fail to follow instructions prior to the colonoscopy[42]."

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

"Patients in the smartphone application group were also asked to rate the user friendliness and design of the smartphone application on a 10-point scale."

6b) Any changes to trial outcomes after the trial commenced, with reasons

Does your paper address CONSORT subitem 6b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable, no changes to trial outcomes were made after the trial commenced.

7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Sample size calculation was performed using PS Power and Sample Size Program version 3.1.2. In order to detect a difference of 0.75 in total BBPS between both groups with a significance level (α) of .05 and a power of 80%, 82 completers per group were needed[26, 27]. To account for patients dropping out, 90 patients per group were enrolled."

7b) When applicable, explanation of any interim analyses and stopping guidelines

Does your paper address CONSORT subitem 7b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable, interim analyses were not performed.

8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"During this visit, patients were randomly assigned to the smartphone application group or the control group using a computer-generated randomization list in a 1:1 sequence based on the order of inclusion."

8b) Type of randomisation; details of any restriction (such as blocking and block size)**Does your paper address CONSORT subitem 8b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No restrictions (such as blocking) on the randomisation procedure were used.

"During this visit, patients were randomly assigned to the smartphone application group or the control group using a computer-generated randomization list in a 1:1 sequence based on the order of inclusion."

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

Does your paper address CONSORT subitem 9? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"During this visit, patients were randomly assigned to the smartphone application group or the control group using a computer-generated randomization list in a 1:1 sequence based on the order of inclusion."

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions**Does your paper address CONSORT subitem 10? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"During this visit, patients were randomly assigned to the smartphone application group or the control group using a computer-generated randomization list in a 1:1 sequence based on the order of inclusion."

Two research physicians enrolled participants and assigned participants to the interventions based on the computer-generated randomization list.

"Instructions were delivered face-to-face by two research physicians (QZ and BV)."

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen						

Does your paper address subitem 11a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Endoscopists were blinded regarding the study groups."

Because of the design of the study, it was not possible to blind the participants and the research physicians providing the instructions.

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The research physicians explained the study aims and the intervention of interest during the screening visit.

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

Does your paper address CONSORT subitem 11b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The content of the information and instructions given was similar for the control group and for the smartphone application group.

"Patients from both groups received a hyperlink to an online educational video explaining the colonoscopy procedure. ... The content of the information and instructions provided via the smartphone application was equal to the written instructions of the control group. However, the information was presented in a more visual way, i.e. providing pictograms of low-fiber food products and images of the desired stool consistency after ingestion of the laxative. Furthermore, the smartphone application provided the patients with personalized notifications about the steps of bowel preparation tailored to the exact colonoscopy date and time"

12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

Does your paper address CONSORT subitem 12a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Intention-to-treat analyses were performed. Descriptive statistics are presented as mean $\pm$ standard deviation (SD) or as number of patients (%). Differences between study groups were analyzed using independent-samples t-test for numerical variables and Chi-square test or Fisher's exact test for categorical variables. Post-hoc analyses were performed for subgroup analyses."

12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 12a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All included patients used the intervention as intended.

"Analyses included only complete colonoscopies (successful cecal intubation). Missing data was equally distributed between the smartphone application group and the control group. Analyses including incomplete colonoscopies, showed similar results."

12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

Does your paper address CONSORT subitem 12b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Post-hoc analyses were performed for subgroup analyses."

"Subgroup analyses were performed for morning and afternoon colonoscopies, age below and above 65 years, and colonoscopy waiting time exceeding one month or not"

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

X26-i) Comment on ethics committee approval

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential
Selectie wissen						

Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Medical Ethical Review Committee of the Maastricht University Medical Center (MEC 16-4-141) approved the study, which is registered at ClinicalTrials.gov (NCT03677050)."

x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen						

Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Information provided to participants included: background, aim, interventions, advantages and disadvantages of participation, privacy statement, and contact details in case of questions.

After providing this information, written informed consent was asked for and signed during the screening visit at the outpatient clinic.

X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Privacy considerations were discussed and data was saved in a coded manner.
Contact details in case of detection of harm were provided.

RESULTS

13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

Does your paper address CONSORT subitem 13a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"In total 90 patients were included in the smartphone application group and 90 in the control group (Figure 2). Seven patients were excluded."

In Figure 2: "173 patients included in intention to treat analysis. Control group n=87. Smartphone application group n=86."

13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Seven patients were excluded."

In Figure 2: "Patients excluded (n=7). Colonoscopy canceled (n=6). Switch to different bowel preparation (n=1).

13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	☐	☒	☐	☐	☐	essential
Selectie wissen						

Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable, compliance and usage of the smartphone application was not controlled.

14a) Dates defining the periods of recruitment and follow-up

Does your paper address CONSORT subitem 14a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients who underwent a colonoscopy at the MUMC+ between August 2018 and November 2019 were screened for eligibility."

14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

	1	2	3	4	5	
subitem not at all important	☐	☒	☐	☐	☐	essential
Selectie wissen						

Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

14b) Why the trial ended or was stopped (early)

Does your paper address CONSORT subitem 14b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The inclusion of patients ended when 90 participants per intervention group completed the study according to the sample size calculation.

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

Does your paper address CONSORT subitem 15? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Table 1. Baseline characteristics of patients in the smartphone application group versus patients in the control group."

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen

Does your paper address subitem 15-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Table 1. Baseline characteristics of patients in the smartphone application group versus patients in the control group."

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential

Selectie wissen

Does your paper address subitem 16-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The denominators are provided for all analyses. The numbers of participants included in the analyses are reported (table footnotes).

16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen						

Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Intention-to-treat analyses were performed.

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

Does your paper address CONSORT subitem 17a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Table 2. Bowel preparation scores for the smartphone application group versus the control group." Provides the primary outcome in mean (+- standard deviation).

"Table 3. Subgroup analysis for the smartphone application group versus the control group." Provides a subgroup analyses for the primary outcome in mean (+- standard deviation).

"Table 4. Colonoscopy quality parameter details for the smartphone application versus the control group." Provides the secondary outcome in n (%), and mean (+- standard deviation).

"Table 5. Patient satisfaction according to the PSQ-18 questionnaire and patient satisfaction on smartphone application use." Provides the secondary outcome in mean (= standard deviation).

17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☐	essential

Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

Does your paper address CONSORT subitem 17b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In Table 1 binary outcomes are provided:

"Table 1. Baseline characteristics of patients in the smartphone application group versus patients in the control group."

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory

Does your paper address CONSORT subitem 18? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Post-hoc analyses were performed for subgroup analyses."

"Subgroup analyses were performed for morning and afternoon colonoscopies, age below and above 65 years, and colonoscopy waiting time exceeding one month or not"

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen						

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

Does your paper address CONSORT subitem 19? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No harms or unintended effects occurred.

19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen						

Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No privacy breaches or technical problems occurred.

19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen

Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants in the smartphone application group rated the application itself:
 "The majority of the smartphone application users was willing to use the application again for eventual future colonoscopies (4.5 ± 0.6) and rated the added value of the smartphone application 4.4 ± 0.7 . On a 10-point scale, user friendliness and design of the smartphone application were rated 8.7 ± 1.1 and 8.7 ± 1.2 , respectively."

DISCUSSION

22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen

Does your paper address subitem 22-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Adequate bowel preparation is an important quality indicator for colonoscopy. Key finding of this study is the significantly higher mean total BBPS in patients using a personalized smartphone application for bowel preparation instructions compared to patients using regular verbal and written information. Patient satisfaction did not further improve for smartphone application users compared to patients receiving regular written instructions."

22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☐	☒	essential
						Selectie wissen

Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"For patients ≥ 65 years, no significant differences in mean BBPS were found, although their number was low. Further research focusing on elderly patients (≥ 65 years old) is needed to investigate the usefulness of a smartphone application among those patients."

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential

Selectie wissen

Does your paper address subitem 20-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This study has also certain limitations. First, compliance to the steps of the bowel preparation schedule was not controlled in either group. While it is known that approximately 30% of patients with poor bowel preparation fail to follow instructions prior to the colonoscopy[42]. Second, patients were not blinded for the intervention. Third, a large number of endoscopists assessed the BBPS, potentially leading to a larger variability in scoring and possibly causing bias. Notwithstanding, all endoscopists were trained and experienced in using the BBPS in order to uniform scoring, thereby reflecting daily endoscopic practice in a teaching hospital."

21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen						

Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Fourth, selection bias may have occurred since only 31% of the screened patients visiting our pre-screen facility were eligible for inclusion. Most likely, only patients with an affinity for smartphone use were willing to participate, lowering the generalizability of this study. However, the group of smartphone users will only increase in the future, making smartphone applications for bowel preparation a valuable tool for the improvement of bowel preparation quality. Fifth, the study was performed single center, limiting its generalizability."

21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

	1	2	3	4	5	
subitem not at all important	☐	☐	☒	☐	☐	essential
Selectie wissen

Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There would be minimal differences in a routine clinical setting compared to the RCT setting. Instead of research physicians instructing the patients, medical doctors would give the exact same instructions in a clinical setting.

OTHER INFORMATION**23) Registration number and name of trial registry****Does your paper address CONSORT subitem 23? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"registered at ClinicalTrials.gov (NCT03677050)."

24) Where the full trial protocol can be accessed, if available**Does your paper address CONSORT subitem 24? ***

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The full trial protocol can be requested by contacting the corresponding author.

25) Sources of funding and other support (such as supply of drugs), role of funders

Does your paper address CONSORT subitem 25? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Ferring B.V. (Hoofddorp, the Netherlands) financially supported and facilitated the development of the smartphone application (Prepit, Prepare for colonoscopy, Ferring B.V., Hoofddorp, the Netherlands). Ferring B.V. did not contribute to the study protocol, data analysis, or manuscript writing."

X27) Conflicts of Interest (not a CONSORT item)

X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	☐	☐	☐	☒	☐	essential
Selectie wissen

Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Author AM was supported by a health care efficiency grant from ZON MW (Organization for Health Research and Development, The Netherlands), an unrestricted research grant from Will Pharma S.A., a restricted educational grant from Ferring B.V., research funding from Allegan and Grünenthal, gave scientific advice to Bayer, Kyowa Kirin, and Takeda, and received a research grant from Pentax Europe GmbH and the Dutch Cancer Society. Author RR was supported by a restricted educational grant from Ferring B.V.. Authors QZ, AR, BV, and BW declare no Conflict of Interests for this article. Ferring B.V. (Hoofddorp, the Netherlands) financially supported and facilitated the development of the smartphone application. Ferring B.V. had no role in the design, practice or analysis of this study."

About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? *

- ☐ yes, major changes
- ☒ yes, minor changes
- ☐ no

What were the most important changes you made as a result of using this checklist?

Minor clarifications.

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *

1-2 hours

As a result of using this checklist, do you think your manuscript has improved? *

☐ yes

☒ no

☐ Anders:

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

☐ yes

☒ no

☐ Anders:

Selectie wissen

Any other comments or questions on CONSORT EHEALTH

No, thank you.

STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit !

Click submit so we have your answers in our database!

Verzenden

Verzend nooit wachtwoorden via Google Formulieren.

Deze content is niet gemaakt of goedgekeurd door Google. [Misbruik rapporteren](#) - [Servicevoorwaarden](#) - [Privacybeleid](#)

Google Formulieren